Revised Date: 2019-01-10 00:00

Print Date: 2019-11-06 11:01

Page 1 of 8



Product: BERRY BLISS

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### Identification of the substance/mixture and of the company/undertaking 1.

#### **Product identifier** 1.1

Trade Name: BERRY BLISS

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### Emergency telephone number 1.4

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

# Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 4	H227 : Combustible liquid

Skin Corrosion/Irritation, Category 2

H315 : Causes skin irritation

# **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





# Product: BERRY BLISS

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

### Signal Word: Warning

#### Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

### **Prevention:**

	P235	Keep cool
	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace
	P273	Avoid release to the environment
R	esponse:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
	P391	Collect Spillage
2.3	Other Hazards	

# no data available

# 3. Composition/Information on Ingredients

# 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2 Diethyl pht	201-550-6	60 - 70 %	H316; H402
6259-76-3	228-408-6	5 - 10 %	H315; H317; H319; H400; H410
Hexyl salic	ylate		

#### Revised Date: 2019-01-10 00:00

Page 2 of 8 Print Date: 2019-11-06 11:01



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425

F#1 (817) 741-0879

# Product: BERRY BLISS

Revised Date: 2019-01-10 00:00

Page 3 of 8 Print Date: 2019-11-06 11:01

	starcandlesupply.con		
CAS# Ingredient	EC#	Range	GHS Classification
4940-11-8	225-582-5	2 - 5 %	H302; H401
Ethyl Ma	ltol		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H410
Limonen	е		
121-32-4	204-464-7	2 - 5 %	H303; H320; H402
3-Ethoxy	-4-hydroxybenza	aldehyde	
5471-51-2	226-806-4	2 - 5 %	H402
Raspber	ry Ketone		
7452-79-1	231-225-4	2 - 5 %	H226
Ethyl 2-n	nethylbutyrate		
80-25-1	201-264-1	2 - 5 %	H401
Dihydrot	erpinyl acetate		
105-95-3	203-347-8	2 - 5 %	H401
Ethylene	brassylate		
05-54-4	203-306-4	1 - 2 %	H226; H401
Ethyl but	tyrate		
222-05-5	214-946-9	1 - 2 %	H316; H400; H410
Hexame	thylindanopyran		
01-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cir	nnamaldehyde		
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2	2,6,6-Trimethyl-3	R-cyclohexen-1-yl	)-2-buten-1-one (delta-Damascone)
See Section	16 for full text of	GHS classificatio	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.85

4. First Aid Measu	res
4.1 Description of first aid m	leasures
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important sympton	ns and effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immed	ate medical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"

Revised Date: 2019-01-10 00:00

Print Date: 2019-11-06 11:01

Page 4 of 8



# Product: BERRY BLISS

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

5. Fire-Fighting measures 5.1 Extinguishing media	res
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from t	Do not use a direct water jet on burning material he substance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires
6 Accidental Release Measures	

## 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

# 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Limits: Component

84-66-2 Diethyl phthalate

ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm 5



Product: BERRY BLISS

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

# 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow (G5-G8)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	150 F (65.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.5025
%VOC:	0.50
Specific Gravity @ 25 C:	1.0610
Density @ 25 C:	1.0580
Refractive Index @ 20 C:	1.4940
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Page 5 of 8 Print Date: 2019-11-06 11:01



Product: BERRY BLISS

# 11. Toxicological Information

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 4758.5097) May be harmful if swallowed
(LD50: 3267.5100) May be harmful in contact with skin
(LD50: 24.0085) May be harmful if inhaled
May be harmful if inhaled
Causes serious eye irritation
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

# 12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not me
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

# 13. Disposal Conditions

# 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Revised Date: 2019-01-10 00:00

Page 6 of 8 Print Date: 2019-11-06 11:01



Product: BERRY BLISS

Revised Date: 2019-01-10 00:00

Page 7 of 8 Print Date: 2019-11-06 11:01

5800 Park Vista Circle	
Keller, TX 76244	
Ph#1 (800) 929-9425	
F#1 (817) 741-0879	
Web: www.lonestarcandlesupply.co	r
	_

# 14. Transport Information

Marine Pollutant	Yes. Ingredient of 6259-76-3 : (5 - 10					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulate	d - Not Dangerou	is Goods		
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardo Substance, Liquid, n.o.		9	111		UN3082	

15. Regula	tory Inforr	nation	
U.S. Federal Regul	ations		
TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt
40 CFR(EPCRA,	SARA, CER	CLA and CAA)	This product contains the following components:
84-66-2	201-550-6	60 - 70 %	Diethyl phthalate
U.S. State Regulati	ons		
California Proposition 65 Warning			This product contains the following components:
123-35-3(NF	204-622-5	0.1 - 1.0 %	beta-Myrcene (Natural Source)
Canadian Regulati	ons		
DSL			100.00% of the components are listed or exempt.

# 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H304 : May be fatal if swallowed and enters airways H317 : May cause an allergic skin reaction

- H319 : Causes serious eye irritation
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life

# **Total Fractional Values**

(TFV) Risk(208.26) Acute Toxicity Inhalation, Category 5(45.37) Aquatic Chronic Toxicity, Category 3

H302 : Harmful if swallowed
H316 : Causes mild skin irritation
H318 : Causes serious eye damage
H320 : Causes eye irritation
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk(50.00) Sensitization, Skin, Category 1(7.42) Skin Corrosion/Irritation, Category 3



# Product: BERRY BLISS

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

(4.75) Sensitization, Skin, Category 1B(2.50) Sensitization, Skin, Category 1A(1.25) Eye Damage/Eye Irritation, Category 2

(1.05) Skin Corrosion/Irritation, Category 2

# Department issuing data sheet:

# Department E-mail address:

# Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2019-01-10 00:00

Page 8 of 8 Print Date: 2019-11-06 11:01

(4.54) Aquatic Chronic Toxicity, Category 2(1.53) Acute Toxicity Dermal, Category 5(1.05) Acute Toxicity Oral, Category 5