

Product: **Butt Naked**5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Page 1 of 7

Print Date: 2019-10-08 13:02

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Butt Naked

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.
5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
-------------------------------	---------------------------

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

**Signal Word: Warning**



Product: **Butt Naked**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Hazard statements

- H227 Combustible liquid
- H303 May be harmful if swallowed
- H316 Causes mild skin irritation
- H317 May cause an allergic skin reaction
- H333 May be harmful if inhaled
- H401 Toxic to aquatic life
- H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

- P235 Keep cool
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment

Response:

- P302 + P352 IF ON SKIN: Wash with soap and water
- P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
- P312 Call a POISON CENTER or doctor/physician if you feel unwell
- P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
- P363 Wash contaminated clothing before reuse
- P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
77-83-8 <i>Ethyl Methylphenylglycidate</i>	201-061-8	5 - 10 %	H317; H401; H411
103-95-7 <i>Cyclamen Aldehyde</i>	203-161-7	2 - 5 %	H227; H303; H315; H317; H401; H412
121-33-5 <i>vanillin</i>	204-465-2	2 - 5 %	H303; H319
104-61-0 <i>gamma-Nonalactone</i>	203-219-1	2 - 5 %	H316
628-63-7 <i>Amyl Acetate</i>	211-047-3	1 - 2 %	H226



Product: **Butt Naked**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
100-52-7 <i>Benzaldehyde</i>	202-860-4	1 - 2 %	H227; H302; H316; H319; H332; H335; H401
4940-11-8 <i>Ethyl Maltol</i>	225-582-5	1 - 2 %	H302; H401
105-54-4 <i>Ethyl butyrate</i>	203-306-4	1 - 2 %	H226; H401
121-32-4 <i>3-Ethoxy-4-hydroxybenzaldehyde</i>	204-464-7	1 - 2 %	H303; H320; H402
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	1 - 2 %	H302; H313; H400; H411
128-37-0 <i>Butylated hydroxytoluene</i>	204-881-4	1 - 2 %	H316; H400; H410

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures

4.1 Description of first aid measures

- Inhalation:** Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms:** no data available
- Risks:** Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment:** Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

- Suitable:** Carbon dioxide (CO2), Dry chemical, Foam
- Unsuitable:** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

- During fire fighting:** Water may be ineffective

5.3 Advice for firefighters



Product: **Butt Naked**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
628-63-7	<i>Amyl Acetate</i>	50	100	100	
128-37-0	<i>Butylated hydroxytoluene</i>	2			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Product: **Butt Naked**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	188 F (86.67 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2998
%VOC:	0.30
Specific Gravity @ 25 C:	0.9580
Density @ 25 C:	0.9550
Refractive Index @ 20 C:	1.4620
Soluble in:	Not determined

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4342.6086) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 93.6345) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Not classified - the classification criteria are not met



Product: **Butt Naked**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Toxic to aquatic life
Chronic aquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	No				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
IATA (Air Cargo)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
IMDG (Sea)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					



Product: **Butt Naked**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:
628-63-7 211-047-3 1 - 2 % Amyl Acetate

U.S. State Regulations

California Proposition 65 Warning No Warning required

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- | | |
|---|--|
| H226 : Flammable liquid and vapour | H302 : Harmful if swallowed |
| H313 : May be harmful in contact with skin | H315 : Causes skin irritation |
| H319 : Causes serious eye irritation | H320 : Causes eye irritation |
| H332 : Harmful if inhaled | H335 : May cause respiratory irritation |
| H400 : Very Toxic to aquatic life | H402 : Harmful to aquatic life |
| H410 : Very toxic to aquatic life with long lasting effects | H411 : Toxic to aquatic life with long lasting effects |

Total Fractional Values

- | | |
|---|--|
| (TFV) Risk | (TFV) Risk |
| (53.40) Acute Toxicity Inhalation, Category 5 | (8.15) Sensitization, Skin, Category 1B |
| (8.02) Aquatic Chronic Toxicity, Category 3 | (1.70) Aquatic Acute Toxicity, Category 2 |
| (1.15) Acute Toxicity Oral, Category 5 | (1.06) Skin Corrosion/Irritation, Category 3 |

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.