Revised Date: 2019-01-10 00:00

Print Date: 2019-11-08 08:15

Page 1 of 8



Product: Candy Corn

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

# 1. Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade Name: Candy Corn

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

# 1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

# 2. Hazards Identification

# 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

# **Classification according to GHS**

	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
	Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects
_		20)

# Classification OSHA (Provisions 1910.1200 of title 29)

Eye Damage/Eye Irritation, Category 2A

**Classification Other** 

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

H319 : Causes serious eye irritation

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

# Hazard pictograms



Revised Date: 2019-01-10 00:00

Print Date: 2019-11-08 08:15

Page 2 of 8



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

# Signal Word: Warning

### Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

### **Precautionary Statements**

### **Prevention:**

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse

# 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

# 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2 Diethyl pht	201-550-6 halate	50 - 60 %	H316; H402
121-33-5 vanillin	204-465-2	10 - 20 %	H303; H319
<b>121-32-4</b> 3-Ethoxy-4	204-464-7 -hydroxybenzalo	10 - 20 % lehyde	H303; H320; H402



5800 Park Vista Circle

Revised Date: 2019-01-10 00:00

Page 3 of 8 Print Date: 2019-11-08 08:15

Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com					
CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411		
Benzyl Be	enzoate				
100-51-6	202-859-9	2 - 5 %	H302; H313; H319		
Benzyl Ale	cohol				
120-57-0	204-409-7	2 - 5 %	H303; H317; H401		
Heliotropi	ne				
91-64-5	202-086-7	2 - 5 %	H302; H317; H402		
Coumarin					
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H410		
Limonene	•				
118-71-8	204-271-8	1 - 2 %	H302; H401		
Maltol					
4940-11-8	225-582-5	1 - 2 %	H302; H401		
Ethyl Malt	tol				
104-61-0	203-219-1	1 - 2 %	H316		
gamma-N	lonalactone				
109-94-4	203-721-0	1 - 2 %	H225; H302; H319; H332; H335		
Ethyl form	nate				
See Section 1	6 for full text of	CHS classificat	ion codes		

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.12

# 4. First Aid Measures

# 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effect	Rinse mouth with water and obtain medical advice. s, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical	attention and special treatment needed
Tracturent	

Treatment: Refer to Section 2.2 "Response"



Revised Date: 2019-01-10 00:00

Print Date: 2019-11-08 08:15

Page 4 of 8

Product: Candy Corn

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.

Web: www.lonestarcandlesupply.com		
5. Fire-Fighting measure	es	
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	

# 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available

8. Exp 8.1 Control par	osure Controls/Personal Protection ameters				
Exposure Li Componen		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
84-66-2 109-94-4	Diethyl phthalate Ethyl formate	5 100		100	

Engineering Controls: Use local exhaust as needed.



Product: Candy Corn

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

# 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Orange (G9) to Amber (G15)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	4.1650
%VOC:	4.17
Specific Gravity @ 25 C:	1.1285
Density @ 25 C:	1.1255
Refractive Index @ 20 C:	1.5270
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Page 5 of 8 Print Date: 2019-11-08 08:15



Product: Candy Corn

# 11. Toxicological Information

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 3673.4014) May be harmful if swallowed
(LD50: 4365.0888) May be harmful in contact with skin
(LD50: 23.4816) May be harmful if inhaled
May be harmful if inhaled
Causes serious eye irritation
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

# 12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Toxic to aquatic life
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

# 13. Disposal Conditions

# 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Revised Date: 2019-01-10 00:00

Page 6 of 8 Print Date: 2019-11-08 08:15



Product: Candy Corn

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

\_ ..

-- -

# 14. Transport Information

. .

Marine Pollutant No				
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regula	ated - Not Dangerou	is Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)	Not Regula	ated - Not Dangerou	is Goods	
Chemicals NOI				
IATA (Air Cargo)	Not Regula	ated - Not Dangerou	is Goods	
Chemicals NOI				
IMDG (Sea)	Not Regula	ated - Not Dangerou	is Goods	
Chemicals NOI				

#### 15. **Regulatory Information U.S. Federal Regulations** TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt 40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components: 84-66-2 201-550-6 50 - 60 % **Diethyl phthalate U.S. State Regulations California Proposition 65 Warning** This product contains the following components: 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source) **Canadian Regulations** DSL 100.00% of the components are listed or exempt.

# 16. Other Information

# GHS H-Statements referred to under section 3 and not listed in section 2

H225 : Highly flammable liquid and vapor	H226 : Flammable liquid and vapour
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H315 : Causes skin irritation	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H332 : Harmful if inhaled
H335 : May cause respiratory irritation	H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H411 : Toxic to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(212.93) Acute Toxicity Inhalation, Category 5	(6.57) Aquatic Chronic Toxicity, Category 3
(6.08) Skin Corrosion/Irritation, Category 3	(3.36) Eye Damage/Eye Irritation, Category 2

(2.50) Sensitization, Skin, Category 1B

(1.36) Acute Toxicity Oral, Category 5

- (6.08) Skin Corrosion/Irritation, Category 3(2.80) Aquatic Acute Toxicity, Category 2
- (2.36) Evo Damago/Evo Irritation Category 2
- (2.36) Eye Damage/Eye Irritation, Category 2A

Revised Date: 2019-01-10 00:00

Page 7 of 8 Print Date: 2019-11-08 08:15

Revised Date: 2019-01-10 00:00

Print Date: 2019-11-08 08:15

Page 8 of 8



Product: Candy Corn

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

(1.15) Acute Toxicity Dermal, Category 5

(1.00) Eye Damage/Eye Irritation, Category 2B

# Department issuing data sheet:

# Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.