



Revised Date: 2019-01-10 00:00

Page 1 of 8

Print Date: 2019-11-08 08:16

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

Identification of the substance/mixture and of the company/undertaking 1.

Product identifier 1.1

Trade Name: Cotton Bouquet

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.

> 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

H303: May be harmful if swallowed Acute Toxicity Oral, Category 5

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms






Revised Date: 2019-01-10 00:00

Page 2 of 8

Print Date: 2019-11-08 08:16

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879







Signal Word: Warning

Hazard statments

H227 Combustible liquid

H303 May be harmful if swallowed

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Conc.
Ingredient EC# Range GHS Classification





Revised Date: 2019-01-10 00:00

Page 3 of 8 Print Date: 2019-11-08 08:16

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com							
CAS#	EC#	Conc. Range	GHS Classification				
Ingredient		rango					
6259-76-3	228-408-6	20 - 30 %	H315; H317; H319; H400; H410				
Hexyl salicylate							
84-66-2	201-550-6	10 - 20 %	H316; H402				
Diethyl ph	Diethyl phthalate						
54464-57-2	259-174-3	10 - 20 %	H315; H317; H400; H410				
Tetrameth	Tetramethyl Acetyloctahydronaphthalenes						
21145-77-7	244-240-6	10 - 20 %	H302; H400; H410				
Acetyl he	Acetyl hexamethyl tetralin						
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H410				
Limonene	•						
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402				
Acetoxydihydrodicyclopentadiene							
68912-13-0	272-805-7	2 - 5 %	H401; H411				
Hexahydro-methanoindenyl Propionate							
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402				
Linalool							
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411				
a-Isometh	a-Isomethyl ionone						
24851-98-7	246-495-9	2 - 5 %	H402				
Methyldihydrojasmonate							
140-11-4	205-399-7	1 - 2 %	H303; H401; H412				
Benzyl acetate							
93-92-5	202-288-5	1 - 2 %	H227; H402				
methylbei	methylbenzyl acetate						
127-43-5	204-843-7	1 - 2 %	H315; H317; H401; H411				
Methyl-ß-ionone							
See Section 16 for full text of GHS classification codes							

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 4.68

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed





Page 4 of 8

Print Date: 2019-11-08 08:16

Revised Date: 2019-01-10 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available





Revised Date: 2019-01-10 00:00

Page 5 of 8 Print Date: 2019-11-08 08:16

Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

5800 Park Vista Circle

Web: www.lonestarcandlesupply.com

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm
TWA ppm STEL ppm

 84-66-2
 Diethyl phthalate
 5

 140-11-4
 Benzyl acetate
 10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Colorless to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

190 F (87.78 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.1188

 %VOC:
 0.12

 Specific Gravity @ 25 C:
 0.9970

 Density @ 25 C:
 0.9940

 Refractive Index @ 20 C:
 1.4960

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable





Revised Date: 2019-01-10 00:00

Page 6 of 8

Print Date: 2019-11-08 08:16

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3591.6058) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4877.0833) May be harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr Not classified - the classification criteria are not met Not classified - the classification criteria are not met

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Very toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available





Revised Date: 2019-01-10 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

Page 7 of 8

Print Date: 2019-11-08 08:16

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

6259-76-3: (20 - 30 %): Hexyl salicylate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	- Not Dangerous	Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)This product contains the following components:

84-66-2 201-550-6 10 - 20 % Diethyl phthalate

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour
H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life





Revised Date: 2019-01-10 00:00

Page 8 of 8

Print Date: 2019-11-08 08:16

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

H411: Toxic to	aquatic life	with long	lasting effects
TITTI . TOXIC LO	aquatic inc	WILLI IOLIG	idoling chocks

Total Fractional Values

(TFV) Risk (239.00) Sensitization, Skin, Category 1

(22.72) Aquatic Chronic Toxicity, Category 2

(7.23) Skin Corrosion/Irritation, Category 3

(3.18) Eye Damage/Eye Irritation, Category 2

(2.58) Aquatic Chronic Toxicity, Category 4

(1.39) Acute Toxicity Oral, Category 5

(TFV) Risk

(227.26) Aquatic Chronic Toxicity, Category 3

H412: Harmful to aquatic life with long lasting effects

(14.29) Sensitization, Skin, Category 1B

(4.92) Skin Corrosion/Irritation, Category 2

(2.84) Eye Damage/Eye Irritation, Category 2A

(2.24) Aquatic Chronic Toxicity, Category 1

(1.03) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.