



Product: **Dragon Fruit**

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

**1. Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade Name:** Dragon Fruit

**UFI#**

**1.2 Relevant identified product use**

**Intended use:** Compound used in customer substance/mixture/product

**1.3 Details of the manufacturer/supplier of the safety data sheet**

**Supplier:** Lone Star Candle Supply, Inc.  
5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

**1.4 Emergency telephone number**

**1 (817) 741-0876** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
International

**2. Hazards Identification**

**2.1. Classification of the substance or mixture**

**GHS US Classification**

Flammable liquids Category 4	H227	Combustible liquid
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Acute toxicity (inhalation:dust,mist) Category 4	H332	Harmful if inhaled
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction

Full text of H statements: see section 16

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

## 2.2. GHS Label elements, including precautionary statements

### GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Warning

Hazard statements (GHS US)

: H227 - Combustible liquid  
H302+H332 - Harmful if swallowed or if inhaled  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

Precautionary statements (GHS US)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 - Wash hands, forearms and face thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing must not be allowed out of the workplace  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell  
P302+P352 - If on skin: Wash with plenty of water  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a poison center or doctor if you feel unwell.  
P321 - Specific treatment (see supplemental first aid instruction on this label)  
P330 - Rinse mouth.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P363 - Wash contaminated clothing before reuse.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national, and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information is available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

5800 Park Vista Circle  
 Keller, TX 76244  
 Ph#1 (800) 929-9425  
 F#1 (817) 741-0879  
 Web: www.lonestarcandlesupply.com

### 2.3. Other hazards which do not result in classification

No additional information is available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## 3. Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	CAS #	%	GHS US Classification
DIHYDRO MYRCENOL	18479-58-8	10-30	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
ALLYL CAPROATE	123-68-2	5-10	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation: dust, mist), H330
ALLYL HEPTOATE	142-19-8	5-10	Flam Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311
ETHYL LINALOOL	10339-55-6	5-10	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-ALDEHYDE C 16	63500-71-0	1-5	Eye Irrit. 2A, H319
2-ethyl-3-hydroxypyran-4-one	77-83-8	1-5	Skin Sens. 1B, H317
BENZYL SALICYLATE	4940-11-8	1-5	Acute Tox. 4 (Oral), H302
	118-58-1	1-5	Eye Irrit. 2b, H320 Skin Sens. 1B, H317
CYCLAMEN ALDEHYDE	103-95-7	1-5	Flam Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317

## 4. First-aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.  
Symptoms/effects after eye contact : Eye irritation.

### 5. Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide.

#### Specific hazards arising from the chemical

Fire hazard: Combustible Liquid

#### Special protective equipment and precautions for fire-fighters

Protection during fire fighting: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.



5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

## 7. Handling & Storage

### 7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

## 8. Exposure controls/personal protection

### 8.1. Control parameters

**CYCLAMEN ALEDHYDE (103-95-7)**

Not applicable

**FLORAL (63500-71-0)**

Not applicable

**ALDEHYDE C 16 (77-83-8)**

Not applicable

**ALLYL CAPROATE (123-68-2)**

Not applicable

**ALLYL HEPTOATE (142-19-8)**

Not applicable

**BENZYL SALICYLATE (118-58-1)**

Not applicable

**DIHYDRO MYRCENOL (18479-58-8)**

Not applicable

**ETHYL LINALOOL (10339-55-6)**

Not applicable

**ETHYL MALTOL (4940-11-8)**

Not applicable

### 8.2 Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

### 8.3. Individual protection measures/Personal protective equipment

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.

#### Personal protective equipment symbol(s):



## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Mixture contains one or more component(s) which have the following colors: Colorless to light yellow Colorless White Light yellow to colorless On exposure to air: yellow-brown.
Odor	: There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odor: Floral odor Sweet odor Pleasant odor Characteristic odor Peppermint odor Pine odor Fruity odor Odorless Lemon odor Mild or Aromatic odor Strong odor Almost odorless Alcohol odor Irritating/pungent Almond odor
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈ 166.83°F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

## 10. Stability & Reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical Stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition should not be produced.

## 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled
ATE US (oral)	: 1119.773 mg/kg body weight.
ATE US (dust, mist)	: 3.338 mg/l/4h
<b>CYCLAMEN ALDEHYDE (103-95-7)</b>	
ATE US (oral)	: 3810 mg/kg body weight
<b>ALDEHYDE C 16 (77-83-8)</b>	
LD50 oral rat	: 5470 mg/kg (Rat, Male/female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	: > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal)
ATE US (oral)	: 5470 mg/kg body weight
<b>ALLYL CAPROATE (123-68-2)</b>	
LD50 oral rat	: 218 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	: 820 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	: 0.297 mg/l (1 - 8 h, Rat, Male, Experimental value, Inhalation (vapors), 10 day(s))
ATE US (oral)	: 218 mg/kg body weight
ATE US (dermal)	: 300 mg/kg body weight
ATE USE (gases)	: 700 ppmV/4h
ATE US (vapors)	: 0.297 mg/l/4h
ATE US (dust, mist)	: 0.297 mg/l/4h

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

**ALLYL HEPTOATE (142-19-8)**

ATE US (oral) : 218 mg/kg body weight  
ATE US (dermal) : 810 mg/kg body weight  
ATE US (vapors) : 3 mg/l/4h

**BENZYL SALICYLATE (118-58-1)**

LD50 oral rat : 3031 - 3339 mg/kg body weight (EU Method B.1: Acute Toxicity (Oral), Rat, Male/female, Read-across, Oral, 14 day(s))  
LD50 dermal rabbit : > 2000 mg/kg body weight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male/female, Read-across, Dermal, 14 day(s))  
ATE US (oral) : 2200 mg/kg body weight

**DIHYDRO MYRCENOL (18479-58-8)**

ATE (oral) : 3600 mg/kg body weight

**ETHYL LINALOOL**

ATE US (oral) : 5000 mg/kg body weight

**ETHYL MALTOL (4940-11-8)**

LD50 oral rat : 1150 mg/kg (Rat, Oral)  
LD50 dermal rabbit : > 5000 mg/kg (Rabbit, Dermal)  
ATE US (oral) : 1150 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitization : May cause an allergic skin reaction  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified  
Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.  
Symptoms/effects after eye contact : Eye irritation

**12. Ecological information**

**12.1 Toxicity**

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

**ALDEHYDE C 16 (77-83-8)**

LC50 - Fish [1] : 4.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)  
ErC50 algae : 36 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)



5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

**ALLYL CAPROATE (123-68-2)**

LC50 - Fish [1] : 0.117 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)  
EC50 - Crustacea [1] : 2 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)  
ErC50 algae : > 4.6 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

**BENZYL SALICYLATE (118-58-1)**

LC50 - Fish [1] : 1.03 mg/l (EU Method c.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)  
EC50 - Crustacea [1] : 1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

**12.2. Persistence and degradability  
CYCLAMENT ALDEHYDE (103-95-7)**

Persistence and degradability : Biodegradability in water: no data available

**FLORAL (63500-71-0)**

Persistence and degradability : Biodegradability in water: no data available

**ALDEHYDE C 16 (77-83-8)**

Persistence and degradability : Not readily biodegradable in water

**ALLYL CAPROATE (123-68-2)**

Persistence and degradability : Readily biodegradable in water  
ThOD : 2.05 g O<sub>2</sub>/g substance

**BENZYL SALICYLATE (118-58-1)**

Persistence and degradability : Readily biodegradable in water

**DIHYDRO MYRCENOL (18479-58-8)**

Persistence and degradability : Biodegradability in water: no data available

**ETHYL LINALOOL (10339-55-6)**

Persistence and degradability : Biodegradability in water: no data available

**ETHYL MALTOL (4940-11-8)**

Persistence and degradability : Biodegradability in water: no data available

**12.3. Bioaccumulative potential  
CYCLAMEN ALDEHYDE (103-95-7)**

Partition coefficient n-octanol/water (Log Kow) : ≈ 3.91  
Bioaccumulative potential : No bioaccumulation data available

**FLOROL (63500-71-0)**

Bioaccumulative potential : No bioaccumulation data available

**ALDEHYDE C 16 (77-83-8)**

Partition coefficient n-octanol/water (Log Pow) : 2.4 - 2.85 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25°C)  
Bioaccumulative potential : Low potential for bioaccumulation (Log Kow < 4)

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

---

**ALLYL CAPROATE (123-68-2)**

BCF - Fish [1] : 59.2 - 102.3 l/kg (BCFBAF v3.01, Pisces, QSAR)  
Partition coefficient n-octanol/water (Log Pow) : 3.191 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20°C)  
Bioaccumulative potential : Low potential for bioaccumulation (Log Kow < 4)

**BENZYL SALICYLATE (118-58-1)**

BCF - Fish [1] : 1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)  
Partition coefficient n-octanol/water (Log Pow) : 4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)  
Bioaccumulative potential : Potential for bioaccumulation (500 ≤ BCF ≤ 5000)

**DIHYDRO MYRCENOL (18479-58-8)**

Partition coefficient n-octanol/water (Log Pow) : 3.47 (Estimated value)  
Bioaccumulative potential : Low potential for bioaccumulation (Log Kow < 4)

**ETHYL LINALOOL (10339-55-6)**

Bioaccumulative potential : No bioaccumulation data available

**ETHYL MALTOL (4940-11-8)**

Bioaccumulative potential : No bioaccumulation data available

**12.4. Mobility in soil****FLORAL (63500-71-0)**

Ecology - soil : No (test) data on mobility of the substance available

**ALDEHYDE C 16 (77-83-8)**

Surface tension : 59 N/m (19.6°C, 0.79 g/l, OECD 115: Surface Tension of Aqueous Solutions).  
Organic Carbon Normalized Adsorption Coefficient (Log Koc) : 2.34 - 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)  
Ecology - soil : Low potential for adsorption in soil.

**ALLYL CAPROATE (123-68-2)**

Ecology - soil : No (test) data on mobility of the substance available

**BENZYL SALICYLATE (118-58-1)**

Surface tension : 69 mN/m (20°C, 0.004 g/l, EU Method A.5: Surface tension)  
Organic Carbon Normalized Adsorption Coefficient (Log Koc) : 3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)

**DIHYDRO MYRCENOL**

Ecology - soil : No (test) data on mobility of the substance available

**12.5. Other adverse effects**

No additional information available



Product: **Dragon Fruit**

Date: 04-22-2024

Page 11 of 13

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: www.lonestarcandlesupply.com

**13. Disposal considerations**

**13.1. Disposal methods**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

**14. Transport information**

**Department of Transportation (DOT)**

In accordance with DOT  
Not regulated

**Transportation of Dangerous Goods**

Not regulated

**Transport by sea**

Not regulated

**Air transport**

Not regulated

**15. Regulatory information**

**15.1. US Federal regulations**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

CYCLAMEN ALDEHYDE	CAS-No. 103-95-7	1-5%
2H-pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-	CAS-No. 63500-71-0	1-5%
ALDEHYDE C 16	CAS-No. 77-83-8	1-5%
ALLYL CAPROATE	CAS-No. 123-68-2	5-10%
ALLYL HEPTOATE	CAS-No. 142-19-8	5-10%
BENZYL SALICYLATE	CAS-No. 118-58-1	1-5%
DIHYDRO MYRCENOL	CAS-No. 18479-58-8	10-30%
ETHYL LINALOOL	CAS-No. 10339-55-6	5-10%
2-ethyl-3-hydroxypyran-4-one	CAS-No. 4940-11-8	1-5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

**15.2 International regulations**

**CYCLAMEN ALDEHYDE (103-95-7)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

---

**FLOROL (63500-71-0)**

Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

**ALDEHYDE C 16 (77-83-8)**

Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

**ALLYL CAPROATE (123-68-2)**

Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

**ALLYL HEPTOATE (142-19-8)**

Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

**BENZYL SALCYLATE (118-58-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

**DIHYDRO MYRCENOL (18479-58-8)**

Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

**ETHYL LINALOOL (10339-55-6)**

Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

**ETHYL MALTOL (4940-11-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the EC Inventory

## 16. Other information

Full text of H-phrases:

H227	: Combustible liquid
H301	: Toxic if swallowed
H302	: Harmful if swallowed
H311	: Toxic in contact with skin
H315	: Causes skin irritation
H317	: May cause an allergic skin reaction
H319	: Causes serious eye irritation
H320	: Causes eye irritation
H330	: Fatal if inhaled
H331	: Toxic if inhaled
H332	: Harmful if inhaled



Product: **Dragon Fruit**

Date: 04-22-2024

Page 13 of 13

5800 Park Vista Circle  
Keller, TX 76244  
Ph#1 (800) 929-9425  
F#1 (817) 741-0879  
Web: [www.lonestarcandlesupply.com](http://www.lonestarcandlesupply.com)

---

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.