Revised Date: 2019-06-11 00:00

Print Date: 2019-09-30 10:46

Page 1 of 7



Product: Drunken Punkin

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Identification of the substance/mixture and of the company/undertaking 1.

Product identifier 1.1

Trade Name: Drunken Punkin

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910 1200 of	f title 29)

Classification OSHA (Provisions 1910.1200 of title 29)

Aquatic Acute Toxicity, Category 1

H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning Hazard statments



5800 Park Vista Circle

Keller, TX 76244

Product: Drunken Punkin

Revised Date: 2019-06-11 00:00

Page 2 of 7 Print Date: 2019-09-30 10:46

Ph#1 (800) 929-9425	
F#1 (817) 741-0879	
Web: www.lonestarcandlesupply.com	m
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Statemen	its
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
2.3 Other Hazards	

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411
Benzyl Be	nzoate		
121-32-4	204-464-7	2 - 5 %	H303; H320; H402
3-Ethoxy-4	3-Ethoxy-4-hydroxybenzaldehyde		
91-64-5	202-086-7	2 - 5 %	H302; H317; H402
Coumarin			
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401
Eugenol			
104-61-0	203-219-1	1 - 2 %	H316
gamma-Nonalactone			
101-39-3	202-938-8	1 - 2 %	H303; H317; H401
alpha-Methylcinnamaldehyde			



5800 Park Vista Circle

Treatment:

Product: Drunken Punkin

Revised Date: 2019-06-11 00:00

Page 3 of 7 Print Date: 2019-09-30 10:46

Keller, TX 76244 Ph#1 (800) 929-9 F#1 (817) 741-08 Web: www.lones	9425	n	Print Date: 2019-09-30 10:46
CAS# Ingredient	EC#	Conc. Range	GHS Classification
104-55-2 Cinnama	203-213-9 /	1 - 2 %	H303; H312; H315; H317; H319; H401
1843-05-6	217-421-2	0.1 - 1.0 %	H317
Methanol	ne, [2-hydroxy-4	-(octyloxy)pheny	I]phenyl-
See Section 2	16 for full text of	GHS classification	on codes
See	Section 16 for fu	II text of GHS cla	ssification codes which where not shown in section 2
Total	Hydrocarbon C	ontent (% w/w) =	= 0.59
	-		
4. Fi	irst Aid Meas	sures	
4.1 Descrip	otion of first aid	Imeasures	
Inhalatior	ו:		Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Expo	sure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Expo	osure:		Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion	:		Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effects, both acute and delayed			
Symptom	IS:		no data available
Risks:			Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical attention and special treatment needed			
– ,			

5.	Fire-Fighting measures	
5.1	Extinguishing media	
S	uitable:	Carbon dioxide (CO2), Dry chemical, Foam
ι	Insuitable	Do not use a direct water jet on burning material
5.2	5.2 Special hazards arising from the substance or mixture	
C	ouring fire fighting:	Water may be ineffective
5.3	Advice for firefighters	
F	urther information:	Standard procedure for chemical fires

Refer to Section 2.2 "Response"

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Revised Date: 2019-06-11 00:00

Print Date: 2019-09-30 10:46

Page 4 of 7



Product: Drunken Punkin

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Avoid Skin contact. Use chemically resistant gloves as needed.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Skin protection:

Exposure Limits:	Contains no substances with occupational exposure limit values.
Engineering Controls:	Use local exhaust as needed.
8.2 Exposure controls - Pers	onal protective equipment
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow/Greenish Yellow (G4) to Golden Yellow (G6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined



Product: Drunken Punkin

Revised Date: 2019-06-11 00:00

Page 5 of 7 Print Date: 2019-09-30 10:46

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.4380
%VOC:	0.44
Specific Gravity @ 25 C:	1.0260
Density @ 25 C:	1.0230
Refractive Index @ 20 C:	1.5100
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2180.6452) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3402.5798) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 178.9709) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



Product: Drunken Punkin

SDS v1 GHS / OSHA

Revised Date: 2019-06-11 00:00

Page 6 of 7 Print Date: 2019-09-30 10:46

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

12. Ecological Information		
12.1 Toxicity		
Acute acquatic toxicity	Very Toxic to aquatic life	
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects	
Toxicity Data on soil	no data available	
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (40 - 50 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082

15. Regulatory Information U.S. Federal Regulations TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt 40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern. U.S. State Regulations This product contains NO components of concern.

California Proposition 65 Warning

This product contains the following components:

Lone Star

5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425

Product: Drunken Punkin

SDS v1 GHS / OSHA

Revised Date: 2019-06-11 00:00

Page 7 of 7 Print Date: 2019-09-30 10:46

F#1 (817) 741-0879			
Web: www.lonestarcar	dlesupply.com		
123-35-3(N	F 204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
94-59-7	202-345-4	0.01 - 0.1%	Safrole (Natural Source)
93-15-2	202-223-0	<= 36 ppm	Methyl Eugenol (Natural Source)
Canadian Regula	tions		
DSL			99.98% of the components are listed or exempt.The following components are NOT on the List:
476332-65-	7	0.01 - 0.1%	2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H302 : Harmful if swallowed	H312 : Harmful in contact with skin		
H315 : Causes skin irritation	H316 : Causes mild skin irritation		
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation		
H320 : Causes eye irritation	H401 : Toxic to aquatic life		
H402 : Harmful to aquatic life			
Total Fractional Values			
(TFV) Risk	(TFV) Risk		
(27.94) Acute Toxicity Inhalation, Category 5	(20.59) Aquatic Chronic Toxicity, Category 3		
(14.00) Sensitization, Skin, Category 1A	(4.00) Sensitization, Skin, Category 1		
(2.29) Acute Toxicity Oral, Category 5	(2.20) Sensitization, Skin, Category 1B		
(2.06) Aquatic Chronic Toxicity, Category 2	(1.71) Aquatic Chronic Toxicity, Category 4		
(1.66) Aquatic Acute Toxicity, Category 1	(1.47) Acute Toxicity Dermal, Category 5		
(1.11) Eye Damage/Eye Irritation, Category 2			

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.[™] holds no responsibility. This document is not intended for quality assurance purposes.