

#### SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

#### **ETERNITY (MEN'S TYPE)** Product:

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Page 1 of 8 Print Date: 2019-09-30 11:04

#### Identification of the substance/mixture and of the company/undertaking 1.

#### **Product identifier** 1.1

Trade Name: ETERNITY (MEN'S TYPE)

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### Emergency telephone number 1.4

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS		
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction	
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of title 29)		

Skin Corrosion/Irritation, Category 2

H315 : Causes skin irritation

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

**Hazard statments** H315 H317

Causes skin irritation May cause an allergic skin reaction



5800 Park Vista Circle

#### Revised Date: 2019-07-22 00:00

# Product: ETERNITY (MEN'S TYPE)

Page 2 of 8 Print Date: 2019-09-30 11:04

Keller, TX 76244 Ph#1 (800) 929-9425	Print Date: 2019-09-30 11:04
F#1 (817) 741-0879	
Web: www.lonestarcandlesupply.com	
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2	201-550-6	60 - 70 %	H316; H402
Diethyl phi	thalate		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410
Tetrameth	yl Acetyloctahydi	ronaphthalenes	
19870-74-7	243-384-7	5 - 10 %	H317; H400; H410
Cedrol me	thyl ether		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	ylindanopyran		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimethyloct-7-en-2-ol			
28219-61-6	248-908-8	2 - 5 %	H319; H401; H411
Ethyl trimethylcyclopentene butenol			
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl cedrene			
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410
Acetyl hexamethyl tetralin			
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cinn	amaldehyde		



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425

#### SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

# Product: ETERNITY (MEN'S TYPE)

Page 3 of 8 Print Date: 2019-09-30 11:04

CAS# Ingredient	tarcandlesupply.con	Conc. Range	GHS Classification
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410
Amyl salid	cylate		
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac	cetate		
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;
Butylpher	nyl Methylpropio	nal	H412
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
a-Methyl-	1,3-benzodioxo	le-5-propionaldel	hyde
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2	2,6,6-Trimethyl-3	R-cyclohexen-1-yl	)-2-buten-1-one (delta-Damascone)
See Section 1	16 for full text of	GHS classification	on codes
See S	Section 16 for fu	II text of GHS cla	ssification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.97

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effect	ts, both acute and delayed	
Symptoms:	no data available	
Risks: Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical	attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	



#### SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-09-30 11:04

Page 4 of 8

# Product: ETERNITY (MEN'S TYPE)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Lir	nits:						
Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
84-66-2	Diethyl phtl	halate	5				
Engineering	Controls:	Use local exhaust as needed.					
8.2 Exposure co	ontrols - Perse	onal protective equipment					

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### Revised Date: 2019-07-22 00:00

# Product: ETERNITY (MEN'S TYPE)

Page 5 of 8 Print Date: 2019-09-30 11:04

web: www.ionestarcandiesupply.com	
Color:	Yellow Tint (G0/1) to Pale Yellow (G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0168
%VOC:	0.02
Specific Gravity @ 25 C:	1.0530
Density @ 25 C:	1.0500
Refractive Index @ 20 C:	1.4980
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# 11. Toxicological Information

# **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 22.0251) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met



5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425

#### Revised Date: 2019-07-22 00:00

#### Product: **ETERNITY (MEN'S TYPE)**

Page 6 of 8 Print Date: 2019-09-30 11:04

	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. **Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 54464-57-2 : (5 - 10 %) : Tetramethyl Acetyloctahydronaphthalenes					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods				
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardo Substance, Liquid, n.o.		9	111		UN3082	
IATA (Air Cargo)						
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082	



5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425

#### SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

# Product: ETERNITY (MEN'S TYPE)

Page 7 of 8 Print Date: 2019-09-30 11:04

15. Regulatory Information						
U.S. Federal Regu	lations					
TSCA (Toxic Substance Control Act)		ntrol Act)	All components of the substance/mixture are listed or exempt			
40 CFR(EPCRA, SARA, CERCLA and CAA)		RCLA and CAA)	This product contains the following components:			
84-66-2	201-550-6	60 - 70 %	Diethyl phthalate			
U.S. State Regula	tions					
California Proposition 65 Warning		/arning	This product contains the following components:			
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)			
Canadian Regulat	ions					
DSL			100.00% of the components are listed or exempt. The following components are NOT on the List:			
815580-59-7	453-570-1	<= 0 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester			

## 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H302 : Harmful if swallowed		
H303 : May be harmful if swallowed	H316 : Causes mild skin irritation		
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage		
H319 : Causes serious eye irritation	H320 : Causes eye irritation		
H361 : Suspected of damaging fertility or the unborn child	H400 : Very Toxic to aquatic life		
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life		
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects		
Total Fractional Values			
(TFV) Risk	(TFV) Risk		
(227.01) Acute Toxicity Inhalation, Category 5	(90.65) Aquatic Chronic Toxicity, Category 3		
(9.06) Aquatic Chronic Toxicity, Category 2	(8.68) Skin Corrosion/Irritation, Category 3		
(7.50) Sensitization, Skin, Category 1B	(1.42) Skin Corrosion/Irritation, Category 2		
(1.08) Aquatic Chronic Toxicity, Category 4	(1.00) Sensitization, Skin, Category 1A		
<ul> <li>H319 : Causes serious eye irritation</li> <li>H361 : Suspected of damaging fertility or the unborn child</li> <li>H401 : Toxic to aquatic life</li> <li>H410 : Very toxic to aquatic life with long lasting effects</li> </ul> <b>Total Fractional Values</b> <ul> <li>(TFV) Risk</li> <li>(227.01) Acute Toxicity Inhalation, Category 5</li> <li>(9.06) Aquatic Chronic Toxicity, Category 2</li> <li>(7.50) Sensitization, Skin, Category 1B</li> </ul>	<ul> <li>H320 : Causes eye irritation</li> <li>H400 : Very Toxic to aquatic life</li> <li>H402 : Harmful to aquatic life</li> <li>H412 : Harmful to aquatic life with long lasting effects</li> <li>(TFV) Risk</li> <li>(90.65) Aquatic Chronic Toxicity, Category 3</li> <li>(8.68) Skin Corrosion/Irritation, Category 3</li> <li>(1.42) Skin Corrosion/Irritation, Category 2</li> </ul>		

## Department issuing data sheet:

## Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

# Product: ETERNITY (MEN'S TYPE)

Page 8 of 8 Print Date: 2019-09-30 11:04