Revised Date: 2019-06-07 00:00

Print Date: 2019-10-22 09:28

Page 1 of 9



Product: Hawaiian Blast

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Hawaiian Blast

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Fla	ammable Liquids, Category 4	H227 : Combustible liquid		
Ac	ute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Ac	ute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin		
Sk	in Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
Se	nsitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
Ey	e Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation		
Ac	ute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Aq	uatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Classification OSHA (Provisions 1910.1200 of title 29)				
Fla	Avrande Liquids Category	H227 · Combustible liquid		

Flammable Liquids, Cate	gory 4	H227 : Combustible liquid
Skin Corrosion/Irritation,	Category 2	H315 : Causes skin irritation
Eye Damage/Eye Irritatio	n, Category 2A	H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Product: Hawaiian Blast

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com



Signal Word: Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Page 2 of 9 Print Date: 2019-10-22 09:28

Revised Date: 2019-06-07 00:00



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425

F#1 (817) 741-0879

SDS v1 GHS / OSHA

Revised Date: 2019-06-07 00:00

Page 3 of 9 Print Date: 2019-10-22 09:28

Hawaiian Blast

CAS# Ingredient	EC#	Conc. Range	GHS Classification
98-55-5	202-680-6	10 - 20 %	H227; H303; H315; H319; H401
Terpineol			
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402
Linalool			
88-41-5	201-828-7	5 - 10 %	H227; H303; H316; H401; H411
2-t-Butylc	yclohexyl aceta	te	
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	enzoate		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H410
Limonene	9		
103-60-6	203-127-1	5 - 10 %	H316
2-Phenox	yethyl isobutyra	ate	
140-11-4	205-399-7	5 - 10 %	H303; H401; H412
Benzyl ad			, -,
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402
	ihydrodicyclope		
68912-13-0	272-805-7	2 - 5 %	H401; H411
	ro-methanoinde		
123-66-0	204-640-3	2 - 5 %	H226; H315; H401
Ethy Cap			
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401
	ylcyclohexyl ac		
68737-61-1	272-113-5	2 - 5 %	H227; H303; H313; H315; H317; H401;
	etrahydro Benz		H411
2705-87-5	220-292-5	2 - 5 %	H302; H312; H317; H332; H400; H410
	ohexylpropionat		
706-14-9	211-892-8	1 - 2 %	H316
	Decalactone	/0	
123-92-2	204-662-3	1 - 2 %	H226; H402
Isoamyl a		/0	
67874-72-0	267-500-0	1 - 2 %	H316; H320; H401; H411
	ohexyl acetate (
104-61-0	203-219-1	1 - 2 %	H316
	Ionalactone	1 2 /0	
104-55-2	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401
Cinnamal		1 2 /0	
103-95-7	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412
	n Aldehyde	1 2 /0	(1227, 1000, 1010, 1017, 11701, 11712)
Cyclamer 142-92-7	205-572-7	1 - 2 %	H226; H316; H401; H411
Hexyl ace		I = Z 70	11220, 11310, 11401, 11411



Revised Date: 2019-06-07 00:00

Page 4 of 9 Print Date: 2019-10-22 09:28

5800 Park Vista (Keller, TX 76244 Ph#1 (800) 929-5 F#1 (817) 741-08	9425	n	Page 4 of Print Date: 2019-10-22 09:2
CAS# Ingredient	EC#	Conc. Range	GHS Classification
93-92-5 methylbe	202-288-5 nzyl acetate	1 - 2 %	H227; H402
-	204-881-4 I hydroxytoluene		H316; H400; H410
See Section 1	16 for full text of	GHS classifica	tion codes
See S	Section 16 for fu	Ill text of GHS c	lassification codes which where not shown in section 2
Total	Hydrocarbon C	ontent (% w/w)	= 8.27
4. Fi	irst Aid Meas	sures	
4.1 Descrip	otion of first aid	l measures	
Inhalation	1:		Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:			Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:			Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion	:		Rinse mouth with water and obtain medical advice.
4.2 Most im	nportant sympt	oms and effec	ts, both acute and delayed
Symptom	IS:		no data available

Symptoms: no data available Refer to Section 2.2 "Hazard Statements" **Risks:**

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substa	ince or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

6. **Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions



Product: Hawaiian Blast

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li	mits:				
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			
128-37-0	Butylated hydroxytoluene	2			
123-92-2	Isoamyl acetate	50	100	100	
	• · · · · · · · · · ·				

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow (G5-8)
Viscosity:	Liquid
Freezing Point:	Not determined

Revised Date: 2019-06-07 00:00

Page 5 of 9 Print Date: 2019-10-22 09:28



Product: Hawaiian Blast

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Page 6 of 9 Print Date: 2019-10-22 09:28

Revised Date: 2019-06-07 00:00

Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	150 F (65.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.5523
%VOC:	0.55
Specific Gravity @ 25 C:	0.9510
Density @ 25 C:	0.9480
Refractive Index @ 20 C:	1.4760
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3023.0721) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3043.0299) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 21.8069) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met



Revised Date: 2019-06-07 00:00

Page 7 of 9 Print Date: 2019-10-22 09:28

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Aspiration hazard

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

-	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

Hawaijan Blast

13.	Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (5 - 10 %) : Limonene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International R	oad/Rail)				
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardo Substance, Liquid, n.o.		9	111		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) 40 CFR(EPCRA, SARA, CERCLA and CAA) All components of the substance/mixture are listed or exempt This product contains the following components:



Revised Date: 2019-06-07 00:00

Product: Hawaiian Blast

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcand	lesupply.com		Page 8 of 9 Print Date: 2019-10-22 09:28
123-92-2	204-662-3	1 - 2 %	Isoamyl acetate
U.S. State Regulat	ions		
California Prop	osition 65 W	/arning	This product contains the following components:
123-35-3(NF	204-622-5	0.1 - 1.0 %	beta-Myrcene (Natural Source)
94-59-7	202-345-4	<= 11 ppm	Safrole (Natural Source)
93-15-2	202-223-0	<= 5 ppm	Methyl Eugenol (Natural Source)
Canadian Regulati	ions		
DSL			100.00% of the components are listed or exempt.The following components are NOT on the List:
815580-59-7	453-570-1	<= 5 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

one in statements referred to ander section of and not inst	
H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H312 : Harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H332 : Harmful if inhaled	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(229.29) Acute Toxicity Inhalation, Category 5	(57.14) Aquatic Chronic Toxicity, Category 3
(20.20) Sensitization, Skin, Category 1	(13.83) Sensitization, Skin, Category 1A
(9.81) Sensitization, Skin, Category 1B	(7.07) Skin Corrosion/Irritation, Category 3
(5.69) Aquatic Chronic Toxicity, Category 2	(4.06) Skin Corrosion/Irritation, Category 2
(2.68) Eye Damage/Eye Irritation, Category 2	(2.50) Eye Damage/Eye Irritation, Category 2A
(1.82) Aquatic Chronic Toxicity, Category 4	(1.65) Acute Toxicity Oral, Category 5
(1.64) Acute Toxicity Dermal, Category 5	

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.[™] holds no responsibility. This document is not intended for quality assurance purposes.



Product: Hawaiian Blast

Revised Date: 2019-06-07 00:00

Page 9 of 9 Print Date: 2019-10-22 09:28

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com