SDS v1 GHS / OSHA



Product: Hazelnut

Page 1 of 7

Revised Date: 2019-01-10 00:00

Print Date: 2019-09-27 13:29

#### Identification of the substance/mixture and of the company/undertaking 1.

#### **Product identifier** 1.1

Trade Name: Hazelnut

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### 1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects
Classification OSHA (Provisions 1910 1200 of	title 29)

## Classification OSHA (Provisions 1910.1200 of title

Eye Damage/Eye Irritation, Category 2A

H319 : Causes serious eye irritation

## **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

# Hazard pictograms



Signal Word: Warning Hazard statments

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00



Product: HazeInut

Page 2 of 7 5800 Park Vista Circle Keller, TX 76244 Print Date: 2019-09-27 13:29 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com H303 May be harmful if swallowed H316 Causes mild skin irritation H317 May cause an allergic skin reaction H319 Causes serious eve irritation H333 May be harmful if inhaled H412 Harmful to aquatic life with long lasting effects **Precautionary Statements** Prevention: P264 Wash hands thoroughly after handling P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment **Response:** P302 + P352 IF ON SKIN: Wash with soap and water P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention P337 + P313 If eye irritation persists: Get medical advice/attention P363 Wash contaminated clothing before reuse 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2	201-550-6	60 - 70 %	H316; H402
Diethyl pht	halate		
121-32-4	204-464-7	10 - 20 %	H303; H320; H402
3-Ethoxy-4	-hydroxybenzald	lehyde	
121-33-5	204-465-2	5 - 10 %	H303; H319
vanillin			
100-51-6	202-859-9	5 - 10 %	H302; H313; H319
Benzyl Alc	ohol		
102-19-2	203-012-6	2 - 5 %	H316
Isoamyl ph	enylacetate		
100-52-7	202-860-4	1 - 2 %	H227; H302; H316; H319; H332; H335;
Benzaldeh	yde		H401



5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425

Revised Date: 2019-01-10 00:00

Page 3 of 7 Print Date: 2019-09-27 13:29

CAS# Ingredient	EC#	Conc. Range	GHS Classification
102-16-9	203-008-4	1 - 2 %	H316
Benzyl pl	henylacetate		
7779-65-9	231-931-2	1 - 2 %	H316
lsoamyl o	cinnamate		
91-64-5	202-086-7	1 - 2 %	H302; H317; H402
Coumarii	n		
See Section	16 for full text of	GHS classifica	tion codes
See	Section 16 for fu	II text of GHS of	classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.60

#### **First Aid Measures** 4. Description of first aid measures 4.1 Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Remove contaminated clothes. Wash thoroughly with water (and soap). Skin Exposure: Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available **Risks:** Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. **Fire-Fighting measures** 5.1 **Extinguishing media** Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

# 5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Lir	mits:					
Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
84-66-2	Diethyl pht	halate	5			
Engineering	Controls:	Use local exhaust as needed.				
8.2 Exposure co	ontrols - Pers	onal protective equipment				

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Page 4 of 7 Print Date: 2019-09-27 13:29



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Page 5 of 7 Print Date: 2019-09-27 13:29

eb: www.ionestarcandiesupply.com	
Color:	Colorless to Yellow/Pink Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0328
%VOC:	0.03
Specific Gravity @ 25 C:	1.1210
Density @ 25 C:	1.1180
Refractive Index @ 20 C:	1.5230
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# 11. Toxicological Information

# **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4529.8165) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 21.6717) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Revised Date: 2019-01-10 00:00

Page 6 of 7 Print Date: 2019-09-27 13:29

Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met		
Aspiration hazard	Not classified - the classification criteria are not met		
12. Ecological Information			
12.1 Toxicity			
Acute acquatic toxicity	Not classified - the classification criteria are not met		
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects		
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

# 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant No				
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	d - Not Dangerou	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)	Not Regulated	d - Not Dangerou	s Goods	
Chemicals NOI				
IATA (Air Cargo)	Not Regulated	d - Not Dangerou	s Goods	
Chemicals NOI				
IMDG (Sea)	Not Regulated	d - Not Dangerou	s Goods	
Chemicals NOI				



# 15. Regulatory Information

# U.S. Federal Regulations

TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
84-66-2 201-550-6 60 - 70 %	Diethyl phthalate
U.S. State Regulations	
California Proposition 65 Warning Canadian Regulations	No Warning required
DSL	100.00% of the components are listed or exempt.

# 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H302 : Harmful if swallowed
H313 : May be harmful in contact with skin	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H332 : Harmful if inhaled
H335 : May cause respiratory irritation	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(230.72) Acute Toxicity Inhalation, Category 5	(7.37) Skin Corrosion/Irritation, Category 3
(2.66) Aquatic Chronic Toxicity, Category 3	(2.56) Eye Damage/Eye Irritation, Category 2
(1.56) Eye Damage/Eye Irritation, Category 2A	(1.20) Sensitization, Skin, Category 1B
(1.10) Acute Toxicity Oral, Category 5	(1.00) Eye Damage/Eye Irritation, Category 2B

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2019-01-10 00:00

Page 7 of 7 Print Date: 2019-09-27 13:29