

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Hot Pink/Pink Liquid Dye

UFI#

1.2 Relevant identified product use

Intended use: Colorant

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.
5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
International

2. Hazards Identification

2.1 Classification of the substance or mixture

GHS US Classification

Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure

2.2 GHS Label elements, including precautionary statements GHS US Labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

H315 - Causes skin irritation
H319 - Causes serious eye irritation
H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS US) :

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling
P280 - Wear eye protection, face protection, protective clothing, protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 - Get medical advice/attention if you feel unwell.

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

P332+P313 - If skin irritation occurs: Get medical advice/attention.
 P337+P313 - If eye irritation occurs: Get medical advice/attention.

2.3 Other hazards which do not result in classification

No additional information available

2.4 Unknown acute toxicity (GHS US)

Not applicable

3. Composition/Information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product Identifier	%	GHS US Classification
Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-biz(diethylamino)-	CAS-No.: 509-34-2	18	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Mineral oil	CAS-No.: 8012-95-1		Asp. Tox. 1, H304

Full text of hazard classes and H-statements: see section 16

4. First-aid Measures

4.1 Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible) Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking, or redness persists. blinking, or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

4.2 Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Causes damage to organs. Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Causes skin irritation. Irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

4.3 Immediate medical attention and special treatment, if necessary

Treat symptomatically.

5. Fire-fighting Measures

5.1 Suitable (an unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. foam. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2 Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3 Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.

6.1.2 For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area

6.2 Environmental Precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4 Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

7. Handling and Storage

7.1 Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe fume. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene Measures : Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from: Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool

Incompatible products : Strong bases. Strong acids

Incompatible materials : Sources of ignition. Direct sunlight.

Maximum storage period : 1 year

Storage temperature : 4-37°C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodible metal.

8. Exposure controls/personal protection

8.1 Control parameters

Pink Liquid Dye #D1786

No additional information available.

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-bis(diethylamino)- (509-34-2)

No additional information available.

Mineral Oil (8012-95-1)

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA

: 5mg/m³ (excluding metal working fluids, highly & severely refined-inhalable particulate matter)

ACGIH chemical category

: Not classifiable as a Human Carcinogen highly and severely refined, Suspected Human Carcinogen highly and severely refined.

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

USA - OSHA - Occupational Exposure Limits

 OSHA PEL (TWA) [1] : 5 mg/m³
USA - IDLH - Occupational Exposure Limits

 IDLH : 2500 mg/m³
USA - NIOSH - Occupational Exposure Limits

 NIOSH REL (TWA) : 5 mg/m³

 NIOSH REL (STEL) : 10 mg/m³
8.2 Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3 Individual protection measures/Personal protective equipment

Personal protective equipment : Avoid all unnecessary exposure

Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Personal protective equipment symbol(s) :



Other information : Do not eat, drink or smoke during use.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Conforms to standard
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >94°C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other Information

No additional information available

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

10. Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Not established.

10.3 Possibility of hazardous reactions

Not established.

10.4 Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5 Incompatible materials

Strong acids. Strong bases.

10.6 Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-bis(diethylamino)- (509-34-2)	
LD50 oral rat	: 1830 mg/kg
LD50 dermal rat	: > 2000mg/kg
LD50 dermal rabbit	: > 2000 mg/kg
ATE US (oral)	: 1830 mg/kg body weight
Mineral oil (8012-95-1)	
LD50 oral rat	: > 24 g/kg
LC50 Inhalation - Rat [ppm]	: 2062 ppm/4h
ATE US (gases)	: 2062 ppm V/4h
Skin corrosion/irritation	: Causes skin irritation
Serious eye damage/irritation	: Causes serious eye irritation
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Product: **Hot Pink/Pink Liquid Dye**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-biz(diethylamino)- (509-34-2)	
STOT-single exposure	: May cause respiratory irritation
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
Symptoms/effects	: Causes damage to organs. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation. Eye irritation.

12. Ecological Information

12.1 Toxicity

Ecology-general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-biz(diethylamino)- (509-34-2)

LC50 - Fish [1] : 40 mg/l

12.2 Persistence and degradability

Pink Liquid Dye #D1786

Persistence and degradability : Not established

12.3 Bioaccumulative potential

Pink Liquid Dye #D1786

Bioaccumulative potential : Not established

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-biz(diethylamino)- (509-34-2)

Partition coefficient n-octanol/water (Log Pow) : 3.649 (at 25°C (at pH 7.14)

12.4 Mobility in soil

No additional information available

12.5 Other adverse effects

Other information : Avoid release to the environment.

13. Disposal considerations

13.1 Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.

Ecology - waste materials : Avoid release to the environment.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

14. Transport information

14.1 UN Number

Not regulated for transport.

14.2 UN proper shipping name

Proper Shipping Name (DOT) : Not applicable

14.3 Transport hazard class(es)

Transport hazard class(es) (DOT) : Not applicable

14.4 Packing group

Packing group (DOT) : Not applicable

14.5 Environmental hazards

Other information : No supplementary information available.

14.6 Special precautions for user

No data available (DOT)

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory Information

15.1 US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2 International regulations

CANADA

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-biz(diethylamino)- (509-34-2)

Listed on the Canadian DSL (Domestic Substances List)

Mineral Oil (8012-95-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-biz(diethylamino)- (509-34-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Mineral Oil (8012-95-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National Regulations

Spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one, 3'6'-biz(diethylamino)- (509-34-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

Mineral Oil (8012-95-1)
 Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)
 Listed on the NCI (Vietnam - National Chemical Inventory)

15.3 US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component

Oleic acid (112-80-1)
 Mineral oil (8012-95-1)

State or local regulations

U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

16. Other Information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Revision date: 9/14/2022
 Other information: None

Full text of H-phrases


H302 : Harmful if swallowed
 H304 : May be fatal if swallowed and enters airways
 H315 : Causes skin irritation
 H319 : Causes serious eye irritation
 H335 : May cause respiratory irritation
 H373 : May cause damage to organs through prolonged or repeated exposure
 H402 : Harmful to aquatic life
 H412 : Harmful to aquatic life with long lasting effects

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions

Safety Data Sheet (SDS), USA



The data contained in this Safety Data Sheet is accurate to the best knowledge of Lone Star Candle Supply, Inc., applies to the product as supplied by Lone Star Candle Supply, Inc. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Lone Star Candle Supply, Inc. assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@lscs.com