SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:18

Page 1 of 9



Product: Hydrangea

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Identification of the substance/mixture and of the company/undertaking 1.

Product identifier 1.1

Trade Name: Hydrangea

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of	title 29)
Skin Corrosion/Irritation Category 2	H315 · Causes skin irritation

Corrosion/Irritation, Category 2 Eye Damage/Eye Irritation, Category 2A TO . Causes skin initiation

H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:18

Page 2 of 9



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com Signal Word: Warning

Signal word: warning

Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
118-58-1	204-262-9	20 - 30 %	H303; H317; H320; H401; H412
Benzyl Salicylate			
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinnamaldehyde			
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319
phenethyl alcohol			



EC#

250-863-4

205-399-7

203-518-7

204-409-7

204-402-9

203-212-3

204-116-4

203-377-1

203-161-7

204-891-9

201-134-4

227-813-5

265-745-8

5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425 F#1 (817) 741-0879

CAS#

Ingredient 31906-04-4

140-11-4

107-75-5

120-57-0

120-51-4

104-54-1

115-95-7

106-24-1

103-95-7

128-51-8

78-70-6

Benzyl acetate

Heliotropine

Hydroxycitronellal

Benzyl Benzoate

Cinnamyl Alcohol

Cyclamen Aldehyde

Linalyl Acetate

Nopyl acetate

Linalool 5989-27-5

Limonene

65405-77-8

Geraniol

Product: Hydrangea

Web: www.lonestarcandlesupply.com Conc. **GHS Classification** Range 5 - 10 % H317; H402 Hydroxyisohexyl 3-cyclohexene carboxaldehyde 5 - 10 % H303; H401; H412 2 - 5 % H317; H319; H402 2 - 5 % H303; H317; H401 2 - 5 % H302; H313; H400; H411 2 - 5 % H303; H317 2 - 5 % H227; H315; H317; H320; H402 H303; H315; H317; H318; H402 2 - 5 % 2 - 5 % H227; H303; H315; H317; H401; H412 H303; H317; H319; H401; H411 2 - 5 % 1 - 2 % H227; H303; H315; H317; H319; H402 H226; H304; H315; H317; H400; H410 1 - 2 % 1 - 2 % H400 cis-3-Hexenyl salicylate

Revised Date: 2019-07-22 00:00

Page 3 of 9 Print Date: 2019-11-08 08:18

98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401	
Terpineol				
89-43-0	201-908-1	1 - 2 %	H316	
Hydroxyc	itronellal-methyl	anthranilate (Sch	iff base)	
93-92-5	202-288-5	1 - 2 %	H227; H402	
methylbei	nzyl acetate			
134-20-3	205-132-4	1 - 2 %	H303; H316; H319; H402	
Methyl an	othranilate			
151-05-3	205-781-3	1 - 2 %	H303; H402	
1,1-Dimethyl-2-phenylethyl acetate				
94-46-2	202-334-4	1 - 2 %	H303	
Isoamyl benzoate				
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;	
Butylpher	nyl Methylpropior	nal	H412	



Further information:

5800 Park Vista Circle

Product: Hydrangea

Revised Date: 2019-07-22 00:00

Page 4 of 9 Print Date: 2019-11-08 08:18

Keller, TX 76244 Ph#1 (800) 929-	9425			Print Date: 2019-11-08 08:
F#1 (817) 741-08 Web: www.lones	879 starcandlesupply.cor			
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	
Geranyl /	Acetate			
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;	
Iso Euge	nol		H335; H401	
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401	
Citral				
See Section	16 for full text of	GHS classification	on codes	
0	0			

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.35

4. First Aid Measures				
4.1 Description of first aid measures				
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.			
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.			
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Ingestion:	Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and effects	-			
Symptoms:	no data available			
Risks:	s: Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medical a	ttention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"			
5. Fire-Fighting measures				
5.1 Extinguishing media				
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam			
Unsuitable	Do not use a direct water jet on burning material			
5.2 Special hazards arising from the subs	tance or mixture			
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective			

Standard procedure for chemical fires



6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lir	nits:						
Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
140-11-4	Benzyl ac	etate	10				
Engineering	Controls:	Use local exhaust as needed.					
8 2 Exposure co	ntrols - Por	sonal protective equipment					

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 5 of 9 Print Date: 2019-11-08 08:18



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Revised Date: 2019-07-22 00:00

Page 6 of 9 Print Date: 2019-11-08 08:18

Veb: www.lonestarcandlesupply.com	
Color:	Pale Yellow to Greenish Yellow (G3-6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0808
%VOC:	0.08
Specific Gravity @ 25 C:	1.0200
Density @ 25 C:	1.0170
Refractive Index @ 20 C:	1.5220
Soluble in:	Oil

10. **Stability and Reactivity**

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. 11.Toxicological Information11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2824.6005) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3205.1153) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 39.0986) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met



Reproductive toxicity

Not classified - the classification criteria are not met

Revised Date: 2019-07-22 00:00

Page 7 of 9 Print Date: 2019-11-08 08:18

Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard	Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met
12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (1 - 2 %) : Limonene					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods				
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardo Substance, Liquid, n.o.		9	Ш		UN3082	



15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

40 CFR(EPCRA, SARA, CERCLA and CAA)

U.S. State Regulations

California Proposition 65 Warning

		-
119-61-9	204-337-6	0.01 - 0.1%
123-35-3(NF	204-622-5	<= 47 ppm
94-59-7	202-345-4	<= 13 ppm
93-15-2	202-223-0	<= 5 ppm

All components of the substance/mixture are listed or exempt This product contains NO components of concern.

This product contains the following components: Benzophenone beta-Myrcene (Natural Source) Safrole (Natural Source) Methyl Eugenol (Natural Source)

Canadian Regulations

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H312 : Harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation
- H332 : Harmful if inhaled
- H361 : Suspected of damaging fertility or the unborn child
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(127.88) Acute Toxicity Inhalation, Category 5
(23.25) Aquatic Chronic Toxicity, Category 3
(6.77) Eye Damage/Eye Irritation, Category 2
(4.41) Eye Damage/Eye Irritation, Category 2A
(2.35) Eye Damage/Eye Irritation, Category 2B
(2.09) Aquatic Chronic Toxicity, Category 4
(1.71) Skin Corrosion/Irritation, Category 2

Department issuing data sheet:

Department E-mail address:

- H227 : Combustible liquid H304 : May be fatal if swallowed and enters airways
- H316 : Causes mild skin irritation
- H318 : Causes serious eye damage
- H320 : Causes eye irritation
- H335 : May cause respiratory irritation
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects
- (TFV) Risk
- (80.00) Sensitization, Skin, Category 1A
- (20.07) Sensitization, Skin, Category 1B
- (6.65) Sensitization, Skin, Category 1
- (4.32) Skin Corrosion/Irritation, Category 3
- (2.21) Aquatic Chronic Toxicity, Category 2
- (1.77) Acute Toxicity Oral, Category 5
- (1.56) Acute Toxicity Dermal, Category 5

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 8 of 9 Print Date: 2019-11-08 08:18

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:18

Page 9 of 9



Product: Hydrangea

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.[™] holds no responsibility. This document is not intended for quality assurance purposes.