

# Product: INDIAN SANDALWOOD

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Page 1 of 8 Print Date: 2019-10-08 14:32

# 1. Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade Name: INDIAN SANDALWOOD

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### 1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

# 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### **Classification according to GHS**

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	e 29)

Skin Corrosion/Irritation, Category 2 Aquatic Acute Toxicity, Category 1 H315 : Causes skin irritation

H400 : Very Toxic to aquatic life

### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Revised Date: 2019-01-10 00:00

Product: INDIAN SANDALWOOD

Page 2 of 8 Print Date: 2019-10-08 14:32

Signal Word: Warning	
Hazard statments	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Stateme	ents
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
.3 Other Hazards	

# no data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411
Benzyl Ber	nzoate		
66068-84-6	266-100-3	10 - 20 %	H315; H401; H411
lsocamphenyl cyclohexanol (mixed isomers)			
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410
Hexamethylindanopyran			
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401
4-tert-Butylcyclohexyl acetate			



5800 Park Vista Circle

# Product: INDIAN SANDALWOOD

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Page 3 of 8 Print Date: 2019-10-08 14:32

F#1 (817) 741-08 Web: www.lonest	79 arcandlesupply.cor	n		
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	
Tetrameth	nyl Acetyloctahy	dronaphthalene	5	
28219-60-5	248-907-2	2 - 5 %	H319; H401; H411	
2-Methyl-	4-(2,2,3-trimeth	yl-3-cyclopenten	-1-yl)-2-buten-1-ol	
28219-61-6	248-908-8	1 - 2 %	H319; H401; H411	
Ethyl trime	ethylcyclopente	ene butenol		
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410	
Acetyl he	xamethyl tetralii	n		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410	
Acetyl ced	drene			
4707-47-5	225-193-0	1 - 2 %	H317; H401	
Methyl atr	rarate			
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	
phenethyl	l alcohol			
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402	
Hydroxyis	ohexyl 3-cyclol	hexene carboxal	dehyde	
See Section 1	6 for full text of	GHS classificati	on codes	

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		

5.	Fire-Fighting measures	
5.1	Extinguishing media	
S	Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
ι	Insuitable	Do not use a direct water jet on burning material



#### SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Print Date: 2019-10-08 14:32

Page 4 of 8

# Product: INDIAN SANDALWOOD

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

5.2 Special hazards arising from the substance or mixture

#### During fire fighting:

Water may be ineffective

5.3 Advice for firefighters

**Further information:** 

Standard procedure for chemical fires

### 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

# 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

**Explosive Properties:** 

**Oxidizing properties:** 

Specific Gravity @ 25 C:

Refractive Index @ 20 C:

Density @ 25 C:

Soluble in:

%VOC:

9.

Page 5 of 8

#### Product: **INDIAN SANDALWOOD**

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Pale Yellow (G0-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined

**Physical and Chemical Properties** 

9.1 Information on basic physical and chemical properties

Print Date: 2019-10-08 14:32

Revised Date: 2019-01-10 00:00

#### **Stability and Reactivity** 10.

Vapor Pressure (mmHg@20 C):

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

None Expected

None Expected

0.0026

1.0390

1.0360

1.5320

Oil

0.00

#### 11. **Toxicological Information**

# **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2168.0088) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4175.3846) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 97.2012) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Not classified - the classification criteria are not met



5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425 F#1 (817) 741-0879 Product: INDIAN SANDALWOOD

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Page 6 of 8 Print Date: 2019-10-08 14:32

Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
-

# **12.** Ecological Information 12.1 Toxicity

Acute acquatic toxicity Chronic acquatic toxicity	Very Toxic to aquatic life Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

# 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (50 - 60 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International R	oad/Rail)				
Environmentally Hazardo Substance, Liquid, n.o		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardo Substance, Liquid, n.o		9	Ш		UN3082



#### SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

# Product: INDIAN SANDALWOOD

5800 Park Vista Circle Keller, TX 76244		Page 7 of 8 Print Date: 2019-10-08 14:32	
Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com			
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9 III	UN3082	
15. Regulatory Information U.S. Federal Regulations			
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA, SARA, CERCLA and CAA U.S. State Regulations	) This product contains NO compon	ents of concern.	
California Proposition 65 Warning Canadian Regulations	No Warning required		
DSL	99.69% of the components are list components are NOT on the List:	ed or exempt. The following	
67801-20-1 267-140-4 0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclope	nten-1-yl)pent-4-en-2-ol	
198404-98-7 427-900-1 <= 60 ppm	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.	1.0]hex-3-yl)methyl]	

# 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H302 : Harmful if swallowed	H316 : Causes mild skin irritation		
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation		
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life		
H410 : Very toxic to aquatic life with long lasting effects			
Total Fractional Values			
(TFV) Risk	(TFV) Risk		
(79.35) Aquatic Chronic Toxicity, Category 3	(51.44) Acute Toxicity Inhalation, Category 5		
(8.00) Sensitization, Skin, Category 1A	(7.94) Aquatic Chronic Toxicity, Category 2		
(4.00) Sensitization, Skin, Category 1B	(3.40) Aquatic Chronic Toxicity, Category 4		
(2.87) Skin Corrosion/Irritation, Category 3	(2.60) Aquatic Acute Toxicity, Category 1		
(2.31) Acute Toxicity Oral, Category 5	(2.01) Skin Corrosion/Irritation, Category 2		
(1.20) Acute Toxicity Dermal, Category 5			

#### Department issuing data sheet:

#### **Department E-mail address:**

## Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.



Product: INDIAN SANDALWOOD

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Page 8 of 8 Print Date: 2019-10-08 14:32