

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Page 1 of 8 Print Date: 2019-11-06 13:44

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: LEMON LAVENDER (TYPE)

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Ac	ute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
Ac	ute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin	
Ski	in Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation	
Se	nsitization, Skin, Category 1B	H317 : May cause an allergic skin reaction	
Eye	e Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation	
Ac	ute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Aq	uatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
Aq	uatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
lassification OSHA (Provisions 1910.1200 of title 29)			
_			

Eye Damage/Eye Irritation, Category 2A	
Aquatic Acute Toxicity, Category 1	

H319 : Causes serious eye irritation H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

С

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Revised Date: 2019-07-22 00:00

Page 2 of 8 Print Date: 2019-11-06 13:44

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com



Signal Word: Warning

Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Ber	nzoate		



5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425

Product: LEMON LAVENDER (TYPE)

Revised Date: 2019-07-22 00:00

Page 3 of 8 Print Date: 2019-11-06 13:44

F1# 1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com			
CAS# Ingredient	EC#	Conc. Range	GHS Classification
105-95-3	203-347-8	2 - 5 %	H401
Ethylene	brassylate		
8007-35-0	232-357-5	1 - 2 %	H316; H401; H411
Terpineol	acetate		
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H410
Limonene	è		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401
Terpineol			
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ac	etate		
125-12-2	204-727-6	1 - 2 %	H227; H316; H401
Isobornyl acetate			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
8002-09-3(Sy	!	0.1 - 1.0 %	H227; H304; H315; H317; H319
Yarmor Pine Oil, Synth			
See Section 16 for full text of GHS classification codes			

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.33

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:Rinse mouth with water and obtain medical advice.4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-06 13:44

Page 4 of 8

Product: LEMON LAVENDER (TYPE)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.cd

F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com	
5.Fire-Fighting measure5.1Extinguishing media	es
Suitable: Unsuitable 5.2 Special hazards arising from th	Carbon dioxide (CO2), Dry chemical, Foam Do not use a direct water jet on burning material ne substance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

ACGIH

10

ACGIH

OSHA

TWA ppm STEL ppm TWA ppm STEL ppm

OSHA

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

140-11-4 Benzyl acetate

Engineering Controls: Use local exhaust as needed.



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: LEMON LAVENDER (TYPE)

 5800 Park Vista Circle
 Page 5 of 8

 Keller, TX 76244
 Print Date: 2019-11-06 13:44

 Ph#1 (800) 929-9425
 Print Date: 2019-11-06 13:44

 F#1 (817) 741-0879
 Veb: www.lonestarcandlesupply.com

 Web: www.lonestarcandlesupply.com
 Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.**Skin protection:**Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0556
%VOC:	0.06
Specific Gravity @ 25 C:	0.9800
Density @ 25 C:	0.9770
Refractive Index @ 20 C:	1.4850
Soluble in:	Not determined

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 2773.0532) May be harmful if swallowed
(LD50: 4736.7129) May be harmful in contact with skin
(LD50: 215.7569) May be harmful if inhaled
May be harmful if inhaled
Causes serious eye irritation
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Revised Date: 2019-07-22 00:00

Page 6 of 8 Print Date: 2019-11-06 13:44



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-06 13:44

Page 7 of 8

Product: LEMON LAVENDER (TYPE)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (30 - 40 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International R	oad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.		9	Ш		UN3082

15. Regula	tory Inform	nation	
U.S. Federal Regul	ations		
TSCA (Toxic Substance Control Act)		trol Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA,	SARA, CER	CLA and CAA)	This product contains NO components of concern.
U.S. State Regulati	ons		
California Propo	osition 65 Wa	arning	This product contains the following components:
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
93-15-2	202-223-0	<= 5 ppm	Methyl Eugenol (Natural Source)
Canadian Regulation	ons		
DSL			99.85% of the components are listed or exempt. The following components are NOT on the List:
67801-20-1	267-140-4	0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H315 : Causes skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(23.17) Acute Toxicity Inhalation, Category 5	(21.75) Aquatic Chronic Toxicity, Category 3



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

(2.50) Sensitization, Skin, Category 1

(1.80) Acute Toxicity Oral, Category 5

(1.49) Aquatic Chronic Toxicity, Category 4

(1.23) Eye Damage/Eye Irritation, Category 2

(1.11) Eye Damage/Eye Irritation, Category 2A

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.[™] holds no responsibility. This document is not intended for quality assurance purposes.

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 8 of 8 Print Date: 2019-11-06 13:44

(2.17) Aquatic Chronic Toxicity, Category 2
(1.65) Sensitization, Skin, Category 1B
(1.34) Aquatic Acute Toxicity, Category 1
(1.12) Skin Corrosion/Irritation, Category 3

(1.06) Acute Toxicity Dermal, Category 5