

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:18

Page 1 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

1.

Trade Name: LEMON VERBENA (TYPE)

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### 1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:18

Page 2 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms





#### Signal Word: Danger

Hazard statments	
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

#### 2.3 Other Hazards

no data available



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2	201-550-6	20 - 30 %	H316; H402
Diethyl pht	thalate		
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H410
Limonene			
5392-40-5	226-394-6	5 - 10 %	H313; H315; H317; H319; H401
Citral			
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401
Citronellol			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
Son Soction 16	S for full toxt of C	US classification	codos

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 21.56

#### 4. First Aid Measures

### 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion: 4.2 Most important symptoms and effects, I	Rinse mouth with water and obtain medical advice.		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 3 of 8 Print Date: 2019-11-08 08:18



#### SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:18

Page 4 of 8

### Product: LEMON VERBENA (TYPE)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.cc

F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com	
5.Fire-Fighting measure5.1Extinguishing media	S
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from the	Do not use a direct water jet on burning material substance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

ACGIH

5

ACGIH

OSHA

TWA ppm STEL ppm TWA ppm STEL ppm

OSHA

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits:

Component

84-66-2 Diethyl phthalate

Engineering Controls: Use local exhaust as needed.



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: LEMON VERBENA (TYPE)

 5800 Park Vista Circle
 Page 5 of 8

 Keller, TX 76244
 Print Date: 2019-11-08 08:18

 Ph#1 (800) 929-9425
 Print Date: 2019-11-08 08:18

 F#1 (817) 741-0879
 Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:**Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.**Skin protection:**Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless - Pale Yellow (G0-G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	150 F (65.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2183
%VOC:	0.22
Specific Gravity @ 25 C:	0.9700
Density @ 25 C:	0.9670
Refractive Index @ 20 C:	1.4900
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3462.5749) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3680.2185) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 40.8879) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

## 12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil no data available	
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Revised Date: 2019-07-22 00:00

Page 6 of 8 Print Date: 2019-11-08 08:18



SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:18

Page 7 of 8

Product: LEMON VERBENA (TYPE)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

### 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (10 - 20 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International R	oad/Rail)				
Environmentally Hazardo		9	III		UN3082
Substance, Liquid, n.o.	S.				
IATA (Air Cargo)					
Environmentally Hazardo Substance, Liquid, n.o.		9	111		UN3082
IMDG (Sea)	5.				
<b>x</b> <i>y</i>					
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082
	0.				

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and	CAA) This product contains the following components:
84-66-2 201-550-6 20 - 30 %	6 Diethyl phthalate
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.1 - 1.0	% beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

## 16. Other Information

H226 : Flammable liquid and vapour

#### GHS H-Statements referred to under section 3 and not listed in section 2

H316 : Causes mild skin irritation
H319 : Causes serious eye irritation
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects **Total Fractional Values**(TFV) Risk
(122.29) Acute Toxicity Inhalation, Category 5
(72.79) Sensitization, Skin, Category 1
(9.10) Aquatic Chronic Toxicity, Category 2
(3.30) Skin Corrosion/Irritation, Category 2

H302 : Harmful if swallowedH317 : May cause an allergic skin reactionH320 : Causes eye irritationH402 : Harmful to aquatic life

(TFV) Risk
(90.96) Aquatic Chronic Toxicity, Category 3
(19.16) Sensitization, Skin, Category 1B
(5.57) Skin Corrosion/Irritation, Category 3
(2.16) Aspiration Hazard, Category 1



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

(1.65) Aquatic Chronic Toxicity, Category 4

(1.44) Acute Toxicity Oral, Category 5(1.28) Eye Damage/Eye Irritation, Category 2

Department issuing data sheet:

Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2019-07-22 00:00

SDS v1 GHS / OSHA

Page 8 of 8 Print Date: 2019-11-08 08:18

(1.64) Aquatic Acute Toxicity, Category 1(1.36) Acute Toxicity Dermal, Category 5(1.10) Eye Damage/Eye Irritation, Category 2A