



Revised Date: 2019-07-22 00:00

Page 1 of 8

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: MONKEY FARTS

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Page 2 of 8



Revised Date: 2019-07-22 00:00

Product: MONKEY FARTS

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

Signal Word: Warning	9
----------------------	---

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
D204 + D242	IE INILIAI ED: Call a DOISON CENTED or

IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell P304 + P312

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use P370 + P378

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	enzoate		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H410
Limonene	9		





Revised Date: 2019-07-22 00:00

Page 3 of 8

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

CAS# Ingredient	EC#	Conc. Range	GHS Classification
628-63-7	211-047-3	5 - 10 %	H226
Amyl Ace	tate		
100-51-6	202-859-9	2 - 5 %	H302; H313; H319
Benzyl Al	lcohol		
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
140-11-4	205-399-7	2 - 5 %	H303; H401; H412
Benzyl ad	cetate		
128-51-8	204-891-9	1 - 2 %	H303; H317; H319; H401; H411
Nopyl ace	etate		
109-21-7	203-656-8	1 - 2 %	H226; H401; H411
Butyl buty	/rate		
103-37-7	203-105-1	1 - 2 %	H303; H316
Benzyl bu	ıtyrate		
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401;
Butylpher	nyl Methylpropio	nal	H412
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cini	namaldehyde		
104-61-0	203-219-1	1 - 2 %	H316
gamma-∧	lonalactone		
106-27-4	203-380-8	1 - 2 %	H226; H401
Isoamyl b	outyrate		
120-57-0	204-409-7	1 - 2 %	H303; H317; H401
Heliotropi	ine		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402
Hydroxyis	sohexyl 3-cycloh	nexene carboxalo	dehyde
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
a-Methyl-	1,3-benzodioxo	le-5-propionaldel	hyde
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2 $\,$

Total Hydrocarbon Content (% w/w) = 5.44

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.





Revised Date: 2019-07-22 00:00

Page 4 of 8

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.





Revised Date: 2019-07-22 00:00

Page 5 of 8

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

628-63-7 *Amyl Acetate* 50 100 100

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Yellow (G0-5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

154 F (67.78 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.4345

 %VOC:
 0.43

 Specific Gravity @ 25 C:
 0.9470

 Density @ 25 C:
 0.9440

 Refractive Index @ 20 C:
 1.4680

Soluble in: Not determined





Revised Date: 2019-07-22 00:00

Page 6 of 8

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3666.0333) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4665.6634) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 53.1897) May be harmful if inhaled

Skin corrosion / irritationMay be harmful if inhaledSerious eye damage / irritationCauses serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity


Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available



Lone Star

Product: MONKEY FARTS

Revised Date: 2019-07-22 00:00

Page 7 of 8

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	es. Ingredient of greates	st environmental impact :

5989-27-5 : (5 - 10 %) : Limonene

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

628-63-7 211-047-3 5 - 10 % Amyl Acetate

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 99.76% of the components are listed or exempt. The following

components are NOT on the List:

125109-85-5 412-050-4 0.1 - 1.0 % Isopropylphenylbutanal

815580-59-7 453-570-1 <= 4 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed





Revised Date: 2019-07-22 00:00

Page 8 of 8

Print Date: 2019-11-06 13:48

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

H304 : May be fatal if swallowed and enters airways	H316 : Causes mild skin irritation
H317: May cause an allergic skin reaction	H319: Causes serious eye irritation

H320 : Causes eye irritation H361 : Suspected of damaging fertility or the unborn

child

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(28.56) Aquatic Chronic Toxicity, Category 3
(5.14) Sensitization, Skin, Category 1B
(1.97) Skin Corrosion/Irritation, Category 3
(1.28) Sensitization, Skin, Category 1
(1.17) Skin Corrosion/Irritation, Category 2
(1.07) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.