

Revised Date: 2019-01-10 00:00

Page 1 of 8

Print Date: 2019-11-06 13:50

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Pearberry

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2B H320 : Causes eye irritation
Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation Eye Damage/Eye Irritation, Category 2B H320 : Causes eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Revised Date: 2019-01-10 00:00

Print Date: 2019-11-06 13:50

Page 2 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com





Signal Word: Warning

Hazard statments

H227 Combustible liquid H303 May be harmful if swallowed H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye irritation H319 H320 Causes eye irritation H333 May be harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage


2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):





Revised Date: 2019-01-10 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Page 3 of 8 Print Date: 2019-11-06 13:50

Web: www.lonestarcandlesupply.com

	tarcandlesupply.cor	n Como	
CAS# Ingredient	EC#	Conc. Range	GHS Classification
118-58-1	204-262-9	10 - 20 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
84-66-2	201-550-6	10 - 20 %	H316; H402
Diethyl pl	nthalate		
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411
2-t-Butylo	yclohexyl aceta	te	
140-11-4	205-399-7	5 - 10 %	H303; H401; H412
Benzyl ad	cetate		
105-87-3	203-341-5	5 - 10 %	H315; H317; H401; H412
Geranyl A	Acetate		
142-92-7	205-572-7	5 - 10 %	H226; H316; H401; H411
Hexyl ace	etate		
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410
Hexamet	hylindanopyran		
8050-15-5	232-476-2	5 - 10 %	H402; H412
Methyl es	ster of rosin (par	tially hydrogenat	ted)
31906-04-4	250-863-4	5 - 10 %	H317; H402
Hydroxyis	sohexyl 3-cyclol	nexene carboxalo	dehyde
141-12-8	205-459-2	2 - 5 %	H315; H317; H401
Neryl ace	tate		
123-66-0	204-640-3	2 - 5 %	H226; H315; H401
Ethy Cap	roate		
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Benzyl Be	enzoate		
706-14-9	211-892-8	2 - 5 %	H316
gamma-D	Decalactone		
123-86-4	204-658-1	2 - 5 %	H226; H336; H402
Butyl ace			
150-84-5	205-775-0	2 - 5 %	H315; H401; H411
Citronelly			
128-37-0	204-881-4	1 - 2 %	H316; H400; H410
	hydroxytoluene		,, -
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H332; H400; H410
	phexylpropionate		,,,
		GHS classificati	on codes
230 230001	O TOT TOTI TOAT OF	C. IC Classificati	o coaco



Lone Star

Product: Pearberry

Revised Date: 2019-01-10 00:00

Page 4 of 8 Print Date: 2019-11-06 13:50

Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

5800 Park Vista Circle

Web: www.lonestarcandlesupply.com

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable





Revised Date: 2019-01-10 00:00

Page 5 of 8 Print Date: 2019-11-06 13:50

Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

5800 Park Vista Circle

Web: www.lonestarcandlesupply.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
84-66-2	Diethyl phthalate	5			
140-11-4	Benzyl acetate	10			
128-37-0	Butylated hydroxytoluene	2			
123-86-4	Butyl acetate	150	200	150	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Pale Yellow (G2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

Not determined

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected





Revised Date: 2019-01-10 00:00

Page 6 of 8 Print Date: 2019-11-06 13:50

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

 Vapor Pressure (mmHg@20 C):
 0.5224

 %VOC:
 0.52

 Specific Gravity @ 25 C:
 0.9890

 Density @ 25 C:
 0.9860

 Refractive Index @ 20 C:
 1.4810

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3773.5849) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4950.4950) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 26.8925) May be harmful if inhaled

Skin corrosion / irritationMay be harmful if inhaledSerious eye damage / irritationCauses eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects





Revised Date: 2019-01-10 00:00

Print Date: 2019-11-06 13:50

Page 7 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact : 1222-05-5 : (5 - 10 %) : Hexamethylindanopyran

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IATA (Air Cargo) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082

15. Regulatory Information

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

84-66-2 201-550-6 10 - 20 % Diethyl phthalate 123-86-4 204-658-1 2 - 5 % Butyl acetate

U.S. State Regulations

California Proposition 65 Warning No Warning required

Canadian Regulations

DSL 100.00% of the components are listed or exempt.





Revised Date: 2019-01-10 00:00

Page 8 of 8

Print Date: 2019-11-06 13:50

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour
H302 : Harmful if swallowed
H312 : Harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H320 : Causes eve irritation

H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H332 : Harmful if inhaled
H336 : May cause drowsine

H332 : Harmful if inhaled H336 : May cause drowsiness or dizziness H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(185.93) Acute Toxicity Inhalation, Category 5
(50.00) Sensitization, Skin, Category 1A
(11.63) Sensitization, Skin, Category 1B
(4.01) Aquatic Chronic Toxicity, Category 2
(2.06) Skin Corrosion/Irritation, Category 2
(1.20) Eye Damage/Eye Irritation, Category 2

(TFV) Risk
(77.70) Sensitization, Skin, Category 1
(41.44) Aquatic Chronic Toxicity, Category 3
(5.94) Skin Corrosion/Irritation, Category 3
(2.58) Aquatic Chronic Toxicity, Category 4
(1.33) Acute Toxicity Oral, Category 5
(1.20) Eye Damage/Eye Irritation, Category 2

Department issuing data sheet:

(1.01) Acute Toxicity Dermal, Category 5

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.