

Product: Rain

Page 1 of 8

Revised Date: 2019-01-10 00:00

Print Date: 2019-11-08 08:21

# 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Rain

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

#### 1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

## 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## **Classification according to GHS**

H303 : May be harmful if swallowed			
H313 : May be harmful in contact with skin			
H316 : Causes mild skin irritation			
H317 : May cause an allergic skin reaction			
H319 : Causes serious eye irritation			
H332 : Harmful if inhaled			
H400 : Very Toxic to aquatic life			
H411 : Toxic to aquatic life with long lasting effects			
Classification OSHA (Provisions 1910.1200 of title 29)			
H319 : Causes serious eye irritation			

,	0	,	,	0		,
Acute	Toxicity	Inhalatio	n, Cate	gory	/ 4	H332 : Harmful if inhaled
			-			

Aquatic	Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

## **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Revised Date: 2019-01-10 00:00

Print Date: 2019-11-08 08:21

Page 2 of 8



Product: Rain

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com



## Signal Word: Warning

## Hazard statments

ina statificilits	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

## **Prevention:**

P264	Wash hands thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

# **Response:**

polise.	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312 + P340	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

## 2.3 Other Hazards

#### no data available

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.	
Ingredient		Range	GHS Classification



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Revised Date: 2019-01-10 00:00

Page 3 of 8 Print Date: 2019-11-08 08:21

CAS# Ingredient	tarcandlesupply.con EC#	Conc. Range	GHS Classification		
100-51-6	202-859-9	20 - 30 %	H302; H313; H319		
Benzyl Al	cohol				
84-66-2	201-550-6	20 - 30 %	H316; H402		
Diethyl pl	nthalate				
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411		
Benzyl Be	enzoate				
1222-05-5	214-946-9	10 - 20 %	H316; H400; H410		
Hexamet	hylindanopyran				
8050-15-5	232-476-2	10 - 20 %	H402; H412		
Methyl es	ter of rosin (part	ially hydrogenate	ed)		
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412		
Benzyl Sa	alicylate				
105-95-3	203-347-8	2 - 5 %	H401		
Ethylene	brassylate				
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411		
Hexyl cin	namaldehyde				
31906-04-4	250-863-4	2 - 5 %	H317; H402		
Hydroxyis	sohexyl 3-cycloh	exene carboxalo	lehyde		
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319		
phenethyl alcohol					
122-40-7	204-541-5	1 - 2 %	H303; H316; H317; H401; H411		
Amyl Cinnamal					
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;		
Butylpher	nyl Methylpropio	nal	H412		
See Section 1	See Section 16 for full text of GHS classification codes				
See S	Section 16 for fu	II text of GHS cla	ssification codes which where not shown in section 2		

Total Hydrocarbon Content (% w/w) = 0.01

4. First Aid Measures				
4.1 Description of first aid measures				
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.			
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.			
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Ingestion:	Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms:	no data available			
Risks:	Refer to Section 2.2 "Hazard Statements"			



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Treatment:

Revised Date: 2019-01-10 00:00

Page 4 of 8 Print Date: 2019-11-08 08:21

Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO2), Dry chemical, Foam			
Unsuitable	Do not use a direct water jet on burning material			
5.2 Special hazards arising from the substance or mixture				
During fire fighting:	Water may be ineffective			
5.3 Advice for firefighters				
Further information:	Standard procedure for chemical fires			

Rain

4.3 Indication of any immediate medical attention and special treatment needed

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

Exposure Limits: Component



Product: Rain

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.cc Page 5 of 8

Revised Date: 2019-01-10 00:00

Print Date: 2019-11-08 08:21

Web: www.lonestard	candlesupply.com	1
84-66-2	Diethyl ph	thalate 5
Engineering 8.2 Exposure c		Use local exhaust as needed. sonal protective equipment
Eye protecti	ion:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory	protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protect	tion:	Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Liquid
Conforms to Standard
Colorless to Pale Yellow (G2)
Liquid
Not determined
Not determined
Not determined
>200 F (93.33 C)
Not determined
None Expected
None Expected
0.0137
0.01
1.0470
1.0440
1.5260
Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

# 11. Toxicological Information

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Rain

(LD50: 2707.1815) May be harmful if swallowed
(LD50: 3798.2889) May be harmful in contact with skin
(LD50: 18.7346) Harmful if inhaled
Harmful if inhaled
Causes serious eye irritation
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

# 12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

## 13. Disposal Conditions

# 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Revised Date: 2019-01-10 00:00

Page 6 of 8 Print Date: 2019-11-08 08:21



Product: Rain

Revised Date: 2019-01-10 00:00

Page 7 of 8 Print Date: 2019-11-08 08:21

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

# 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (10 - 20 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International R	oad/Rail)				
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardo Substance, Liquid, n.o.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardo Substance, Liquid, n.o.		9	111		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
84-66-2 201-550-6 20 - 30 %	Diethyl phthalate
U.S. State Regulations	
California Proposition 65 Warning Canadian Regulations	No Warning required
DSL	100.00% of the components are listed or exempt.

# 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

Ono motatements referred to under section 5 and not inst	
H227 : Combustible liquid	H302 : Harmful if swallowed
H315 : Causes skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H361 : Suspected of damaging fertility or the unborn child	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(47.24) Aquatic Chronic Toxicity, Category 3	(30.00) Sensitization, Skin, Category 1A
(6.00) Sensitization, Skin, Category 1B	(4.66) Aquatic Chronic Toxicity, Category 2
(4.14) Eye Damage/Eye Irritation, Category 2	(4.06) Skin Corrosion/Irritation, Category 3



Product: Rain

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

(3.53) Eye Damage/Eye Irritation, Category 2A(1.73) Aquatic Chronic Toxicity, Category 4(1.07) Acute Toxicity Inhalation, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2019-01-10 00:00

Page 8 of 8 Print Date: 2019-11-08 08:21

(1.85) Acute Toxicity Oral, Category 5(1.32) Acute Toxicity Dermal, Category 5(1.01) Aquatic Acute Toxicity, Category 1