



Revised Date: 2019-07-22 00:00

Page 1 of 8

Print Date: 2019-11-08 08:21

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Sea Breeze

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Target Organ Systemic Toxicity - Single H371 : May cause damage to organs

Exposure, Category 2

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Target Organ Systemic Toxicity - Single H371 : May cause damage to organs

Exposure, Category 2

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms











Revised Date: 2019-07-22 00:00

Print Date: 2019-11-08 08:21

Page 2 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425

Web: www.lonestarcandlesupply.com

Signal Word: Warning

Hazard	statm	ents

F#1 (817) 741-0879

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled

H371 May cause damage to organs

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Collect Spillage

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse

P391 **2.3 Other Hazards**

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
84-66-2	201-550-6	40 - 50 %	H316; H402
Diethyl ph	nthalate		
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Be	enzoate		
8050-15-5	232-476-2	10 - 20 %	H402; H412

Methyl ester of rosin (partially hydrogenated)





Revised Date: 2019-07-22 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Page 3 of 8 Print Date: 2019-11-08 08:21

Web: www.lones	tarcandlesupply.cor	n	
CAS# Ingredient	EC#	Conc. Range	GHS Classification
76-22-2	200-945-0	5 - 10 %	H228; H302; H332; H371; H402
Camphor			
58430-94-7	261-245-9	5 - 10 %	H227; H303; H315; H401; H411
3,5,5-Trin	nethylhexyl acet	tate	
32388-55-9	251-020-3	5 - 10 %	H303; H317; H400; H410
Acetyl ce	drene		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameti	hylindanopyran		
125-12-2	204-727-6	2 - 5 %	H227; H316; H401
Isobornyl	acetate		
140-11-4	205-399-7	2 - 5 %	H303; H401; H412
Benzyl ad	etate		
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402
2,6-dimet	hyloct-7-en-2-o	1	
25279-09-8	246-788-1	1 - 2 %	H227; H303; H315; H319; H402
2,6-Dime	thyloct-7-en-2-y	l formate	
66327-54-6	266-314-7	1 - 2 %	H315; H400; H410
1-Formyl-	-1-methyl-4-(4-n	nethyl-pentyl)-3-	cyclohexene
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
2-t-Butylo	yclohexyl aceta	te	
15356-70-4	239-388-3	1 - 2 %	H227; H303; H315; H320; H402
Menthol			
31906-04-4	250-863-4	1 - 2 %	H317; H402
Hydroxyis	sohexyl 3-cyclol	nexene carboxa	ldehyde

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.06

See Section 16 for full text of GHS classification codes

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"



Revised Date: 2019-07-22 00:00

Page 4 of 8

Print Date: 2019-11-08 08:21

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm





Revised Date: 2019-07-22 00:00 Product:

Page 5 of 8 5800 Park Vista Circle Keller, TX 76244 Print Date: 2019-11-08 08:21

Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

5 84-66-2 Diethyl phthalate 140-11-4 Benzyl acetate 10 2 3 76-22-2 Camphor

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Sea Breeze

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow (G2) to Yellow (G5)

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0337 %VOC: 0.03 Specific Gravity @ 25 C: 1.0360 Density @ 25 C: 1.0330 Refractive Index @ 20 C: 1.4970 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None Stable 10.2 Chemical stability

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known





Revised Date: 2019-07-22 00:00

Page 6 of 8

Print Date: 2019-11-08 08:21

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4020.1410) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 25.7563) May be harmful if inhaled

Skin corrosion / irritation May be harmful if inhaled

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Reproductive toxicity

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.





Revised Date: 2019-07-22 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

14.

Web: www.lonestarcandlesupply.com

Page 7 of 8 Print Date: 2019-11-08 08:21

Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

32388-55-9 : (5 - 10 %) : Acetyl cedrene

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s. IATA (Air Cargo) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082

15. Regulatory Information

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

84-66-2 201-550-6 40 - 50 % Diethyl phthalate

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H228 : Flammable Solid

H302 : Harmful if swallowed H313 : May be harmful in contact with skin H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

1316 . Causes mild skin imitation H317 . May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation H400 : Very Toxic to aquatic life

H401 : Toxic to aquatic life H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(194.13) Acute Toxicity Inhalation, Category 5 (50.35) Aquatic Chronic Toxicity, Category 3

(10.00) Sensitization, Skin, Category 1A (6.28) Skin Corrosion/Irritation, Category 3





Revised Date: 2019-07-22 00:00

5800 Park Vista Circle Keller, TX 76244

Page 8 of 8 Print Date: 2019-11-08 08:21

Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

> (5.01) Target Organ Systemic Toxicity - Single Exposure, Category 2

(5.00) Sensitization, Skin, Category 1B

(4.99) Aquatic Chronic Toxicity, Category 2

(1.60) Aquatic Chronic Toxicity, Category 4

(1.26) Skin Corrosion/Irritation, Category 2

(1.24) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.