SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Print Date: 2022-07-15 12:27

Page 1 of 8



Product: Ski Lodge (type)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Ski Lodge (type)

UFI#

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 Acute Toxicity Dermal, Category 5 Skin Corrosion/Irritation, Category 3 Sensitization, Skin, Category 1A Acute Toxicity Inhalation, Category 5 Aquatic Chronic Toxicity, Category 2

H303 : May be harmful if swallowed

- H313 : May be harmful in contact with skin
- H316 : Causes mild skin irritation
- H317 : May cause an allergic skin reaction
- H333 : May be harmful if inhaled
- H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A Reproductive Toxicity, Category 1B H317 : May cause an allergic skin reaction

H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms









5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Revised Date: 2022-02-10 00:00

Page 2 of 8 Print Date: 2022-07-15 12:27

Signal Word: Danger Hazard statments H303 May be harmful if swallowed H313 May be harmful in contact with skin H316 Causes mild skin irritation H317 May cause an allergic skin reaction H333 May be harmful if inhaled H360 May damage fertility or the unborn child H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
125-12-2	204-727-6	5 - 10 %	H227; H316; H401
Isobornyl a	cetate		
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410
Tetramethyl Acetyloctahydronaphthalenes			
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402
Acetoxydihydrodicyclopentadiene			



5800 Park Vista Circle Keller, TX 76244

Ph#1 (800) 929-9425 F#1 (817) 741-0879 Product: Ski Lodge (type)

Revised Date: 2022-02-10 00:00

Page 3 of 8 Print Date: 2022-07-15 12:27

CAS#	tarcandlesupply.con	Conc.	
ngredient	EC#	Range	GHS Classification
104-55-2	203-213-9	2 - 5 %	H303; H312; H315; H317; H319; H401;
Cinnama	I		H412
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401
Eugenol			
4940-11-8	225-582-5	1 - 2 %	H302; H401
Ethyl Mal	tol		
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
91-64-5	202-086-7	1 - 2 %	H302; H317; H402
Coumarir	ו		
5471-51-2	226-806-4	1 - 2 %	H402
Raspberr	y Ketone		
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411
	ethylcyclopente		
6259-76-3	228-408-6	1 - 2 %	H316; H317; H400; H410
Hexyl sal	icvlate		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl ce			
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411
	hylphenylglycida		
101-39-3	202-938-8	0.1 - 1.0 %	H303; H317; H401
	thylcinnamaldel		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
	tetrahydro Benza		H411
30-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene	201 201 0		H410
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412
IsoCyclo(011 110 /0	,
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac		0.1 1.0 /0	, , , , , , , , , , , , , , , , , ,
30-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
	nyl Methylpropio		H412
2020341-69-	939-627-8	0.1 - 1.0 %	H227; H317; H401; H411
		ylhept-3-en-2-on	
(3 <i>L)-</i> 3,4,0 13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;
delta-3-C		0.1 - 1.0 /0	H401; H411
5989-27-5		01 100/	H226; H304; H315; H317; H400; H412
	227-813-5	0.1 - 1.0 %	HZZU, HOU4, HO 10, HO 17, H4UU, H412
Limonene			
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.96



Product: Ski Lodge (type)

SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Page 4 of 8 Print Date: 2022-07-15 12:27

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects	, both acute and delayed	
Symptoms:	no data available	
Risks: Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical at	ttention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the subs	tance or mixture	
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Print Date: 2022-07-15 12:27

Page 5 of 8



Product: Ski Lodge (type)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lim	nits:					
Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8	pinene		20			
13466-78-9	delta-3-Ca	irene	20			
Engineering (Controls:	Use local exhaust as needed.				

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0319
%VOC:	2.80



Product: Ski Lodge (type)

Revised Date: 2022-02-10 00:00

Page 6 of 8 Print Date: 2022-07-15 12:27

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.c

Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3822.0538) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4302.8053) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 189.8875) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available



SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product: Ski Lodge (type)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Page 7 of 8 Print Date: 2022-07-15 12:27

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of 54464-57-2 : (2 - 5	•			
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082

15. Regulatory Information U.S. Federal Regulations				
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt			
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.			
U.S. State Regulations				
California Proposition 65 Warning	This product contains the following components:			
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)			
93-15-2 202-223-0 <= 1 ppm	Methyl Eugenol (Natural Source)			
Canadian Regulations				
DSL	100.00% of the components are listed or exempt.			



Ski Lodge (type)

16. Other Information

Web: www.lonestarcandlesupply.com

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways H312 : Harmful in contact with skin H315 : Causes skin irritation H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation H320 : Causes eye irritation H332 : Harmful if inhaled H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects H412 : Harmful to aquatic life with long lasting effects **Total Fractional Values** (TFV) Risk (TFV) Risk (32.87) Aquatic Chronic Toxicity, Category 3 (26.36) Acute Toxicity Inhalation, Category 5 (20.00) Sensitization, Skin, Category 1A (11.00) Sensitization, Skin, Category 1 (4.30) Sensitization, Skin, Category 1B (3.27) Aquatic Chronic Toxicity, Category 2 (2.47) Skin Corrosion/Irritation, Category 3 (2.00) Reproductive Toxicity, Category 1B (1.31) Acute Toxicity Oral, Category 5 (1.16) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2022-02-10 00:00

Page 8 of 8 Print Date: 2022-07-15 12:27