

Revised Date: 2019-01-10 00:00

Page 1 of 8

Print Date: 2019-10-25 14:50

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Smoke Eliminator

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicology, Category 2 H361 : Suspected of damaging fertility or the unborn child Aquatic Chronic Toxicity, Category 1 H410 : Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements



Revised Date: 2019-01-10 00:00

5800 Park Vista Circle Keller, TX 76244

Print Date: 2019-10-25 14:50

Page 2 of 8

Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Danger

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Res

	ooo personar pressent o equipment as required				
esponse:					
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting				
P302 + P352	IF ON SKIN: Wash with soap and water				
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell				
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing				
P308 + P313	IF exposed or concerned: Get medical advice/attention				
P312	Call a POISON CENTER or doctor/physician if you feel unwell				
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention				
P337 + P313	If eye irritation persists: Get medical advice/attention				
P362	Take off contaminated clothing and wash before reuse				
P363	Wash contaminated clothing before reuse				
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material				
P391	Collect Spillage				

2.3 Other Hazards





Revised Date: 2019-01-10 00:00

Print Date: 2019-10-25 14:50

Page 3 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

no data available

Composition/Information on Ingredients

3.1 Mixtures

3.

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
5989-27-5	227-813-5	20 - 30 %	H226; H304; H315; H317; H400; H410			
Limonene)					
2050-08-0	218-080-2	10 - 20 %	H302; H400; H410			
Amyl salid	Amyl salicylate					
8050-15-5	232-476-2	10 - 20 %	H402; H412			
Methyl ester of rosin (partially hydrogenated)						
84-66-2	201-550-6	10 - 20 %	H316; H402			
Diethyl ph	Diethyl phthalate					
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411			
Benzyl Be	enzoate					
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402			
Linalool						
115-95-7	204-116-4	5 - 10 %	H227; H315; H317; H320; H402			
Linalyl Ac	etate					
54830-99-8	259-367-2	5 - 10 %	H303; H316; H402			
Acetoxydi						
1335-66-6	215-638-7	5 - 10 %	H227; H303; H317; H319; H401; H412			
IsoCyclo(Citral					
80-54-6	201-289-8	5 - 10 %	H227; H302; H315; H317; H361; H401;			
Butylpher	nyl Methylpropioi	nal	H412			
See Section 1	See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 24.80

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.





Web: www.lonestarcandlesupply.com

Revised Date: 2019-01-10 00:00

Product: Smoke Eliminator

5800 Park Vista Circle Keller, TX 76244 Page 4 of 8 Print Date: 2019-10-25 14:50

Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available





Revised Date: 2019-01-10 00:00

Page 5 of 8

Print Date: 2019-10-25 14:50

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm
TWA ppm STEL ppm

84-66-2 Diethyl phthalate 5

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

145 F (62.78 C)

Auto flammability:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.2777

 %VOC:
 0.28

 Specific Gravity @ 25 C:
 0.9630

 Density @ 25 C:
 0.9600

 Refractive Index @ 20 C:
 1.4910

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known





Revised Date: 2019-01-10 00:00

Page 6 of 8

Print Date: 2019-10-25 14:50

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

10.4 Conditions to avoidNone known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition productsNone known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3086.4197) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3742.0634) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 26.0792) May be harmful if inhaled

Skin corrosion / irritation May be harmful if inhaled
Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitizationNot classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Very toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.





Revised Date: 2019-01-10 00:00

Page 7 of 8

5800 Park Vista Circle Keller, TX 76244 Print Date: 2019-10-25 14:50 Ph#1 (800) 929-9425

Web: www.lonestarcandlesupply.com

F#1 (817) 741-0879

14. **Transport Information**

Marine Pollutant Yes. Ingredient of greatest environmental impact :

5989-27-5: (20 - 30 %): Limonene

Class UN-nr. Regulator **Pack Group** Sub Risk U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) 9 Ш **Environmentally Hazardous** UN3082 Substance, Liquid, n.o.s. IATA (Air Cargo) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** Ш UN3082 9 Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

84-66-2 201-550-6 10 - 20 % Diethyl phthalate

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H302: Harmful if swallowed H316: Causes mild skin irritation H319: Causes serious eye irritation H320: Causes eye irritation H400: Very Toxic to aquatic life H401: Toxic to aquatic life H402: Harmful to aquatic life

H411: Toxic to aquatic life with long lasting effects H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk (191.72) Acute Toxicity Inhalation, Category 5 (165.07) Aquatic Chronic Toxicity, Category 3 (23.55) Sensitization, Skin, Category 1B (16.43) Aquatic Chronic Toxicity, Category 2 (5.91) Skin Corrosion/Irritation, Category 3 (4.28) Skin Corrosion/Irritation, Category 2





Revised Date: 2019-01-10 00:00

Page 8 of 8

Print Date: 2019-10-25 14:50

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

(2.79) Aquatic Chronic Toxicity, Category 4

(1.94) Eye Damage/Eye Irritation, Category 2

(1.62) Acute Toxicity Oral, Category 5

(1.34) Acute Toxicity Dermal, Category 5

(2.48) Aspiration Hazard, Category 1

(1.70) Reproductive Toxicology, Category 2

(1.61) Aquatic Chronic Toxicity, Category 1

(1.27) Eye Damage/Eye Irritation, Category 2A

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.