

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Page 1 of 8 Print Date: 2022-07-15 12:27

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Sweater Weather (type)

UFI#

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Clas	ssification according to GHS	
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Target Organ Systemic Toxicity - Single Exposure, Category 2	H371 : May cause damage to organs
	Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Target Organ Systemic Toxicity - Single Exposure, Category 2	H371 : May cause damage to organs

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 2 of 8 Print Date: 2022-07-15 12:27

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Hazard pictograms



Signal Word: Warning

Hazard statments

H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H371	May cause damage to organs
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P233	Keep container tightly closed
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 3 of 8 Print Date: 2022-07-15 12:27

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411
2-t-Butylcy	clohexyl acetate	9	
125-12-2	204-727-6	5 - 10 %	H227; H316; H401
Isobornyl	acetate		
68737-61-1	272-113-5	2 - 5 %	H227; H303; H313; H315; H317; H401;
Dimethylte	etrahydro Benzal	ldehyde	H411
6485-40-1	229-352-5	2 - 5 %	H227; H303; H313; H317; H401
I-Carvone			
4707-47-5	225-193-0	2 - 5 %	H317; H401
Methyl atr	arate		
93-92-5	202-288-5	2 - 5 %	H227; H402
methylber	nzyl acetate		
105-95-3	203-347-8	1 - 2 %	H401
Ethylene k	brassylate		
104-67-6	203-225-4	1 - 2 %	H316; H402; H412
gamma-U	ndecalactone		
706-14-9	211-892-8	1 - 2 %	H316
gamma-D	ecalactone		
470-82-6	207-431-5	1 - 2 %	H226; H303; H317; H320; H402
Eucalypto	Ι		
77-83-8	201-061-8	1 - 2 %	H317; H401; H411
Ethyl Meth	hylphenylglycidai	te	
76-22-2	200-945-0	1 - 2 %	H228; H302; H315; H318; H332; H371;
Camphor			H401; H411
142-92-7	205-572-7	1 - 2 %	H226; H316; H401; H411
Hexyl ace	tate		
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411
alpha-dan	nascone		
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2,	6,6-Trimethyl-3-	cyclohexen-1-yl)	-2-buten-1-one (delta-Damascone)
See Section 1	6 for full text of C	GHS classification	n codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.23

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Sweater Weather (type)

Page 4 of 8 5800 Park Vista Circle Keller, TX 76244 Print Date: 2022-07-15 12:27 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com Remove contaminated clothes. Wash thoroughly with water (and soap). Skin Exposure: Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. Fire-Fighting measures 5.1 **Extinguishing media** Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material 5.2 Special hazards arising from the substance or mixture **During fire fighting:** Water may be ineffective 5.3 Advice for firefighters Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses



Revised Date: 2022-05-16 00:00

Print Date: 2022-07-15 12:27

Page 5 of 8

Product: Sweater Weather (type)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

No information available

8. **Exposure Controls/Personal Protection** 8.1 Control parameters **Exposure Limits:** Component ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm 76-22-2 Camphor 2 3 **Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

	as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0649
%VOC:	7.38
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil



Revised Date: 2022-05-16 00:00

Print Date: 2022-07-15 12:27

Page 6 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4713.9009) May be harmful if swallowed		
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met		
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 49.0200) May be harmful if inhaled		
Skin corrosion / irritation	Causes mild skin irritation		
Serious eye damage / irritation	Causes serious eye irritation		
Respiratory sensitization	Not classified - the classification criteria are not met		
Skin sensitization	May cause an allergic skin reaction		
Germ cell mutagenicity	Not classified - the classification criteria are not met		
Carcinogenicity	Not classified - the classification criteria are not met		
Reproductive toxicity	Not classified - the classification criteria are not met		
Specific target organ toxicity - single exposure	May cause damage to organs		
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met		
Aspiration hazard	Not classified - the classification criteria are not met		

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Toxic to aquatic life
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available



SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Print Date: 2022-07-15 12:27

Page 7 of 8

Product: Sweater Weather (type)

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant No				
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated -	Not Dangerous	Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)	Not Regulated -	Not Dangerous	Goods	
Chemicals NOI				
IATA (Air Cargo)	Not Regulated -	· Not Dangerous	Goods	
Chemicals NOI				
IMDG (Sea)	Not Regulated -	· Not Dangerous	Goods	
Chemicals NOI				

15. Reg	5. Regulatory Information			
U.S. Federal Regulations				
TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA)			This product contains NO components of concern.	
U.S. State Regulations				
California Proposition 65 Warning			This product contains the following components:	
123-35-3	NF 204-622-5	<= 53 ppm	beta-Myrcene (Natural Source)	
140-67-0	205-427-8	<= 2 ppm	Estragole (Methyl chavicol) (Natural Source)	
89-82-7	201-943-2	<= 2 ppm	Pulegone (Natural Source)	
Canadian Regulations				
DSL			100.00% of the components are listed or exempt.	

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour H227 : Combustible liquid H302 : Harmful if swallowed H228 : Flammable Solid H315 : Causes skin irritation H313 : May be harmful in contact with skin H317 : May cause an allergic skin reaction H320 : Causes eye irritation H332 : Harmful if inhaled
- H400 : Very Toxic to aquatic life

H318 : Causes serious eye damage H402 : Harmful to aquatic life



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(102.00) Acute Toxicity Inhalation, Category 5
(4.00) Sensitization, Skin, Category 1B
(1.50) Aquatic Acute Toxicity, Category 2
(1.47) Eye Damage/Eye Irritation, Category 2A

(1.06) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.[™] holds no responsibility. This document is not intended for quality assurance purposes.

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 8 of 8 Print Date: 2022-07-15 12:27

H411 : Toxic to aquatic life with long lasting effects

(TFV) Risk

(8.37) Aquatic Chronic Toxicity, Category 3
(2.84) Skin Corrosion/Irritation, Category 3
(1.50) Sensitization, Skin, Category 1A
(1.10) Target Organ Systemic Toxicity - Single Exposure, Category 2