



Date: 10-1-2025

Product: **VersaMist Room Spray Base**

Page 1 of 7

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: VersaMist Room Spray Base

UFI#

1.2 Relevant identified product use

No additional information available.

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.
5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
International

2. Hazards Identification

2.1. Classification of the substance or mixture

GHS US Classification

Flammable liquids H319
Serious eye damage/eye irritation
Category 2A

Causes serious eye irritation

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US Labeling

Hazard pictograms (GHS US) :



Product: **VersaMist Room Spray Base**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H319 - Causes serious eye irritation
Precautionary statements	: P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards which do not result in classification

No additional information is available

2.4. Unknown acute toxicity (GHS US)

Not applicable

3. Composition/Information on Ingredients**3.1. Substances** Not applicable**3.2. Mixtures**

Name	CAS-No.	%	GHS US Classification
diethylene glycol monobutyl ether	112-34-5	30-70	Eye Irrit. 2A, H319
ethyl alcohol	64-17-5	1-5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements

4. First-aid measures**4.1. Description of first aid measures**

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2 Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3 Immediate medical attention and special treatment, if necessary

Treat symptomatically.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

5. Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray, Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2 Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.

5.3 Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

6.1.1 For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2 For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2 Environmental Precautions

Avoid release to the environment

6.3 Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4 Reference to other sections

For further information refer to section 13.

7. Handling & Storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Packaging materials : Store always product in container of same material as original container.

8. Exposure controls/personal protection

8.1 Control parameters

Butyl Carbitol (112-34-5)

ACGIH	Local name	Diethylene glycol monobutyl ether
ACGIH	ACGIH OEL TWA	10 ppm (Inhalable fractions and vapor)
ACGIH	Remark (ACGIH)	TLV® Basis: Hematologic, liver & kidney eff
ACGIH	Regulatory reference	ACGIH 2024

Ethyl alcohol 190 (64-17-5)

ACGIH	Local name	Ethanol
ACGIH	ACGIH OEL STEL	1000 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2024
OSHA	OSHA PEL TWA	1900 mg/m ³
OSHA	OSHA PEL TWA	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2 Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3 Individual protection measures/Personal protective equipment

Personal protective equipment

Hand protection : Wear recommended personal protective equipment.
: Protective gloves.
Eye protection : Safety glasses
Skin & body protection : Wear suitable protective clothing
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment symbol(s):





5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available.
Odor	: No data available.
Odor threshold	: No data available.
pH	: No data available.
Melting point	: Not applicable.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: > 100°C
Relative evaporation rate (butyl acetate=1)	: No data available.
Flammability	: Not applicable.
Vapor pressure	: No data available.
Relative vapor density at 20°C	: No data available.
Relative density	: No data available.
Solubility	: No data available.
Partition coefficient n-octanol/water (Log Pow)	: No data available.
Auto-ignition temperature	: No data available.
Decomposition temperature	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosion limits	: No data available.
Explosive properties	: No data available.
Oxidizing properties	: No data available.

9.2 Other information

No additional information available.

10. Stability & Reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition should not be produced.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

11. Toxicological information

11.1. Information on toxicological effects Acute toxicity (dermal)

Acute toxicity (inhalation) : Not classified
: Not classified

Butyl Carbitol (112-34-5)

LD50 dermal rabbit : 2764 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal)

ATE US (oral) : 2410 mg/kg body weight

ATE US (dermal) : 2764 mg/kg body weight

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Ethyl Alcohol 190 (64-17-5)

IARC group : 1 - Carcinogenic to humans

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions

Symptoms/effects after eye contact : Eye irritation

Symptoms/effects after ingestion : None under normal conditions.

12. Ecological information

12.1 Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Butyl Carbitol (112-34-5)

LC50 - Fish [1] : 1300 mg/lg (Equivalent or similar to OECD 203, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Nominal concentration)

EC50 - Crustacea [1] : > 100 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

ErC50 algae : 1101 mg/lg (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2 Persistence and degradability

Butyl Carbitol (112-34-5)

Persistence and degradability : Readily biodegradable in water.

12.3 Bioaccumulative potential

Butyl Carbitol (112-34-5)

Partition coefficient n-octanol/water (Log Pow) : 1 (Experimental value, OECD 117 : Partition Coefficient (n-octanol/water), HPLC method, 20°C)

Product: **VersaMist Room Spray Base**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

12.4 Mobility in soil**Butyl Carbitol (112-34-5)**

Surface tension

: 27 mN/m (25°C, 0.00212 mol/g)

Ecology - soil

: Low potential for adsorption in soil.

12.5 Other adverse effects

No additional information is available.

13. Disposal considerations**13.1. Disposal methods**

Regional waste regulation

: Disposal must be done according to official regulations.

Waste treatment methods

: Dispose of contents/containers in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations

: Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

Additional information

: Do not re-use empty containers.

14. Transport information**Department of Transportation (DOT)**

In accordance with DOT

Not regulated

15. Regulatory information**15.1. US Federal regulations**

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR§372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

16. Other information

Full text of H-phrases:

H225

: Highly flammable liquid and vapor

H319

: Causes serious eye irritation

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.