



Product: **Vybar 260 Polymer**

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Vybar 260 Polymer

UFI#

1.2 Relevant identified product use

Intended use: Numerous uses.

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.
5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
International

2. Hazards Identification

Physical state	: Solid [Pastilles]
Odor	: Little or none.
Color	: Off-white
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.
Emergency overview	: Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations. Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Keep away from heat, sparks, and flame. Prevent dust accumulation. Avoid breathing dust. Avoid prolonged contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use.
Routes of entry	: Dermal contact. Eye contact. Inhalation.
Potential acute health effects	
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Ingestion	: No known significant effects or critical hazards.
Skin	: No known significant effects or critical hazards.
Eyes	: No significant irritation expected other than possible mechanical irritation.
Potential chronic health effects	
Chronic effects	: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Over-exposure signs/symptoms	
Inhalation	: Respiratory tract irritation, coughing.

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

Ingestion : None known
Skin : None known
Eyes : irritation, redness

See toxicological information (Section 11)

3. Composition/Information on Ingredients

Ingredient name	CAS number	%
Alkenes, α -, polymerized	Trade secret*	60 - 100

* The CAS number for use in the United States is the manufacturer's confidential business information.

4. First-aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.

Inhalation : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

5. Fire-fighting measures

Flammability of the product : Fine dust clouds may form explosive mixtures with air.

Extinguishing media

Suitable : Use dry chemical powder.

Not suitable : Do not use water jet.

Special exposure hazards : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool

Hazardous thermal decomposition products : No specific data.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Special remarks on fire hazards : As with most solid particulate organic materials, high concentrations of dusts from this product suspended in air are an explosion hazard in the presence of sparks, flames, and heat. Do not allow dust to accumulate on equipment and surfaces where this product is used. In the National Fire Protection Association (NFPA) Code 499, a

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

"combustible dust" is any finely divided solid material 420 microns or less in diameter that presents a fire or explosion hazard when dispersed in air. This product would be a Group G combustible dust, but there is no Layer or Cloud Ignition Temperature available for it. When there is the potential of a dust explosion in a use location, the proper electrical equipment and installation should be used.

6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach release from upwind. Dike spill area and do not allow product to reach sewage system or surface or ground water. Notify any reportable spill to authorities. (See Section 12 for environmental risks and 13 for disposal information.) Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. To clean the floor and all objects contaminated by this material, use detergent solution. Note: see Section 1 for emergency contact information and 13 for waste disposal.

7. Handling & Storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources.

Storage

: Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Additional information

Packaged material (boxes, bags) should be stored in conditions that avoid extremes of temperature. When temperature extremes are avoided, this product has an expiration date of three years from the date of manufacture.

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

8. Exposure controls/personal protection

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredients	List name	ppm	mg/m ³	Other	ppm	mg/m ³	Other	ppm	mg/m ³	Other	Notations
Alkenes, α-, polymerized	US ACGIH	-	10	-	-	-	-	-	-	-	[a]
	US ACGIH	-	3	-	-	-	-	-	-	-	[b]
	OSHA PEL	-	5	-	-	-	-	-	-	-	[c]
	OSHA PEL	-	15	-	-	-	-	-	-	-	[d]

Form: [a]Inhalable fraction. [b]Respirable fraction. [c]Respirable dust [d]Total dust

Consult local authorities for acceptable exposure limits.

Only components of this product with established exposure limits appear in the box above.

If OSHA permissible exposure levels are show above they are the OSHA 1989 levels or are from subsequent OSHA regulatory actions.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location. Take off contaminated clothing and wash before re-use.

Personal protection

Respiratory

: Approved/certified disposable particulate dust mask. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant gloves.

Eyes

: Wear chemical safety goggles. When transferring material wear face-shield in addition to chemical safety goggles.

Skin

: Wear long sleeves and other protective clothing to prevent repeated or prolonged skin contact.

9. Physical and Chemical Properties

Physical state

: Solid. [Pastilles.]

Flash point

: Open cup: >175°C (>347°F) [Cleveland.]

Auto-ignition temperature

: Not available.

Flammable limits

: Not available.

Color

: Off-white.

Odor

: Little or none.

pH

: Not available.

Boiling/condensation point

: Not available

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Initial Boiling Point	: Solid. [Pastilles.]
Melting/freezing point	: Open cup: >175°C (>347°F) [Cleveland.]
Relative density	: Not available.
Density	: Not available.
Vapor density	: Off-white.
Odor threshold	: Little or none.
Evaporation rate	: Not available.
VOC	: Not available
Viscosity	: Dynamic (99°C): 200 to 500 cP
Solubility (Water)	: Insoluble
Vapor Pressure	: Not available.
Pour Point	: Not available.
Partition coefficient (LogKow)	: Not available.

10. Stability & Reactivity

Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Materials to avoid	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Conditions of reactivity	: Slightly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge and heat. As with most solid particulate organic materials, high concentrations of dusts from this product suspended in air are an explosion hazard in the presence of sparks, flames, and heat. Do not allow dust to accumulate on equipment and surfaces where this product is used. In the National Fire Protection Association (NFPA) Code 499, a "combustible dust" is any finely divided solid material 420 microns or less in diameter that presents a fire or explosion hazard when dispersed in air. This product would be a Group G combustible dust, but there is no Layer or Cloud Ignition Temperature available for it. When there is the potential of a dust explosion in a use location, the proper electrical equipment and installation should be used.

11. Toxicological information

No additional information.

Chronic toxicity Remarks

- 1) Alkenes, α -, polymerized

Not available.

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

12. Ecological information

Aquatic ecotoxicity

Conclusion/Summary : Not available.

Biodegradability

Conclusion/Summary : Not available.

Additional Information

This product would be expected to biodegrade slowly, depending upon the conditions to which it is exposed. Under OECD Method 310D, the biodegradability is less than 25% after five days.

Ecotoxicological data on analogous polymeric materials demonstrates that the polymers in this product have a low aquatic toxicity to fish, algae, and daphnia. Under OECD guidelines this product is classified as inherently biodegradable. The product is unlikely to bioaccumulate due to the large polymeric nature of the polymers. Classification according to German Umweltbundesamt.de is "nwg".

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional Information
<u>DOT Classification</u>	Not regulated	-	-	-		<u>Remarks</u> If transported in bulk above 100 C (212 F), product must be shipped as "Elevated temperature liquid, n.o.s., 9, UN 3257, III"
<u>TDG Classification</u>	Not regulated	-	-	-		-
<u>IMDG Class</u>	Not regulated	-	-	-		-

*PG: Packing group

DOT Reportable Quantity : Not applicable

Marine pollutant : Not applicable

North-America NAERG : Not available.

Product: **Vybar 260 Polymer**

Page 7 of 8

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

15. Regulatory information

HCS Classification	: Not regulated.
U.S. Federal regulations	: United States inventory (TSCS 8b) : All components are listed or exempted. SARA 302/304/311/312 extremely hazardous substances : No products were found. SARA 302/304 emergency planning and notification : No products were found. SARA 304/304/311/312 hazardous chemicals : No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification : No products were found CERCLA: Hazardous substances : No products were found. Clean Water Act (CWA) 307 : No products were found. Clean Water Act (CWA) 311 : No products were found. Clean Air Act (CAA) 112 accidental release prevention : No products were found. Clean Air Act (CAA) 112 regulated flammable substances : No products were found. Clean Air Act (CAA) 112 regulated toxic substances : No products were found.
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	: Not listed
United States inventory (TSCA 8b)	: All components are listed or exempted.
Canada	
WHMIS (Canada)	: Not controlled under WHMIS (Canada)
Canada (CEPA DSL)	: All components are listed or exempted.
Canadian NPRI	: None of the components are listed

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

EU regulations

Hazard symbol or symbols	: Not available.
Risk phrases	: This product is not classified according to EU legislation.
Safety phrases	: Not applicable.

International regulations

International lists	: Australia Inventory (AICS) : All components are listed or exempted. China inventory (IECSC) : All components are listed or exempted. Japan inventory : All components are listed or exempted. Korea inventory : All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC) : Not determined. Philippines inventory (PICCS) : All components are listed or exempted.
----------------------------	---

Additional information


This product meets the requirements of the following U.S.A. food additive regulations: 21 CFR §§ 175.105¹, 176.170¹, 176.180¹, and 178.3850¹. (¹extraction limitations and other possible restrictions)

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

16. Other information

Label requirements : Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

National Fire Protection Association (U.S.A)



History

Date of printing: 4/7/2010

Notice to reader

NOTE: The information on this SDS is based on data which is considered to be accurate. Lone Star Candle Supply, Inc., however, makes no guarantees or warranty, either expressed or implied of the accuracy or completeness of this information.

The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of it in any way connected with the handling, storage, use or disposal of this product.

This SDS was prepared and is to be used for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Because it has become common for purchasers of our products to file patents for specific end uses of our products, Lone Star Candle Supply, Inc. advises its customers to research their particular end use for possible intellectual property issues with respect to third party patents