

Product: **Warm Radiance**

Page 1 of 15

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Warm Radiance

UFI#

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Lone Star Candle Supply, Inc.
5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
International

2. Hazards Identification

2.1. Classification of the substance or mixture

GHS US Classification

Skin irritation, Category 2
Eye irritation, Category 2A
Skin sensitization, Category 1
Reproductive toxicity, Category 2

2.2. GHS Label Elements, including precautionary statements

Hazard pictograms (GHS US) :



Signal word

: Warning

Hazard statements

: H315 Causes skin irritation
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H361 Suspected of damaging fertility or the unborn child

Precautionary statements

Prevention

: P201 Obtain special instructions before use
P202 Do not handle until all safety precautions have been read and understood

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

P261 Avoid breathing mist or vapours
 P264 Wash skin thoroughly after handling
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective glove/eye protection/face protection.
 P280 Wear protective gloves, protective clothing, eye protection and face protection.
 Response
 : P302 + P352 IF ON SKIN: Wash with plenty of water
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/attention
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337 + P313 If eye irritation persists: Get medical advice/attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 Storage
 : P405 Store locked up
 Disposal
 P501 Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards which do not result in classification

No additional information is available

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

2.4. Unknown acute toxicity (GHS US)

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 0%

3. Composition/Information on Ingredients

Hazardous components

| Name | CAS# | % |
|--|------------|-------|
| <i>Benzoic acid, phenyl methyl ester</i> | 120-51-4 | 30-60 |
| <i>2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)</i> | 54464-57-2 | 3-7 |
| <i>A mixture of cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol</i> | 63500-71-0 | 1-5 |
| <i>3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)</i> | 115-95-7 | 1-5 |
| <i>3-methyl-5-phenylpentanol</i> | 55066-48-3 | 1-5 |

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

Hazardous components

| Name | CAS# | % |
|--|-------------|-----------|
| <i>Benzoic acid, phenyl methyl ester</i> | 120-51-4 | 30-60 |
| <i>2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)</i> | 54464-57-2 | 3-7 |
| <i>A mixture of cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol</i> | 63500-71-0 | 1-5 |
| <i>3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)</i> | 115-95-7 | 1-5 |
| <i>3-methyl-5-phenylpentanol</i> | 55066-48-3 | 1-5 |
| <i>3-hydroxy-2-ethyl-4H-pyran-4-one (=ethyl maltol)</i> | 4940-11-8 | 1-5 |
| <i>4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde</i> | 31906-04-4 | 1-5 |
| <i>hexyl 2-hydroxybenzoate</i> | 6259-76-3 | 1-5 |
| <i>2-phenylethanol</i> | 60-12-8 | 1-5 |
| <i>3,7-dimethyl-1,6-octadien-3-ol (=Linalool)</i> | 78-70-6 | 0.50-1.50 |
| <i>Terpenes and terpenoids of Orange Oil</i> | 68647-72-3 | 0.10-1 |
| <i>2-propenyl hexanoate (= Allyl hexanoate)</i> | 123-68-2 | 0.10-1 |
| <i>2,4-dimethylcyclohex-3-ene-1-carbaldehyde</i> | 68039-49-6 | 0.10-1 |
| <i>3-(3,4-Methylene dioxyphenyl)-2-methylpropanal</i> | 1205-17-0 | 0.10-1 |
| <i>2-propenyl 2(3)-methylbutoxyacetate</i> | 67634-00-8 | 0.10-1 |
| <i>2-hexyl-3-phenyl-2-propenal (trans & cis)</i> | 101-86-0 | 0.1-1 |
| <i>3,7-dimethyl-6-octen-1-ol (= citronellol)</i> | 106-22-9 | 0.1-1 |
| <i>Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene- (= Beta-pinene)</i> | 127-91-3 | 0.1-1 |
| <i>3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate)</i> | 105-87-3 | 0.1-1 |
| <i>1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one</i> | 57378-68-4 | 0.1-1 |
| <i>Orange oil (sweet)</i> | 8028-48-6 | 0.1-1 |

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

| | | |
|--|-----------|-------|
| <i>Mandarin orange, extract</i> | 8008-31-9 | 0.1-1 |
| <i>(R)-1-methyl-4-(1-methylethenyl)cyclohexene</i> | 5989-27-5 | 0.1-1 |
| <i>3,7-dimethyloctan-3-ol</i> | 78-69-3 | 0.1-1 |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

| | |
|-------------------------|--|
| General advice | : Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Consult physician or Poison Control Center. The national Hotline for US Poison Control Centers is 1-800-222-1222; https://www.poison.org |
| If inhaled | : If unconscious, place in recovery position and seek medical advice. |
| In case of skin contact | : Immediately seek medical attention if chemical entered ear canal. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. |
| In case of eye contact | : Protect unharmed eye. Remove contact lenses. Immediately flush eye(s) with plenty of water. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | : Immediately consult Poison Control Center or physician. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |

Most important symptoms and effects, both acute and delayed

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Fire-fighting measures

Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : High volume water jet. |

Special hazards arising from the substance or mixture

| | |
|--------------------------------------|--|
| Specific hazards during firefighting | : Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. |
|--------------------------------------|--|

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Further information : In the event of fire and/or explosion do not breathe fumes. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.
Material can create slippery conditions.
Use personal protective equipment.

Environmental precautions

Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

Clean contaminated floors and objects thoroughly while observing environmental regulations.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. Handling & Storage

Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Ambient / 10-30°C (50-85°F)
Dry, well ventilated, preferably full, hermetically sealed.

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

Advice on common storage : Protect against light.
 Other data : No decomposition if stored and applied as directed.

8. Exposure controls/personal protection

Exposure Guidelines

| Name | Cas# | Type | Value | Basis | Revision |
|--|-----------|----------------------------|----------|--------------|------------|
| <i>2-phenylethanol</i> | 60-12-8 | TWA | 0.5 ppm | ACGIH | 2024-01-01 |
| <i>Bicyclo[3.1.1]heptan e, 6-6-dimethyl-2-methylene- (= Beta-pinene)</i> | 127-91-3 | TWA | 20 ppm | ACGIH | 2014-03-01 |
| | | DSEN: Dermal Sensitization | | | |
| <i>Orange oil (sweet)</i> | 8028-48-6 | TWA | 10 mg/m3 | NIOSH REL | 2013-10-08 |
| <i>Orange oil (sweet)</i> | 8028-48-6 | TWA | 5 mg/m3 | NIOSH REL | 2013-10-08 |
| <i>Orange oil (sweet)</i> | 8028-48-6 | PEL | 10 mg/m3 | CAL PEL | 2014-11-26 |
| <i>Orange oil (sweet)</i> | 8028-48-6 | PEL | 5 mg/m3 | CAL PEL | 2014-11-26 |
| <i>(R)-1-methyl-4-(1-methylethenyl)-cyclohexene</i> | 5989-27-5 | TWA | 30 ppm | US WEEL | 2016-08-17 |

Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worse-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case, technical and organizational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

Personal protective equipment

Eye/face protection : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard.

Hand protection : Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS.
Permeation time must exceed contact time.

Other skin protection

: Wear working clothes covering arms and legs.
The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.

Respiratory protection

: Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment.
Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operators and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

In case a risk analysis proved the cartridge respirator as acceptable, use type:
ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).

Thermal hazards

: Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

: Remove contaminated clothing and protective equipment before entering eating areas.
Do not eat, drink or smoke during work.
Wash hands any time after handling the product.

Environmental exposure controls**General advice**

: Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

9. Physical and Chemical Properties

| | |
|--|--|
| Physical state | : liquid |
| Form | : liquid |
| Color | : Pale yellow to yellow |
| Taste | : not determined |
| Odor | : fruity, Floral, sweet |
| Odor threshold | : Not applicable |
| Flash point | : 216°F (102°C) Method: Grabner miniflash closed cup |
| Lower explosion limit | : not determined |
| Upper explosion limit | : not determined |
| Flammability | : Not applicable |
| Particle size | : no data available |
| Particle size Distribution | : no data available |
| Auto-ignition temperature | : not determined |
| Decomposition temperature | : no data available |
| pH | : not determined |
| Melting point | : no data available |
| Boiling point | : no data available |
| Vapor pressure | : 0.0555 hPa at 68°F (20°C) Calculated (99.7 %) |
| Density | : 1,041.12 kg/m ³ at 68°F (20°C) |
| Bulk density | : Not applicable |
| Solubility/qualitative | : practically insoluble |
| Partition coefficient: n-octanol/water | : Not applicable |
| Viscosity, kinematic | : no data available |
| Relative vapour density | : no data available |
| Evaporation rate | : no data available |

10. Stability & Reactivity

Reactivity

No decomposition if stored and applied as directed.

Chemical stability

No decomposition if stored and applied as directed.

Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid

Conditions to avoid : no data available

Incompatible materials

Materials to avoid : Not applicable

Hazardous decomposition products

Hazardous decomposition products : no data available

Thermal decomposition : no data available

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

11. Toxicological information

Information on toxicological effects

Acute oral toxicity

| | | |
|---|-----------------------|--------------|
| ATE | : 3,179 mg/kg | |
| Benzoic acid, phenyl methyl ester | : LD50: 2,000 mg/kg | Species: Rat |
| 2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer) | : LD50: > 5,000 mg/kg | Species: Rat |
| A mixture of cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; trans-tetrahydro-2-isobutyl-4-methylpyran-4-ol | : LD50: > 5,000 mg/kg | Species: Rat |
| 3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) | : LD50: 13,934 mg/kg | Species: Rat |
| 3-methyl-5-phenylpentanol | : LD50: 1,830 mg/kg | Species: Rat |
| 3-hydroxy-2-ethyl-4H-pyran-4-one (=ethyl maltol) | : LD50: 1,150 mg/kg | Species: Rat |
| 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde | : LD50: > 5,000 mg/kg | Species: Rat |
| hexyl 2-hydroxybenzoate | : LD50: > 5,000 mg/kg | Species: Rat |
| 2-phenlethanol | : LD50: 1,610 mg/kg | Species: Rat |
| 3,7-dimethyl-1,6-octadien-3-ol (=Linalool) | : LD50: 2,790 mg/kg | Species: Rat |
| 2-propenyl hexanoate (= Allyl hexanoate) | : LD50: 218 mg/kg | Species: Rat |
| 3-(3,4-Methylene dioxyphenyl)-2-methylpropanal | : LD50: 3,561 mg/kg | Species: Rat |
| 2-propenyl 2(3)-methylbutoxyacetate | : LD50: 730 mg/kg | Species: Rat |
| 2-hexyl-3-phenyl-2-propenal (trans & cis) | : LD50: 3,100 mg/kg | Species: Rat |
| 3,7-dimethyl-6-octen-1-ol (=citronellol) | : LD50: 3,450 mg/kg | Species: Rat |
| 3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate) | : LD50: 6,330 mg/kg | Species: Rat |
| 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one | : LD50: 1,400 mg/kg | Species: Rat |
| Orange oil (sweet) | : LD50: > 5,000 mg/kg | Species: Rat |

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

| | | |
|--|--|-----------------|
| Mandarin orange, extract | : LD50: > 5,000 mg/kg | Species: Rat |
| (R)-1-methyl-4-(1-methylethenyl)-cyclohexene | : LD50: > 5,000 mg/kg | Species: Mouse |
| 3,7-dimethyloctan-3-ol | : LD50: > 5,000 mg/kg | Species: Rat |
| Acute inhalation toxicity | | |
| ATE | : 105.01 mg/l | |
| Acute dermal toxicity | | |
| ATE | : > 5,000 mg/kg | |
| 2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer) | : LD50: > 5,000 mg/kg | Species: Rabbit |
| 3,7-dimethyl-1,6-octadien-3-yl acetate (=linalyl acetate) | : LD50: > 5,000 mg/kg | Species: Rabbit |
| 3-methyl-5-phenylpentanol | : LD50: > 3,100 mg/kg | Species: Rabbit |
| 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde | : LD50: > 5,000 mg/kg | Species: Rabbit |
| hexyl 2-hydroxybenzoate | : LD50: > 5,000 mg/kg | Species: Rabbit |
| Terpenes and terpenoids of Orange Oil | : LD50: > 5,000 mg/kg | Species: Rabbit |
| 2-propenyl hexanoate (= Allyl hexanoate) | : LD50: > 300 mg/kg | Species: Rabbit |
| 3,7-dimethyl-6-octen-1-ol (=citronellol) | : LD50: > 2,650 mg/kg | Species: Rabbit |
| Orange oil (sweet) | : LD50 > 5,000 mg/kg | Species: Rabbit |
| Mandarin orange, extract | : LD50: > 5,000 mg/kg | Species: Rabbit |
| (R)-1-methyl-4-(1-methylethenyl)-cyclohexene | : LD50: > 5,000 mg/kg | Species: Rabbit |
| 3,7-dimethyloctan-3-ol | : LD50: > 5,000 mg/kg | Species: Rabbit |
| Acute toxicity (other routes of administration) | : No data available on the product itself. | |
| Skin corrosion/irritation | : May cause skin irritation and/or dermatitis | |
| Serious eye damage/eye irritation | : Vapours may cause irritation to the eyes, respiratory system and the skin. | |
| Respiratory or skin sensitisation | : Causes sensitisation | |

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Mutagenicity : No data is available on the product itself.

Teratogenicity : No data is available on the product itself.

Reproductive toxicity
Suspected of damaging fertility or the unborn child.

Components:

2-phenylethanol:

Reproductive toxicity - Assessment : Adverse reproductive effect.

Carcinogenicity:

IARC : Remarks : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : Remarks : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP : Remarks : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

STOT - single exposure : No data is available on the product itself.

STOT - repeated exposure : No data is available on the product itself.

Aspiration hazard : No data is available on the product itself.

Further information : no data available

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

12. Ecological information

Ecological information is not reported.

13. Disposal considerations

Product : Dispose of in accordance with local, state and federal regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

Contaminated packaging : Do not expose containers to high temperatures such as in hot work processes.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Dispose of in accordance with local regulations.

14. Transport information

14.1 UN number

49 CFR : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

49 CFR : Environmentally hazardous substance, liquid, n.o.s.
(Extracts, liquid)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Extracts, liquid)

14.3 Transport hazard class(es)

49 CFR : 9
IMDG : 9
IATA : 9

14.4 Packing group

49 CFR : III
IMDG : III
IATA : III

14.4 Environmental hazards

49 CFR
Marine pollutant : yes
IMDG
Marine pollutant : yes
IATA (Passenger)
Environmentally hazardous : yes
IATA (Cargo)
Environmentally hazardous : yes

14.6 Special precautions for user

49 CFR
Emergency Response : 171
Guidebook Number



Product: **Warm Radiance**

Date: 04/07/2026

Page 13 of 15

5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

14.6 Special precautions for user

49 CFR

Emergency Response : 171
Guidebook Number

49CFR: no dangerous good in non-bulk packaging
49CFR: Non-Bulk Packaging (<119 Gallons for liquids and <882 Lbs. Solids)

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

IMDG

IMDG Code Segregation Group : None

14.7 Transport in bulk according to IMO instruments

Not applicable for product as supplied.

15. Regulatory information

Only relevant information is reported

CERCLA Reportable Quantity

| Name | CAS# | Component RQ (lbs) | Calculated product RQ (lbs) |
|-----------------------------------|----------|--------------------|-----------------------------|
| 2-phenoxyethyl 2-methylpropanoate | 103-60-6 | 1 | 207 |

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SARA 311/312 Hazards.


: Respiratory or skin sensitization
Reproductive toxicity
Skin corrosion or irritation
Serious eye damage or eye irritation

5800 Park Vista Circle
 Keller, TX 76244
 Ph#1 (800) 929-9425
 F#1 (817) 741-0879
 Web: www.lonestarcandlesupply.com

16. Other information

Further information

NFPA 704:



Full list of Emergency response numbers worldwide.

| Region | Country | Phone Number | Region | Country | Phone Number |
|----------|-----------------|-------------------|------------------------|------------------------|---------------------|
| Global | Global | +1 215 207 0061 | Europe | Czech republic | +420 228 882 830 |
| Americas | All Americas | +1 215 207 0061 | Europe | Finland | +358 9 7479 0199 |
| | United States | +1 866 928 0789 | Europe | Switzerland | +33 1 72 11 00 03 |
| | Canada | +1 800 579 7421 | | | +49 89 220 61012 |
| | Mexico | +52 55 5004 8763 | Middle East/ Africa | All Middle East/Africa | +44 1235 239671 |
| Europe | Brazil | +55 11 3197 5891 | | Middle East | +44 1273 289454 |
| | Chile | +56 2 2582 9336 | APAC | All Asia-Pacific | +65 3158 1074 |
| | Colombia | +57 601 508 7337 | | Sri Lanka | +65 3158 1195 |
| | Argentina | +54 11 5984 3690 | | Taiwan | +886 2 8793 3212 |
| | All Europe | +44 1235 239670 | | Japan | +81 50 5057 7850 |
| | France | +33 1 72 11 00 03 | | Indonesia | 007 803 011 0293 |
| | Germany | 0800 000 7801 | | Malaysia | +60 3 6207 4347 |
| | Spain | +34 91 114 2520 | | Thailand | 001 800 120 666 751 |
| | Italy | 800 699 792 | | India | 000 800 100 7479 |
| | Netherlands | +31 10 713 8195 | | Pakistan | +65 3158 1329 |
| | Turkey | 0800 621 2139 | | Bangladesh | +65 3158 1200 |
| | Norway | +47 2103 4452 | | Philippines | +63 2 8231 2149 |
| | Greece | +30 21 1198 3182 | | Vietnam | +84 28 4458 2388 |
| | Portugal | +351 30880 4750 | | Korea | +65 3158 1285 |
| Denmark | +45 8988 2286 | | South Korea | +82 2 3479 8401 | |
| Sweden | +46 8 566 42573 | | Australia | 1800 074 234 | |
| Poland | +48 22 307 3690 | | New Zealand | 0800 446 881 | |
| | | | China | 0532 8388 9090 | |

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc. at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc. holds no responsibility. This document is not intended for quality assurance purposes.



5800 Park Vista Circle
Keller, TX 76244
Ph#1 (800) 929-9425
F#1 (817) 741-0879
Web: www.lonestarcandlesupply.com

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GB EH40 - Great Britain, Environmental Hygiene; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; NOM-010-STPS - Official Mexican Standard, Ministry of Labor and Social Welfare; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc. holds no responsibility. This document is not intended for quality assurance purposes.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Lone Star Candle Supply.