



Revised Date: 2019-01-10 00:00

Page 1 of 8

Print Date: 2019-09-30 11:29

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: WHITE CHRISTMAS (TYPE)

### 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Supplier:** Lone Star Candle Supply, Inc.

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

### 1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

International

### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

### **Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 





Revised Date: 2019-01-10 00:00

Page 2 of 8

Print Date: 2019-09-30 11:29

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com







### Signal Word: Danger

#### **Hazard statments**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled

### H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### 2.3 Other Hazards

#### no data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



Lone Star

Product: WHITE CHRISTMAS (TYPE)

Revised Date: 2019-01-10 00:00

Print Date: 2019-09-30 11:29

Page 3 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H410
Limonene			
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401
Terpineol			
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
8007-35-0	232-357-5	2 - 5 %	H316; H401; H411
Terpineol a	acetate		
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Benzyl Be	nzoate		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
64742-47-8	265-149-8	1 - 2 %	H227; H304; H336; H401; H411
Distillates,			
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402
Geraniol			
106-22-9	203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401
Citronellol			
101-84-8	202-981-2	1 - 2 %	H303; H316; H319; H400; H412
Diphenyl Ether			
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401
Cinnamal			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl A	cetate		
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 12.50

### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.





Revised Date: 2019-01-10 00:00

Product: WHITE CHRISTMAS (TYPE)

Page 4 of 8

Print Date: 2019-09-30 11:29

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available





Revised Date: 2019-01-10 00:00

Product: WHITE CHRISTMAS (TYPE)

Page 5 of 8

Print Date: 2019-09-30 11:29

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

### 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm
TWA ppm STEL ppm

**101-84-8** Diphenyl Ether 1

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard
Color: Green Yellow (G4-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.1474

 %VOC:
 0.15

 Specific Gravity @ 25 C:
 0.9260

 Density @ 25 C:
 0.9230

 Refractive Index @ 20 C:
 1.4604

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known





Revised Date: 2019-01-10 00:00

Page 6 of 8

Print Date: 2019-09-30 11:29

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

**10.4 Conditions to avoid**None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

### 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4120.3417) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4039.2768) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 64.2944) May be harmful if inhaled

Skin corrosion / irritation May be harmful if inhaled
Serious eve damage / irritation Causes serious eve irritation

**Respiratory sensitization**Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

**Aspiration hazard**May be fatal if swallowed and enters airways

### 12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.





Revised Date: 2019-01-10 00:00

Page 7 of 8

Print Date: 2019-09-30 11:29

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

## 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

5989-27-5 : (5 - 10 %) : Limonene

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	Goods		
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

### 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

Canadian Regulations

**DSL** 100.00% of the components are listed or exempt.

### 16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H302 : Harmful if swallowed

H312 : Harmful in contact with skin

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage

H319 : Causes serious eye irritation

H320 : Causes eye irritation

H336 : May cause drowsiness or dizziness

H400 : Very Toxic to aquatic life

H401 : Toxic to aquatic life

H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

**Total Fractional Values** 

(TFV) Risk (TFV) Risk

(77.77) Acute Toxicity Inhalation, Category 5 (48.41) Aquatic Chronic Toxicity, Category 3 (9.34) Sensitization, Skin, Category 1B (4.83) Aquatic Chronic Toxicity, Category 2





Revised Date: 2019-01-10 00:00

Page 8 of 8

Print Date: 2019-09-30 11:29

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879

Web: www.lonestarcandlesupply.com

(4.00) Sensitization, Skin, Category 1A

(3.19) Eye Damage/Eye Irritation, Category 2

(2.76) Eye Damage/Eye Irritation, Category 2A

(1.25) Aspiration Hazard, Category 1

(1.21) Acute Toxicity Oral, Category 5

(3.35) Skin Corrosion/Irritation, Category 3

(3.14) Sensitization, Skin, Category 1

(2.68) Skin Corrosion/Irritation, Category 2

(1.24) Acute Toxicity Dermal, Category 5

### Department issuing data sheet:

### **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.™ holds no responsibility. This document is not intended for quality assurance purposes.