

Date: 2023-01-18

Page 1 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Wild Lavender & Sage

UFI#

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Lone Star Candle Supply, Inc. 5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

1.4 Emergency telephone number

1 (817) 741-0876 Domestic USA, Canada, Puerto Rico, and US Virgin Islands International

2. Hazards Identification

Physical hazards Health hazards	Flammable liquids Acute toxicity, dermal Serious eye damage/eye irritation	Category 4 Category 4 Category 1
	Sensitization, skin	Category 1B
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified	

Label elements



Signal Word Hazard statement	Danger
H227	Combustible liquid.
H312	Harmful in contact with skin.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.



Date: 2023-01-18

Pag	е	2	of	8

5800 Park Vista Circle		Page 2 of 8
Keller, TX 76244		
Ph#1 (800) 929-9425		
F#1 (817) 741-0879 Web: www.lonestarcandlesu		
Precautionary S		
Preventi		Kana away fami fami a and bat surfaces. No amaking
-	P210	Keep away from flames and hot surfaces-No smoking.
	P261	Avoid breathing mist/vapor.
	P272	Contaminated work clothing must not be allowed out of the workplace.
	273	Avoid release into the environment.
	280	Wear protective gloves/protective clothing.
F	280	Wear protective gloves/eye protection/face protection.
Respons	se	
F	P302 + P350	If on skin: Wash with plenty of water.
F	P305 + P351	
-	+ P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
-	P310	Immediately call a poison center/doctor.
F	P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
F	P362	Take off contaminated clothing and wash before reuse.
F	P370 + P378	In case of fire: Use appropriate media to extinguish.
Storage		
Ē	P403 + P235	Store in a well-ventilated place. Keep cool.
Disposa	1	
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not of classified (HNO		None known.
Supplemental ir	nformation	None.

3. Composition/Information on Ingredients

The individual chemical identities of the ingredients of this mixture are considered to be proprietary information and trade secrets. As such they are withheld in accordance with the provisions of the law. Certain hazardous substances are listed in the Exposure Controls/Personal Protection section.

4. First Aid Meas	ures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before use.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical advice/attention if you feel unwell.
Most important symptoms/ effects, acute and delayed	Severe eye irritation. Symptoms may include singing, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash



5800 Park Vista Circle

Date: 2023-01-18

Product: Wild Lavender & Sage

Page 3 of 8

medical attention and special treatment neededvictim under observiation. Symptoms may be delayed.General InformationEnsure that medical personnel are aware of the material(s) involved, and take preca to protect themselves. Show this safety data sheet to the doctor in attendance. Was contaminated clothing before reuse.5.Fire-Fighting measuresSuitable extinguishing mediaWater fog. Foam. Dry chemical powder. Carbon dioxide (CO2)Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread fire.Specific hazards arising from the chemicalThe product is combustible, and heating may generate vapors which may form exploy vapor/air mixtures. During fire, gases hazardous to health may be formed.Special protective equipment and procautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved mal General fire hazardsCombustible liquid.Combustible liquid.6.Accidental Release MeasuresPersonal precautions, protective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/lead Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent produc entering drains.Lurge Spills: Stop the flow of material, if this is without risk. Dike the spilled material this is possible. Use a non-combustible material line (e.g., cloth, fleece). Computer on the container for later disposal. Vipe up with absorbent material (e.g.	5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com	
to protect themselves. Show this safety data sheet to the doctor in attendance. Was contaminated clothing before reuse. 5. Fire-Fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread fire. Specific hazards arising from the chemical Self-contained breathing apparatus and full protective clothing must be worn in case equipment and precautions for firefighters Fire fighting equipment/ instructions Discussed of fire and/or explosion do not breathe fumes. Move containers from fire are can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved mat General fire hazards Combustible liquid. 6. Accidental Release Measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/eak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equilament and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible (wood, paper, oil, etc.) away from spilled material. Prevent produc entering drains. Large Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal, see section Containers.	medical attention and	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread fire. Specific hazards arising from the chemical The product is combustible, and heating may generate vapors which may form explet vapor/air mixtures. During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters In case of fire and/or explosion do not breathe fumes. Move containers from fire are can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved mail General fire hazards Keep unnecessary personnel away. Keep people away from and upwind of spill/leaf Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and emergency procedures Keep contained secontained. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Large Spills; Stop the flow of material, if this is without risk. Dike the spilled material. Large Spills; Stop the flow of material, is without risk. Dike the spilled material under the roduct and place into a container of rolater disposal. Following product recovery, area with water. Small Spills; Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Stop with earth spills to original container.	General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread fire. Specific hazards arising from the chemical The product is combustible, and heating may generate vapors which may form explorator in the product is combustible, and heating may generate vapors which may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire and/or explosion do not breathe fumes. Move containers from fire are can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved material fire hazards Combustible liquid. Eleminate all ignition sources (no smoking, flares, sparks, or flames in immediate are wear appropriate protective equipment and clothing during clean-up. Avoid breathin uses wearing approprint of the advised significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent product intering drains. Large Spills: Stop the flow of material, lift this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Wipe up with absorbent material (e.g. cl	5. Fire-Fighting n	neasures
media The product is combustible, and heating may generate vapors which may form exploration the chemical Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case equipment and precautions for firefighters Fire fighting equipment/ instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire are can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved mail General fire hazards G. Accidental Release Measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and clothing. Ensure adequate ventilation. Local authorities should be advised significant spillages cannot be contained. For personal protection, see section 8 of ti SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material (e.g. cloth, fleece). Cle surface thoroughly to remove residual containiens for re-use. For waste disposal, see section	Suitable extinguishing media	a Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2)
from the chemical vapor/air mixtures. During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case equipment and precautions. Fire fighting equipment/ instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire are can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved mail General fire hazards Combustible liquid. 6. Accidental Release Measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are for containment and cleaning up Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent produce entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material (e.g. cloth, fleece). Cle surface thoroughly to remove residual containnation. Never retum spills to		Do not use water jet as an extinguisher, as this will spread fire.
equipment and precautions for firefighters In case of fire and/or explosion do not breathe fumes. Move containers from fire are can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved mat General fire hazards Combustible liquid. 6. Accidental Release Measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spil/leak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and clothing during clean-up. Avoid breathin vapor. Do not touch damaged containers or spilled material unless wearing appropri protective clothing. Ensure adequate ventilation. Local authorities should be advised significant spillages cannot be contained. For personal protection, see section 8 of ti SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent produc entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Cle surface thoroughly to remove residual contamination. <td></td> <td>The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.</td>		The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
instructions can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved mathematical for combustible liquid. 6. Accidental Release Measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and clothing during clean-up. Avoid breathin vapor. Do not touch damaged containers or spilled material unless wearing appropri protective clothing. Ensure adequate ventilation. Local authorities should be advised significant spillages cannot be contained. For personal protection, see section 8 of th SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent produce entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material (e.g. cloth, fleece). Cle surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section	equipment and precautions	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards Combustible liquid. 6. Accidental Release Measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and clothing during clean-up. Avoid breathin vapor. Do not touch damaged containers or spilled material unless wearing appropri protective clothing. Ensure adequate ventilation. Local authorities should be advised significant spillages cannot be contained. For personal protection, see section 8 of th SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent produce entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Cle surface thoroughly to remove residual containination.		In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
 6. Accidental Release Measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and clothing during clean-up. Avoid breathin vapor. Do not touch damaged containers or spilled material unless wearing approprint protective clothing. Ensure adequate ventilation. Local authorities should be advised significant spillages cannot be contained. For personal protection, see section 8 of th SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent produce entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material (e.g. cloth, fleece). Cles surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 	Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
 Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and clothing during clean-up. Avoid breathin vapor. Do not touch damaged containers or spilled material unless wearing appropri protective clothing. Ensure adequate ventilation. Local authorities should be advised significant spillages cannot be contained. For personal protection, see section 8 of th SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent produce entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Cleaning up with absorbent material (e.g. cloth, fleece). Cleaning up with absorbent material (e.g. cloth, fleece). Cleaning up the spille to original containers for re-use. For waste disposal, see section with a section. 	General fire hazards	Combustible liquid.
 protective equipment and emergency procedures Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Wear appropriate protective equipment and clothing during clean-up. Avoid breathin vapor. Do not touch damaged containers or spilled material unless wearing appropri protective clothing. Ensure adequate ventilation. Local authorities should be advised significant spillages cannot be contained. For personal protection, see section 8 of th SDS. Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate are Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent product entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material (e.g. cloth, fleece). Cle surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 	6. Accidental Rel	ease Measures
for containment and cleaning upKeep combustible (wood, paper, oil, etc.) away from spilled material. Prevent product entering drains.Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water.Small Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Cle surface thoroughly to remove residual contamination.Never return spills to original containers for re-use. For waste disposal, see section	protective equipment and	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/ vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
 this is possible. Use a non-combustible material like vermiculite, sand or earth to so the product and place into a container for later disposal. Following product recovery, area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Cle surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 	for containment and	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustible (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains.
containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Cle surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section		Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
		Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
		Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.



Date: 2023-01-18

Product: Wild Lavender & Sage

Page 4 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling an	d Storage
Precautions for safe handling	Keep away from open flames, hot surfaces, and sources of ignition. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
O and the name fam a afa	

Conditions for safe
storage, including any
incompatibilitiesKeep away from heat, sparks and open flame. Store in a cool, dry place out of direct
sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area
equipped with sprinklers. Store away from incompatible materials (see Section 10 of the
SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measur	es, such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.
Skin protection Hand protection Other	Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.



Liquid.

Liquid.

Pale yellow.

Characteristic

Not available.

Not available.

Not available.

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

9. Physical and Chemical Properties

Appearance Physical state Form Color Odor **Odor threshold** pН Melting point/freezing point Initial boiling point and boiling range Flash point **Evaporation rate** Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Vapor pressure Vapor density **Relative density** Solubility(ies) Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Viscosity Other information **Explosive properties** Flammability class Oxidizing properties Refractive index

Specific gravity

388.4°F (198 °C) estimated 196.0 °F (91.1 °C) Closed Cup Not available. Not applicable. Not available. Not available. Not available. Not available 0.072955 hPa estimated Not available. Not available. Not available. Not available. Not available. Not available. Not explosive. Combustible IIIA estimated Not oxidizing. 1.4822 1.0119

10.Stability and ReactivityReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of
hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surface, sparks, open flames and other ignition sources. Avoid
temperatures exceeding the flash point. Contact with incompatible materials.Incompatible
materialsStrong oxidizing agents.

Page 5 of 8



Date: 2023-01-18

Page 6 of 8

5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological Information

This mixture has not been subjected to toxicological testing as an entity.

12. Ecological Information

This mixture has not bee This hjectore has not bee the subject of the subject

13. Disposal Cond	itions
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT **UN number** NA1993 UN proper shipping name Combustible liquid, n.o.s. Transport hazard class(es) Class Combustible liq Subsidiary risk Label(s) None Packing group Ш Special precautions for user Read safety instructions, SDS and emergency procedures before handling. **Special provisions** IB3, T1, T4, TP1 Packaging exceptions 150 Packaging non bulk 203 Packaging bulk 241



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot establishedAnnex II of MARPOL 73/78 andthe IBC Code

15. Regulatory Information

SARA 302 Extremely hazardous substance Superfund Amendments and Reauthorization Act of 1986 (SARA) Not listed

 SARA 311/312 Hazardous
 Yes

 chemical
 Classified hazard

 Classified hazard
 Flammable (gases, aerosols, liquids, or solids)

categoriesAcute toxicity (any route of exposure)Serious eye damage or eye irritationRespiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SWDA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name On	inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Page 7 of 8



5800 Park Vista Circle Keller, TX 76244 Ph#1 (800) 929-9425 F#1 (817) 741-0879 Web: www.lonestarcandlesupply.com

Country(s) or region Taiwan

Inventory name Taiwan Chemical Substance Inventory (TCSI) **On Inventory (yes/no)*** No No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date01-20-2023Version #01DisclaimerThis safetySupply, Inc.information

This safety data sheet is based on the properties of the material known to Lone Star Candle Supply, Inc.[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Lone Star Candle Supply, Inc.[™] holds no responsibility. This document is not intended for quality assurance purposes.

Page 8 of 8

Date: 2023-01-18