

Castle Hill

Designed by the Berroco Design Team / Skill level: Intermediate



BERROCO®


BERROCO.COM

Copyright 2025 in USA and Canada



We recommend using yarns called for in our instructions. Every effort has been made to ensure that directions contained in this pattern are accurate and complete, however errors do occur. We cannot be responsible for variance of individual knitters, human or typographical errors.

All pattern PDFs are updated when corrections are made. In the event of finding an error, please make sure you've downloaded the most recent version.



Stay Connected!

Scan the QR code or click the icons above and join our making community.



Share your project!
#berrocoyarn

SIZES

(1, 2, 3, 4) [5, 6, 7, 8]

FINISHED MEASUREMENTS

Bust: (34½, 40, 45¼, 50½) [56, 61¼, 66½, 72]" / (87.5, 101.5, 115, 128.5) [142, 155.5, 169, 183] cm

Length: (19, 19½, 20, 20½) [21, 21½, 22, 22]" / (48.5, 49.5, 51, 52) [53.5, 54.5, 56, 56] cm

Shown in size 4 (50½" / 128.5 cm). Recommended ease: Approximately 2-4" / 5-10 cm positive ease.

YARN

BERROCO MODERN COTTON (100 g): (5, 6, 7, 8) [9, 10, 10, 11] hanks #16102 Bryant

NEEDLES

32" / 80 cm circular needles, sizes 5 / 3.75 mm and 7 / 4.5 mm or size to obtain gauge

16" / 40 cm circular needle, size 5 / 3.75 mm

NOTIONS

Cable needle (cn), 1 stitch marker, waste yarn to hold stitches

GAUGE

27 sts and 30 rows = 4" / 10 cm in Cable Pattern with larger needles

Gauge is measured after blocking. To save time and ensure accurate measurements, take time to check gauge.

Berroco Modern Cotton™

Find this Yarn

CONSTRUCTION NOTES

Body is worked in the round to underarms, then divided for back and front. Sleeves are worked flat, then sewn in.

CABLE PATTERN (in the round)

Multiple of 9 sts

Rnds 1, 2, 3, 4, 5, and 6: * P3, k6; rep from * around.

Rnd 7: * P3, sl 3 sts to cn and hold in FRONT, k3, k3 from cn; rep from * around.

Rnds 8, 9, 10, 11, and 12: Rep Rnd 1.

Rep these 12 rounds for Cable Pattern (in the round).

CABLE PATTERN (worked flat)

Multiple of 9 sts + 8

Rows 1, 3, and 5 (RS): P1, * k6, p3; rep from * to last 7 sts, k6, p1.

Row 2 and all even numbered rows: K1, * p6, k3: rep from * to last 7 sts, p6, k1.

Row 7 (RS): P1, * sl 3 sts to cn and hold in FRONT, k3, k3 from cn, p3; rep from * to last 7 sts, sl 3 sts to cn and hold in FRONT, k3, k3 from cn, p1.

Rows 9 and 11: Rep Row 1.

Row 12: Rep Row 2.

Rep these 12 rows for Cable Pattern (worked flat).

INSTRUCTIONS

BODY

With smaller 32" / 80 cm needle, cast on (234, 270, 306, 342) [378, 414, 450, 486] sts. Place marker and join for working in the round.

Set Up Rib: Rnd 1: * K1tbl, p1; rep from * around.

Rep this round until piece measures 1¾" / 4.5 cm from cast-on.

Change to larger needle.

Work even in Cable Pattern (in the round) until piece measures 12" / 30.5 cm from cast-on.

Divide for Back and Front: Next Rnd: P1, bind off 1 st, work in pattern as established until there are (116, 134, 152, 170) [188, 206, 224, 242] sts on RH needle (after the bound off stitch), slip these stitches to waste yarn for Front, bind off 1 st, work in pattern as established to end (including the first p1 of this round). (116, 134, 152, 170) [188, 206, 224, 242] sts.

Make a note of the row number you ended with.

Back: Work even in Cable Pattern (worked flat) until armholes measure (7, 7½, 8, 8½) [9, 9½, 10, 10]" / (18, 19, 20.5, 21.5) [23, 24, 25.5, 25.5] cm, end after completing a WS row.

Next Row (RS): Bind off (30, 39, 48, 57) [66, 75, 84, 93] sts, work in pattern as established until there are 56 sts on RH needle, slip these stitches to waste yarn for neck, then bind off remaining (30, 39, 48, 57) [66, 75, 84, 93] sts.

Front: With WS facing, slip (116, 134, 152, 170) [188, 206, 224, 242] Front stitches from waste yarn to larger needle. Join yarn and, beginning with a WS row, complete same as Back.



SLEEVES

With 16" / 40 cm needle, cast on (71, 71, 71, 71) [79, 79, 79, 79] sts.

Set Up Rib: Row 1 (RS): K1tbl, * p1, k1tbl; rep from * across.

Row 2: P1tbl, * k1, p1tbl; rep from * across.

Rep these 2 rows until piece measures 1¾" / 4.5 cm from cast-on, inc (0, 0, 0, 0) [1, 1, 1, 1] st at end of last row. (71, 71, 71, 71) [80, 80, 80, 80] sts.

Change to larger needle.

Work even in Cable Pattern (worked flat) until piece measures 2" / 5 cm from cast-on, end after completing a WS row.

Inc Row (RS): K1, M1p, work to the last stitch, M1p, k1. 2 sts inc'd.

Working incs in Reverse St st, rep Inc Row every (4th, 2nd, 2nd, 2nd) [2nd, 2nd, 2nd, 2nd] row (10, 14, 17, 20) [19, 23, 25, 25] times more. (93, 101, 107, 113) [120, 128, 132, 132] sts.

Work even until piece measures 10" / 25.5 cm from cast-on, end after completing a WS row.

Bind off.

FINISHING

Sew shoulder and sleeve seams. Sew bound-off edges of sleeves into armholes.

Neckband: With RS facing, using 16" / 40 cm circular needle, beginning at left shoulder, pick up and knit 1 st in shoulder seam, knit 56 sts from waste yarn, pick up and knit 1 st in right shoulder seam, then knit 56 sts from 2nd waste yarn. *114 sts.*

Place marker and join for working in the round. Work even in St st for 2" / 5 cm. Bind off loosely.

Weave in all ends and block as desired.

STANDARD ABBREVIATIONS & TERMS

cn: cable needle

inc: increase

k: knit

k tbl: knit through the back loop(s)

M1p: Make 1 purl—Pick up horizontal strand between stitch just worked and next stitch from front to back, place on left hand needle, purl this stitch through the back (1 stitch increased).

p: purl

p tbl: purl through the back loop(s)

rep: repeat

Rev St st: Reverse Stockinette Stitch—Purl 1 row, knit 1 row alternately when working back and forth in rows. The purl side is the right side of the work. Purl EVERY round when working in the round.

RH: right hand

rnd(s): round(s)

RS: right side

sl: slip

st(s): stitch(es)

St st: Stockinette Stitch—Knit 1 row, purl 1 row alternately when working back and forth in rows. The knit side is the right side of work. Knit EVERY round when working in the round.

tbl: through back loop(s)


WS: wrong side



QUESTIONS?

Scan the QR code for the Berroco Learning Center where you will find our fit guide, how-to videos, the complete glossary and more.





CASTLE HILL MEASUREMENTS

- A** (Bust Circumference): (34½, 40, 45¼, 50½) [56, 61¼, 66½, 72]" / (87.5, 101.5, 115, 128.5) [142, 155.5, 169, 183] cm
- B** (Neck Width): 8½" / 21.5 cm
- C** (Shoulder Width): (4¼, 5¾, 7, 8¼) [9¾, 11, 12¼, 13¾]" / (11, 14.5, 18, 21) [25, 28, 31, 35] cm
- D** (Length to Underarms): 12" / 30.5 cm
- E** (Armhole Length): (7, 7½, 8, 8½) [9, 9½, 10, 10]" / (18, 19, 20.5, 21.5) [23, 24, 25.5, 25.5] cm
- F** (Sleeve Cuff Width): (10½, 10½, 10½, 10½) [12, 12, 12, 12]" / (26.5, 26.5, 26.5, 26.5) [30.5, 30.5, 30.5, 30.5] cm
- G** (Upper Sleeve Width): (14, 15, 16, 17) [18, 19, 20, 20]" / (35.5, 38, 40.5, 43) [45.5, 48.5, 51, 51] cm
- H** (Sleeve Length): 10" / 25.5 cm
- I** (Total Length): (19, 19½, 20, 20½) [21, 21½, 22, 22]" / (48.5, 49.5, 51, 52) [53.5, 54.5, 56, 56] cm