

Hexaparty

version 2

Designed by the Berroco Design Team / Skill level: Intermediate



SIZES

(1, 2, 3) [4, 5, 6] {7, 8, 9}

Shown in Size 3.

FINISHED MEASUREMENTS

Bust: Approximately (35½, 39½, 43½) [48, 52, 56] {60½, 63½, 67½}" / (90, 100.5, 110.5) [122, 132, 142] {153.5, 161.5, 171.5} cm, including gap in front which measures (4¾, 4¾, 4¾) [6, 6, 6] {7¼, 7¼, 7¼}" / (12, 12, 12) [15, 15, 15] {18.5, 18.5, 18.5} cm wide

Length: (23, 23, 23½) [23½, 24, 24] {24½, 24½, 25}" / (58.5, 58.5, 59.5) [59.5, 61, 61] {62, 62, 63.5} cm

Recommended ease:

Approximately 2–4" / 5–10 cm positive ease.

YARN

BERROCO WIZARD (100 g): (4, 5, 5) [6, 6, 6] {7, 7, 8} hanks #2922 Moonstone

HOOKS & NOTIONS

Crochet hook, size J–10 / 6 mm
or size to obtain gauge
Tapestry needle

GAUGE

Note: Due to its modular construction, exact gauge is not crucial for this pattern.

After Rnd 4 of Granny Hexagon, each side should measure approximately 4" / 10 cm from corner to corner (measuring from center of corners), and length should measure 2½" / 6.5 cm from center of hexagon to outer edge (measured in the center of one side).

Berroco Wizard™

Find this Yarn 



BERROCO®



www.berroco.com



We recommend using yarns called for in our instructions. Every effort has been made to ensure that directions contained in this pattern are accurate and complete, however errors do occur. We cannot be responsible for variance of individual knitters, human or typographical errors.

All pattern PDFs are updated when corrections are made. In the event of finding an error, please make sure you've downloaded the most recent version.

CONSTRUCTION NOTES

Garment is worked using modular construction, beginning with a hexagon which is folded to create the side of the upper body and sleeve. Additional rows are added to create the lower sleeve and middle back. After working the second side in the same manner, additional rows are added to the lower body to reach the desired sweater length.

GARMENT INSTRUCTIONS

GRANNY HEXAGON

Begin with a sliding loop.

Rnd 1: Working into the loop, ch 3 (counts as dc throughout), 2 dc, * ch 2, 3 dc; rep from * 4 times more, ch 2, join with a sl st in top of beg ch-3. Tighten the sliding loop.

Rnd 2: Sl st in next 2 dc and in next ch-2 sp, ch 3, [2 dc, ch 2, 3 dc] in same ch-2 sp (corner), ch 1, * [3 dc, ch 2, 3 dc] in next ch-2 sp (corner), ch 1; rep from * 4 times more, join with a sl st in top of beg ch-3.

Rnd 3: Sl st in next 2 dc and in next ch-2 sp, ch 3, [2 dc, ch 2, 3 dc] in same ch-2 sp (corner), ch 1, 3 dc in next ch-1 sp, ch 1, * [3 dc, ch 2, 3 dc] in next ch-2 sp (corner), ch 1, 3 dc in next ch-1 sp, ch 1; rep from * 4 times more, join with a sl st in top of beg ch-3.

Rnd 4: Sl st in next 2 dc and in next ch-2 sp, ch 3, [2 dc, ch 2, 3 dc] in same ch-2 sp (corner), ch 1, [3 dc in next



ch-1 sp, ch 1] to next corner, * [3 dc, ch 2, 3 dc] in next ch-2 sp (corner), ch 1, [3 dc in next ch-1 sp, ch 1] to next corner; rep from * 4 times more, join with a sl st in top of beg ch-3. Repeat Rnd 4 until each side of hexagon measures approximately (12½, 14½, 16½) [17½, 19½, 21½] {22½, 24, 26}" / (32, 37, 42) [44.5, 49.5, 54.5] {57, 61, 66} cm.

Note: This will be about ½" / 1 cm less than the sleeve circumference; half the width of a hexagon side after the next round will also be the width of each front. Work across 4 sides of hexagon as follows, working only one 3-dc group in the first and last corner worked on this row: Sl st in next 2 dc and in next ch-2 sp, ch 3, 2 dc, in same ch-2 sp (corner), ch 1, [3 dc in next ch-1 sp, ch 1] to next corner, * [3 dc, ch 2, 3 dc] in next ch-2 sp (corner), ch 1, [3 dc in next ch-1 sp, ch 1] to next corner; rep from * twice more, 3 dc in next corner ch-2 sp. Last two sides of hexagon have not been worked.

Skipping over the next side of the hexagon, take the last side of the hexagon and fold it in half, allowing the rest of the hexagon to follow, forming an L-shape. The side where you folded will become the bottom of the sleeve (where a sleeve seam normally would be), and the side you are about to work will be the (front) shoulder and top of the sleeve. The side behind the one you are about to work is the shoulder/top of sleeve on the back of the sweater.



Join the top of the sleeve as follows:

Sl st in corresponding corner sp on back side, 3 dc in corner ch-2 sp on front side, * sl st in next ch-1 sp on back side, 3 dc in next ch-1 sp on front side; rep from * to next corner, working 3 dc in corner sp on front side, then sl st in beg ch-3 on back side.

LOWER SLEEVE

Ch 3, 2 dc in sp between the joined sides, ch 1, [3 dc in next sp, ch 1] to end, sl st in top of turning ch.

Next Rnd: Sl st in next 2 dc and in next ch-2 sp, ch 3, 2 dc in same sp, ch 1, [3 dc in next ch-1 sp, ch 1] to end, join with a sl st in top of beg ch-3.

Repeat the last round until sleeve measures approximately (14½, 14½, 14½) [14½, 13½, 13½] {12½, 12½, 12½}" / (37, 37, 37) [37, 34.5, 34.5] {32, 32, 32} cm, or desired length, from underarm.

Cuff: Ch 1, [sc2tog] around, working into each dc and ch-1 sp.

Next Rnd: Ch 1, [sc2tog, sc in next 3 sts] around. Fasten off.

Make 2nd hexagon and sleeve, taking care to work the same number of rows as for the first side.



RIGHT BACK PANEL

Join yarn in corner space on Back where shoulders were joined.

Row 1: Ch 3, [3 dc in next ch-1 sp, ch 1] to the bottom corner sp, ending with 3 dc in this sp, turn.

Row 2: Ch 3, [3 dc in next ch-1 sp, ch 1] to last 3-dc group, end with 3 dc in ch-3 sp formed by turning ch, turn.

Rep Row 2 (2, 2, 2) [3, 3, 3] {4, 4, 4} times more. Fasten off.

LEFT BACK PANEL

Join yarn in corner space at the bottom edge of the Back

Row 1: Ch 3, 2 dc in same sp, ch 1, [3 dc in next ch-1 sp, ch 1] to the top corner sp (where shoulders were joined), ending with 1 dc in this sp, turn.

Row 2: Ch 3, 2 dc in same sp, [ch 1, 3 dc in next ch-1 sp] to last 3-dc group, skip 2 dc, dc in top of turning ch, turn.

Rep Row 2 (2, 2, 2) [3, 3, 3] {4, 4, 4} times more.

Join Back Panels: You will now be working the last row of the Left Back Panel while joining to the Right Back Panel, similar to joining the top of the sleeve.

Line up the Right Back Panel (RBP) so that it matches up with the Left Back Panel (LBP). Ch 3, sl st to corresponding dc on Left Back Panel, 2 dc in same sp on LBP, [sl st in next sp on RBP, 3 dc in next sp on LBP] across, end sl st in



next sp on RBP, dc in top of turning ch on LBP, sl st in last dc of RBP.

Fasten off.

LOWER BODY

Join yarn in bottom corner and work across entire lower edge as follows:

Row 1: Ch 3, 2 dc in same ch-2 sp, ch 1, [3 dc in next ch-1 sp, ch 1] across bottom edge of Granny Hexagon to corner ch-2 sp where LBP began; 3 dc in corner ch-2 sp, ch 1, [skip 1 row of LBP (group of 3 dc), 3 dc in side of next (single) dc, ch 1] across LBP; 3 dc in sp between LBP and RBP, ch 1, [skip 1 row of RBP (group of 3 dc), 3 dc in side of next (single) dc, ch 1] across RBP; 3 dc in corner ch-2 sp, ch 1, [3 dc in next ch-1 sp, ch 1] across bottom edge of Granny Hexagon to corner ch-2 sp, 3 dc in ch-2 sp, dc in top of ch-3, turn.


Row 2: Ch 3, [3 dc in next ch-1 sp, ch 1] to last 3-dc group, skip 2 dc, dc in top of turning ch, turn.

Rep Row 2 until total length from shoulder is (23, 23, 23½) [23½, 24, 24] {24½, 24½, 25}" / (58.5, 58.5, 59.5) [59.5, 61, 61] {62, 62, 63.5} cm or desired length. Leave yarn attached for border.

FINISHING

Front/Neck Border: Ch 1, work 2 sc in side of each dc along right bottom border, work 1 sc in each dc and ch-1 sp along right front edge, work 2 sc in side of each dc along back neck, work 1 sc in each dc and ch-1 sp along left front edge, then work 2 sc in side edge of each dc along left bottom border. Fasten off.

Weave in all ends and block as desired.



HEXAPARTY MEASUREMENTS

- A (Back Width): (17¾, 19¾, 21¾) [24, 26, 28] {30¼, 31¾, 33¾}" / (45, 50, 55) [61, 66, 71] {77, 80.5, 85.5} cm
- B (Front Width): (6½, 7½, 8½) [9, 10, 11] {11½, 12¼, 13¼}" / (16.5, 19, 21.5) [23, 25.5, 28] {29, 31, 33.5} cm
- C (Sleeve Length): (14½, 14½, 14½) [14½, 13½, 13½] {12½, 12½, 12½}" / (37, 37, 37) [37, 34.5, 34.5] {32, 32, 32} cm
- D. (Neck Width): (4¾, 4¾, 4¾) [6, 6, 6] {7¼, 7¼, 7¼}" / (12, 12, 12) [15, 15, 15] {18.5, 18.5, 18.5} cm
- E (Sleeve Circumference): (13, 15, 17) [18, 20, 22] {23, 24½, 26½}" / (33, 38, 43) [45.5, 51, 56] {58.5, 62, 67.5} cm
- F (Body Length to Underarm): (19½, 18½, 18) [17½, 17, 16] {16, 15¼, 14¾}" / (49.5, 47, 45.5) [44.5, 43, 40.5] {40.5, 38.5, 37.5} cm
- G (Total Length): (23, 23, 23½) [23½, 24, 24] {24½, 24½, 25}" / (58.5, 58.5, 59.5) [59.5, 61, 61] {62, 62, 63.5} cm

STANDARD ABBREVIATIONS & TERMS

Note: Berroco patterns use American crochet terms

beg: beginning

BLO: back loop only

BP: back post

BPdc: back post double crochet

BPhdc: back post half double crochet

BPsc: back post single crochet

BPtc: back post treble crochet

CC: contrasting color

cont: continue

ch: chain

dec: decrease

dc: double crochet

dc2tog: double crochet 2 stitches together—Yo, insert hook into indicated stitch, yo, pull up a loop, yo, pull through 2 loops, yo, insert hook into next indicated stitch, yo, pull up a loop, yo, pull through 2 loops, yo, pull through all 3 loops.

dtr: double treble crochet

est: established

FLO: front loop only

est: established

FP: front post

FPdc: front post double crochet

FPhdc: front post half double crochet

FPsc: front post single crochet

FPTc: front post treble crochet

hdc: half double crochet

hdc2tog: half double crochet 2 stitches together—Yo, insert hook into indicated stitch, yo, pull up a loop, yo, insert hook into next indicated stitch, yo, pull up a loop, yo, pull through all 5 loops.

inc: increase

Magic Ring: Form a loop of yarn around your fingers, with the end attached to the ball on the right and the tail on the left. Insert hook into the loop under both pieces of yarn and draw up a loop onto hook. (This does not count as your first stitch.) Work first row into the original loop. Pull up the yarn tail after your first row is complete to close the loop.

MC: main color

pat(s): pattern(s)

pm: place marker

rep: repeat

rnd(s): round(s)

RS: right side

sc: single crochet

sc2tog: single crochet 2 stitches together—Insert hook into first indicated stitch, yo, pull up a loop, insert hook into next indicated stitch, yo, pull up a loop, yo, pull through all 3 loops on hook

sl st: slip stitch

sp: space

st(s): stitch(es)

tog: together

tr: treble

WS: wrong side

yo: yarn over

QUESTIONS?

Scan the QR code for the Berroco Learning Center where you will find our fit guide, how-to videos, the complete glossary and more.

