Leo (adult version)







We recommend using yarns called for in our instructions. Every effort has been made to ensure that directions contained in this pattern are accurate and complete, however errors do occur. We cannot be responsible for variance of individual knitters, human or typographical errors.

All pattern PDFs are updated when corrections are made. In the event of finding an error, please make sure you've downloaded the most recent version.







Stay Connected!

Scan the QR code or click the icons above and join our making community.







Share your project! #berrocoyarn

SI7FS

(1, 2, 3) [4, 5, 6, 7] {8, 9, 10}

FINISHED MEASUREMENTS

Bust (with buttonbands overlapped): (34¼, 38¾, 42¼) [46¾, 50¼, 54¾, 58¼] {62¾, 66¼, 70¾}" / (87, 98.5, 107.5) [119, 127.5, 139, 148] {159.5, 168.5, 179.5} cm

Length (cropped version): (18¼, 18¼, 18½) [19, 19¼, 19½, 20] {20¼, 20½, 20½}" / (46.5, 46.5, 47) [48.5, 49, 49.5, 51] {51.5, 52.5, 52.5} cm

Length (longer version): (25¼, 25¼, 25½) [26, 26¼, 26½, 27] {27¼, 27½, 27½}" / (64, 64, 66) [66, 67, 67.5, 69] {69.5, 70, 70} cm

Shown in size 4 (46¾" / 119 cm).

Recommended ease: Approximately 2–4" / 5–10 cm positive ease.

YARN

BERROCO VINTAGE HANDPAINT (100 g): (4, 4, 5) [5, 5, 6, 6] [6, 7, 7] hanks #5209 Charcoal Whisper for cropped version or (5, 6, 6) [6, 7, 7, 8] [8, 9, 9] hanks #5211 Rustic Mahogany for longer version

NEEDLES

32" / 80 cm circular needles, sizes 5 / 3.75 mm and 7 / 4.5 mm *or size to obtain gauge*

16" / 40 cm circular needle, size 7 / 4.5 mm

1 set each double-pointed needles, or preferred needles for working small circumferences, sizes 5 / 3.75 mm and 7 / 4.5 mm

40" / 100 cm circular needle, size 5 / 3.75 mm for buttonband

NOTIONS

Cable needle (cn), waste yarn to hold stitches, removable stitch markers

For cropped version: five 1" / 25 mm buttons

For longer version: seven 1" / 25 mm buttons

GAUGE

18 sts and 26 rows/rnds = 4" / 10 cm in St st on larger needles

16 st cable panel measures 2¾" / 7 cm

Gauge is measured after blocking. To save time and ensure accurate measurements, take time to check gauge.

Berroco Vintage™ Handpaint



CONSTRUCTION NOTES

Cardigan is worked from the top down, beginning with the cabled shoulder saddles. Stitches for back and fronts are picked up from the saddles, and the body is worked down from there with inset pockets on the fronts for the longer version. Sleeve stitches are picked up around the armhole, with the cable panel continuing down the sleeves.

SPECIAL ABBREVIATIONS

C6R: Slip 3 sts to cn and hold to back, k3, k3 from cn. **C6L:** Slip 3 sts to cn and hold to front, k3, k3 from cn.

LEFT CABLE PANEL (Worked Flat)

Worked over 16 sts

Row 1 (RS): P1, k3, p1, k6, p1, k3, p1.

Row 2 (WS): K1, p3, k1, p6, k1, p3, k1.

Row 3: P5, k6, p5.

Row 4: K5, p6, k5.

Row 5: P1, k3, p1, C6L, p1, k3, p1.

Row 6: K1, p3, k1, p6, k1, p3, k1.

Row 7: P5, k6, p5.

Row 8: K5, p6, k5.

Row 9: P1, k3, p1, k6, p1, k3, p1.

Row 10: K1, p3, k1, p6, k1, p3, k1.

Row 11: P5, C6L, p5.

Row 12: K5, p6, k5.

Rep Rows 1–12 for pattern.

LEFT CABLE PANEL (Worked in Rounds)

Worked over 16 sts

Rnds 1 and 2: P1, k3, p1, k6, p1, k3, p1.

Rnds 3 and 4: P5, k6, p5.

Rnd 5: P1, k3, p1, C6L, p1, k3, p1.

Rnd 6: P1, k3, p1, k6, p1, k3, p1.

Rnds 7 and 8: P5, k6, p5.

Rnds 9 and 10: P1, k3, p1, k6, p1, k3, p1.

Rnd 11: P5, C6L, p5.

Rnd 12: P5, k6, p5.

Rep Rnds 1–12 for pattern.

RIGHT CABLE PANEL (Worked Flat)

Worked over 16 sts

Row 1 (RS): P1, k3, p1, k6, p1, k3, p1.

Row 2 (WS): K1, p3, k1, p6, k1, p3, k1.

Row 3: P5, k6, p5.

Row 4: K5, p6, k5.

Row 5: P1, k3, p1, C6R, p1, k3, p1.

Row 6: K1, p3, k1, p6, k1, p3, k1.

Row 7: P5, k6, p5.

Row 8: K5, p6, k5.

Row 9: P1, k3, p1, k6, p1, k3, p1.

Row 10: K1, p3, k1, p6, k1, p3, k1.

Row 11: P5, C6R, p5.

Row 12: K5, p6, k5.

Rep Rows 1–12 for pattern.

RIGHT CABLE PANEL (Worked in Rounds)

Worked over 16 sts.

Rnds 1 and 2: P1, k3, p1, k6, p1, k3, p1.

Rnds 3 and 4: P5, k6, p5.

Rnd 5: P1, k3, p1, C6R, p1, k3, p1.

Rnd 6: P1, k3, p1, k6, p1, k3, p1.

Rnds 7 and 8: P5, k6, p5.

Rnds 9 and 10: P1, k3, p1, k6, p1, k3, p1.

Rnd 11: P5, C6R, p5.

Rnd 12: P5, k6, p5.

Rep Rnds 1–12 for pattern.

INSTRUCTIONS

POCKET BANDS (for long version only)

Using smaller needle, cast on 29 sts.

Row 1 (WS): P2, * k1, p1; rep from * to last st, p1.

Row 2 (RS): K2, * p1, k1; rep from * to last st, k1.

Repeat Rows 1 and 2 until piece measures 1" / 2.5 cm, end after completing a WS row. Bind off 1 st at beginning of the next 2 rows. 27 sts.

Break yarn and slip sts to waste yarn. Repeat for second pocket band.



LEFT SHOULDER SADDLE

Using larger needle, cast on 18 sts.

Set Up Pattern: Row 1 (RS): K1, work Row 1 of Left Cable Panel over 16 sts, k1.

Row 2 (WS): P1, work row 2 of Left Cable Panel over 16 sts, p1.

Work in pattern as established, repeating Rows 1–12 of Left Cable Panel, until piece measures (5½, 6¾, 7½) [8½, 9¼, 10½, 11¼] {12¼, 13, 14¼}" / (14, 17, 19) [21.5, 23.5, 26.5, 28.5] {31, 33, 36} cm, end after completing a WS row. Make a note of the last pattern row worked, break yarn and slip sts to waste yarn.

RIGHT SHOULDER SADDLE

Using larger needle, cast on 18 sts.

Set Up Pattern: Row 1 (RS): K1, work Row 1 of Right Cable Panel over 16 sts, k1.

Row 2 (WS): P1, work row 2 of Right Cable Panel over 16 sts, p1.

Work in pattern as established, repeating Rows 1–12 of Right Cable Panel, until piece measures (5½, 6¾, 7½) [8½, 9¼, 10½, 11¼] {12¼, 13, 14¼}" / (14, 17, 19) [21.5, 23.5, 26.5, 28.5] {31, 33, 36} cm, end after completing same WS row as

for Left Shoulder Panel. Make a note of the last pattern row worked, break yarn and slip sts to waste yarn.

BACK

With RS facing, using larger circular needle, pick up and knit (25, 30, 34) [38, 42, 47, 51] {55, 59, 64} sts along entire side of Left shoulder saddle, starting near the sts on waste yarn and working toward the cast on edge, use backwards loop to cast on (27, 27, 27) [29, 29, 29, 29] {31, 31, 31} sts for back neck, then pick up and knit (25, 30, 34) [38, 42, 47, 51] {55, 59, 64} sts along entire side of right shoulder saddle, starting near the cast-on edge and working toward the sts on waste yarn. (77, 87, 95) [105, 113, 123, 131] {141, 149, 159} sts.

Purl 1 WS row

Shape Shoulders: Short Row 1 (RS): Knit (55, 61, 66) [72, 77, 83, 87] [94, 98, 104] sts, w&t.

Short Row 2: Purl (33, 35, 37) [39, 41, 43, 43] {47, 47, 49} sts, w&t.

Short Row 3: Knit to wrapped st, pick up wrap and knit it with its st, knit (2, 3, 4) [4, 5, 6, 6] {7, 7, 8} sts, w&t.

Short Row 4: Purl to wrapped st, pick up wrap and purl it with its st, purl (2, 3, 4) [4, 5, 6, 6] {7, 7, 8} sts, w&t.

Repeat the last 2 rows 4 times more.

Next Row (RS): Knit to end, picking up wrap and knitting it with its st.

Next Row (WS): Purl to end, picking up wrap and purling it with its st.

Work even in St st until armholes measure $(6\frac{1}{2}, 6\frac{1}{2}, 6\frac{3}{4})$ [7¹/₄, 7¹/₂, 7³/₄, 8¹/₄] {8¹/₂, 8³/₄, 8³/₄]" / (16.5, 16.5, 17) [18.5, 19, 19.5, 21] {21.5, 22, 22} cm, measuring down the armhole side edge from the picked up sts (not including the shoulder saddle), end after completing a WS row. Slip Back sts to waste yarn.

Right Front: With RS facing, using larger needle, pick up and knit (25, 30, 34) [38, 42, 47, 51] {55, 59, 64} sts along entire front side of right shoulder saddle, starting near the sts on waste yarn and working toward the cast-on edge.

Shape Shoulder: Short Row 1 (WS): Purl (3, 4, 5) [5, 6, 7, 7] {8, 8, 9} sts, w&t.

Short Row 2 (RS): Knit.

Short Row 3: Purl to wrapped st, pick up wrap and purl it with its st, purl (2, 3, 4) [4, 5, 6, 6] {7, 7, 8} sts, w&t.

Short Row 4: Knit.

Repeat the last 2 rows 4 times more.

Next Row (WS): Purl to end, picking up wrap and purling it with its st.

Knit one row, then purl one row.

Note: For some sizes the neck increases will continue after the body is joined at the underarms. Please read ahead before beginning this section.

Shape Neck: Inc Row (RS): Knit to the last st, M1R, k1. 1 st inc'd.

Work even in St st, repeating Inc Row every 4th row (10, 10, 10) [11, 11, 11, 11] {12, 12, 12} times more, until armhole measures (6½, 6½, 6¾) [7¼, 7½, 7¾, 8¼] {8½, 8¾, 8¾}" / (16.5, 16.5, 17) [18.5, 19, 19.5, 21] {21.5, 22, 22} cm, measuring down the armhole side edge from the picked up sts (not including the shoulder saddle), end after completing a WS row. Slip Right Front sts to waste yarn and make a note of any remaining neck incs.

Left Front: With RS facing, using larger needle, pick up and knit (25, 30, 34) [38, 42, 47, 51] {55, 59, 64} sts along entire front side of left shoulder saddle, starting near the cast-on edge and working toward the sts on waste yarn.

Purl 1 WS row.

Shape Shoulder: Short Row 1 (RS): Knit (3, 4, 5) [5, 6, 7, 7] {8, 8, 9} sts, w&t.

Short Row 2 (WS): Purl.

Short Row 3: Knit to wrapped st, pick up wrap and knit it with its st, knit (2, 3, 4) [4, 5, 6, 6] {7, 7, 8} sts, w&t.

Short Row 4: Purl.

Repeat the last 2 rows 4 times more.

Next Row (RS): Knit to end, picking up wrap and knitting it with its st.

Purl 1 WS row.

Note: For some sizes the neck increases will continue after the body is joined at the underarms. Please read ahead before beginning this section.

Shape Neck: Inc Row (RS): K1, M1L, knit to end. 1 st inc'd.

Work even in St st, repeating Inc Row every 4th row (10, 10, 10) [11, 11, 11, 11] {12, 12, 12} times more, until armhole measures (6½, 6½, 6¾) [7¼, 7½, 7¾, 8¼] {8½, 8¾, 8¾}" / (16.5, 16.5, 17) [18.5, 19, 19.5, 21] {21.5, 22, 22} cm, measuring down the side from the picked up sts (not including the shoulder saddle), end after completing a WS row. Make a note of any remaining neck incs.

Join for Body: Next Row (RS): Knit sts for left front, continuing to increase if necessary, pm, slip (77, 87, 95) [105, 113, 123, 131] {141, 149, 159} back sts from waste yarn to left needle and knit these sts, pm, slip right front sts from waste yarn to left needle and knit these sts, increasing at right front neck edge if necessary.

When body is joined and all neck increases have been completed there will be (149, 169, 185) [205, 221, 241, 257] {277, 293, 313} sts.

For Cropped Version: Work even in St st, continuing neck increases if needed, until piece measures 2" / 5 cm from underarms, end after completing a WS row.

Dec Row (RS): * Knit to 4 sts before marker, SSK, k2, sm, k2, k2tog; rep from * once more, knit to end. 4 sts dec'd.

Repeat dec row every 16th row twice more. (137, 157, 173) [193, 209, 229, 245] {265, 281, 301} sts.

Work even in St st until piece measures 7½" / 19 cm from underarms, end after completing a WS row.

Change to smaller needle.

Set Up Rib: Row 1 (RS): K2, * p1, k1; rep from * to last st, k1.

Row 2 (WS): P2, * k1, p1; rep from * to last st, p1.

Repeat Rows 1 and 2 until ribbing measures 2½" / 6.5 cm, end after completing a WS row. Bind off in ribbing.

For Longer Version: Work even in St st until piece measures 10" / 25.5 cm from underarms, end after completing a WS row.

Place Pockets: Next Row (RS): Knit (5, 6, 8) [10, 11, 12, 13] {14, 15, 16} sts, slip the next 27 sts to waste yarn for pocket lining, with RS facing slip one of the pocket bands to left needle and knit these sts, knit to (4, 8, 10) [13, 16, 20, 23] {27, 30, 34} sts past second marker, slipping markers, slip the next 27 sts to waste yarn for pocket lining, with RS facing slip the other pocket band to left needle and knit these sts, knit to end.

Work even until body measures 14" / 35.5 cm from underarms, end after completing a WS row.

Change to smaller needle.

Set up Rib: Row 1 (RS): K2, * p1, k1; rep from * to last st, k1.

Row 2 (WS): P2, * k1, p1; rep from * to last st, p1.

Repeat Rows 1 and 2 until ribbing measures 3" / 7.5 cm, end after completing a WS row. Bind off in ribbing.

SLEEVES

With larger double-pointed needles, beginning at the underarm, pick up and knit (25, 27, 29) [31, 32, 33, 35] {36, 37, 38} sts up side of armhole to the stitches on waste yarn, slip these sts to left needle, k1, pm, work next row of cable panel (worked in rounds), pm, k1, pick up and knit (25, 27, 29) [31, 32, 33, 35] {36, 37, 38} sts down the other side of armhole to the underarm. Pm and join for working in the round. (68, 72, 76) [80, 82, 84, 88] {90, 92, 94} sts.

Work as established, working sleeve in St st and continuing the cable panel between markers until sleeve measures 2" / 5 cm

Dec Rnd: K1, SSK, work in pattern to last 3 sts, k2tog, k1. 2 sts dec'd.

Rep Dec Rnd every (7th, 6th, 5th) [5th, 5th, 4th, 4th] {4th, 4th, 4th} round (9, 11, 12) [14, 14, 15, 16] {17, 14, 13} times more. (48, 48, 50) [50, 52, 52, 54] {54, 62, 66} sts.

For Sizes (X, X, X) [X, X, X, X] {X, X, 10, 11} ONLY:

Rep Dec Rnd every (X, X, X) [X, X, X, X] {X, X, 2nd, 2nd} round (X, X, X) [X, X, X, X] {X, X, 3, 5} times more. (X, X, X) [X, X, X, X] {X, X, 56, 56} sts.

For ALL sizes:

Work even as established until sleeve measures approximately (14½, 14½, 14½) [14½, 14½, 14½, 14½, 14] {13, 12½, 12}" / (37, 37, 37) [37, 37, 35.5] {33, 32, 30.5} cm, end after completing either Rnd 2 or Rnd 8 of cable pattern.

Next Rnd: Knit to marker, remove marker, [k2, k2tog] four times, remove marker, knit to end. (44, 44, 46) [46, 48, 48, 50] {50, 52, 52} sts.

Change to smaller double-pointed needles and work in k1, p1 ribbing for 2½" / 6.5 cm. Bind off in ribbing.

FINISHING

Buttonband: With RS facing, using 40" / 100 cm circular needle, begin at bottom of Right Front, pick up and knit approximately 2 sts for every 3 rows along right front edge, including Right Cable Panel, 1 st in each cast on st along back neck edge, and approximately 2 sts for every 3 rows along Left Cable Panel and left front edge down to the bottom. Exact st count is not crucial, but it needs to be an odd number.

Set Up Rib: Row 1 (WS): P2, * k1, p1; rep from * to last stitch, p1.

Row 2 (RS): K2, * p1, k1; rep from * to last stitch, k1.

Work 3 more rows in ribbing as established, end on WS. Mark placement of 5 buttonholes for cropped version, or 7 buttonholes for longer version, on the Right Front, each placed before a purl st, as follows: one centered on the bottom ribbing, one 1" / 2.5 cm below the beginning of the neck shaping, and the rest evenly spaced between.

Buttonhole Row (RS): * Work in ribbing as established to marker, remove marker, yo, k2tog; rep from * 4 times more for cropped version OR 6 times more for longer version, work in ribbing to end.

Work in ribbing for 3 more rows, then bind off in ribbing.

Pocket Linings: Slip sts on waste yarn for pocket lining to larger needle. Join yarn and work even in St st until lining

measures 6" / 15 cm. Bind off. Sew pocket linings to WS of front using whip stitch. Sew sides of pocket bands to RS of front using mattress stitch.

Weave in all ends and block as desired. Sew on buttons opposite buttonholes.

STANDARD ABBREVIATIONS & TERMS

cn: cable needledec: decreaseinc: increase

k: knit

k2tog: knit 2 stitches together

M1L: Make 1 Left— Pick up horizontal strand between stitch just worked and next stitch from front to back, place on left hand needle, knit this stitch through the back (1 stitch increased).

M1R: Make 1 Right—Pick up horizontal strand between stitch just worked and next stitch from back to front, place on left hand needle, knit this stitch through the front (1 stitch increased).

p: purl

pm: place marker

rep: repeat
rnd(s): round(s)
RS: right side

SSK: Slip 2 stitches knitwise, insert point of left hand needle through fronts of these 2 stitches and knit 2 together.

st(s): stitch(es)

St st: Stockinette Stitch—Knit 1 row, purl 1 row alternately when working back and forth in rows. The knit side is the right side of work. Knit EVERY round when working in the round.


w&t: wrap and turn, a method of concealing a hole created in short row shaping. On RS rows: With yarn held in front, slip next stitch purlwise, then bring yarn between needles to the back. Slip that same stitch back to the left needle. Turn your work. On WS Rows: With yarn held in back, slip next stitch purlwise, then bring yarn between needles to the front. Slip that same stitch back to the left needle. Turn your work. Unless otherwise indicated, each time you come to a wrapped stitch when working subsequent rows, slip the wrap back over stitch and onto needle, then work the wrap together with its accompanying stitch.

WS: wrong sideyo: yarn over

LEFT CABLE CHART

12 • • • 11 10 lacktriangle• 8 • • 6 • • • • lacktriangle• 4 • • 2 • 16 15 14 13 12 11 10 9 8 7 3 6 5 4

RIGHT CABLE CHART



KEY TO CHARTS

knit on RS; purl on WS

• purl on RS; knit on WS

C6R: sl 3 to cn and hold to BACK, k3, k3 from cn

C6L: sl 3 to cn and hold to FRONT, k3, k3 from cn

CHART NOTES


When working in rows, work from right to left on RS rows and from left to right on WS rows.

When working in the round, work from right to left on every round.

QUESTIONS?

Scan the QR code for the Berroco Learning Center where you will find our fit guide, how-to videos, the complete glossary and more





LEO (ADULT VERSION) MEASUREMENTS

- **A** (Bust Circumference, not including buttonband): (33, 37½, 41) [45½, 49, 53½, 57] {61½, 65, 69½}" / (84, 95, 104) [115.5, 124.5, 136, 145] {156, 165, 176.5} cm
- **B** (Back Neck Width): (6, 6, 6) [6½, 6½, 6½, 6½] {7, 7, 7}" / (15, 15, 15) [16.5, 16.5, 16.5, 16.5] {18, 18, 18} cm
- C (Saddle Shoulder Length): (5½, 6¾, 7½) [8½, 9¼, 10½, 11¼] {12¼, 13, 14¼}" / (14, 17, 19) [21.5, 23.5, 26.5, 28.5] {31, 33, 36} cm
- D (Half Saddle Shoulder Width [folded]): 11/4" / 3 cm
- E (Total Length—cropped version): (18¼, 18¼, 18½) [19, 19¼, 19½, 20] {20¼, 20½, 20½}" / (46.5, 46.5, 47) [48.5, 49, 49.5, 51] {51.5, 52.5, 52.5} cm
- F (Total Length—longer version): (25¼, 25¼, 25½) [26, 26¼, 26½, 27] {27¼, 27½, 27½}" / (64, 64, 66) [66, 67, 67.5, 69] {69.5, 70, 70} cm
- **G** (Length to Underarm—longer version): 17" / 43 cm
- H (Length to Underarm—cropped version): 10" / 25.5 cm
- I (Armhole Length *): (6½, 6¾, 6¾) [7¼, 7½, 7¾, 8¼] [8½, 8¾, 8¾]" / (16.5, 16.5, 17) [18.5, 19, 19.5, 21] {21.5, 22, 22} cm
- J (Upper Sleeve Circumference): (14¼, 15¼, 16) [17, 17½, 17¾, 18¾] {19¼, 19¾, 20}" / (36, 38.5, 40.5) [43, 44.5, 45, 47.5] {49, 50, 51} cm
- **K** (Sleeve Cuff Circumference): (9¾, 9¾, 10¼) [10¼, 10¾, 10¾, 11] {11, 11½, 11½}" / (25, 25, 26) [26, 27.5, 27.5, 28] {28, 29, 29} cm
- L (Sleeve Length): (17, 17, 17) [17, 17, 17, 16½] {15½, 15, 14½}" / (43, 43, 43) [43, 43, 43, 42] {39.5, 38, 37} cm
- * These measurements do not include the saddle at each shoulder. Half the width of the saddle will be added to these lengths after finishing.

Leo (child version)








We recommend using yarns called for in our instructions. Every effort has been made to ensure that directions contained in this pattern are accurate and complete, however errors do occur. We cannot be responsible for variance of individual knitters, human or typographical errors.

All pattern PDFs are updated when corrections are made. In the event of finding an error, please make sure you've downloaded the most recent version.









Scan the QR code or click the icons above and join our making community.





Share your project! #berrocoyarn

SIZES

(2, 4, 6) [8, 10, 12] yrs

FINISHED MEASUREMENTS

Chest (with buttonbands overlapped): (23½, 25¼, 27) [29, 30¾, 32½]" / (59.5, 64, 68.5) [73.5, 78, 82.5] cm

Length: (13¾, 16, 17¼) [18½, 20, 21¼]" / (34.5, 40.5, 43.5) [47, 51, 54} cm

Shown in size 8 (29" / 73.5 cm).

YARN

BERROCO VINTAGE HANDPAINT (100 g): (2, 3, 3) [3, 4, 4] hanks #5204 Sapphire Gleam

NEEDLES

24" / 60 cm circular needles, sizes 5 / 3.75 mm and 7 / 4.5 mm *or size to obtain gauge*

1 set each double-pointed needles, sizes 5 / 3.75 mm and 7 / 4.5 mm

40" / 100 cm circular needle, size 5 / 3.75 mm for buttonband

NOTIONS

Waste yarn to hold stitches, removable stitch markers, and (5, 5, 5) [5, 7, 7] 1" / 25 mm buttons

GAUGE

18 sts and 26 rows/rnds = 4" / 10 cm in St st using larger needles

12-st cable panel measures 2" / 5 cm

Gauge is measured after blocking. To save time and ensure accurate measurements, take time to check gauge.

Berroco Vintage™ Handpaint



CONSTRUCTION NOTES

Cardigan is worked from the top down, beginning with the cabled shoulder saddles. Stitches for back and fronts are picked up from the saddles, and the body is worked down from there with inset pockets on the fronts. Sleeve stitches are picked up around the armhole, with the cable panel continuing down the sleeves. Use chart or written instructions for Cable Panels.

SPECIAL ABBREVIATIONS

C4R: Slip 2 sts to cable needle and hold to back, k2, k2 from cable needle.

C4L: Slip 2 sts to cable needle and hold to front, k2, k2 from cable needle.

See last page for a complete list of abbreviations.

LEFT CABLE PANEL (Worked Flat)

Worked over 12 sts.

Row 1 (RS): P1, k2, p1, k4, p1, k2, p1.

Row 2 (WS): K1, p2, k1, p4, k1, p2, k1.

Row 3: P4, k4, p4.

Row 4: K4, p4, k4.

Row 5: P1, k2, p1, C4L, p1, k2, p1.

Row 6: K1, p2, k1, p4, k1, p2, k1.

Row 7: P4, k4, p4.

Row 8: K4, p4, k4.

Row 9: P1, k2, p1, k4, p1, k2, p1.

Row 10: K1, p2, k1, p4, k1, p2, k1.

Row 11: P4, C4L, p4.

Row 12: K4, p4, k4.

Rep Rows 1–12 for pattern.

LEFT CABLE PANEL (Worked in Rounds)

Worked over 12 sts.

Rnds 1 and 2: P1, k2, p1, k4, p1, k2, p1.

Rnds 3 and 4: P4, k4, p4.

Rnd 5: P1, k2, p1, C4L, p1, k2, p1.

Rnd 6: P1, k2, p1, k4, p1, k2, p1.

Rnds 7 and 8: P4, k4, p4.

Rnds 9 and 10: P1, k2, p1, k4, p1, k2, p1.

Rnd 11: P4, C4L, p4.

Rnd 12: P4, k4, p4.

Rep Rnds 1–12 for pattern.

RIGHT CABLE PANEL (Worked Flat)

Worked over 12 sts.

Row 1 (RS): P1, k2, p1, k4, p1, k2, p1.

Row 2 (WS): K1, p2, k1, p4, k1, p2, k1.

Row 3: P4, k4, p4.

Row 4: K4, p4, k4.

Row 5: P1, k2, p1, C4R, p1, k2, p1.

Row 6: K1, p2, k1, p4, k1, p2, k1.

Row 7: P4, k4, p4.

Row 8: K4, p4, k4.

Row 9: P1, k2, p1, k4, p1, k2, p1.

Row 10: K1, p2, k1, p4, k1, p2, k1.

Row 11: P4, C4R, p4.

Row 12: K4, p4, k4.

Rep Rows 1–12 for pattern.

RIGHT CABLE PANEL (Worked in Rounds)

Worked over 12 sts.

Rnds 1 and 2: P1, k2, p1, k4, p1, k2, p1.

Rnds 3 and 4: P4, k4, p4.

Rnd 5: P1, k2, p1, C4R, p1, k2, p1.

Rnd 6: P1, k2, p1, k4, p1, k2, p1.

Rnds 7 and 8: P4, k4, p4.

Rnds 9 and 10: P1, k2, p1, k4, p1, k2, p1.

Rnd 11: P4, C4R, p4.

Rnd 12: P4, k4, p4.

Rep Rnds 1–12 for pattern.

INSTRUCTIONS

POCKET BANDS

Using smaller needle, cast on (15, 17, 19) [21, 23, 25] sts.

Row 1 (WS): P2, * k1, p1; rep from * to last st, p1.

Row 2 (RS): K2, * p1, k1; rep from * to last st, k1.

Repeat Rows 1 and 2 until piece measures 1" / 2.5 cm, end after completing a WS row. Bind off 1 st at beginning of the next 2 rows. (13, 15, 17) [19, 21, 23] sts.

Break yarn and slip sts to waste yarn. Repeat for second pocket band.

LEFT SHOULDER SADDLE

Using larger needle, cast on 14 sts.

Set Up Pattern: Row 1 (RS): K1, work Row 1 of Left Cable Panel over 12 sts, k1.

Row 2 (WS): P1, work row 2 of Left Cable Panel over 12 sts, p1.

Work as established, repeating Rows 1–12 of Left Cable Panel, until piece measures (4, 4¼, 4½) [4¾, 5, 5¼]" / (10, 11, 11.5) [12, 12.5, 13.5] cm, end after completing a WS row.

Make a note of the last pattern row worked, break yarn and slip sts to waste yarn.

RIGHT SHOULDER SADDLE

Using larger needle, cast on 14 sts.

Set Up Pattern: Row 1 (RS): K1, work Row 1 of Right Cable Panel over 12 sts, k1.

Row 2 (WS): P1, work row 2 of Right Cable Panel over 12 sts, p1.

Work as established, repeating Rows 1–12 of Right Cable Panel, until piece measures (4, 4¼, 4½) [4¾, 5, 5½]" / (10, 11, 11.5) [12, 12.5, 13.5] cm, end after completing same WS row as for Left Shoulder Panel. Break yarn and slip st to waste yarn.

BACK

With RS facing, using larger circular needle, pick up and knit (18, 19, 20) [21, 22, 24] sts along entire side of Left shoulder saddle, starting near the sts on waste yarn and working toward the cast on edge, use backwards loop to cast on (17, 19, 21) [23, 25, 25] sts for back neck, then pick up and knit (18, 19, 20) [21, 22, 24] sts along entire side of right shoulder saddle, starting near the cast-on edge and working toward the sts on waste yarn. (53, 57, 61) [65, 69, 73] sts.

Purl 1 WS row.

Shape Shoulders: Short Row 1 (RS): Knit (40, 43, 46) [49, 52, 54] sts, w&t.

Short Row 2 (WS): Purl (27, 29, 31) [33, 35, 35] sts, w&t.

Short Row 3: Knit to wrapped st, pick up wrap and knit it with its st, k4, w&t.

Short Row 4: Purl to wrapped st, pick up wrap and purl it with its st, p4, w&t.

Repeat the last 2 rows (1, 1, 1) [1, 2, 2] times more.

Next Row (RS): Knit to end, picking up wraps and knitting them with their sts.

Next Row (WS): Purl to end, picking up wraps and purling them with their sts.

Work even in St st until armholes measure $(3\frac{3}{4}, 4, 4\frac{1}{4})$ [4½, 4¾, 5]" / (9.5, 10, 11) [11.5, 12, 12.5] cm, measuring down the side edge from the picked up sts (not including the shoulder saddle), end after completing a WS row. Slip Back sts to waste yarn.

Right Front: With RS facing, using larger needle, pick up and knit (18, 19, 20) [21, 22, 24] sts along entire front side of right shoulder saddle, starting near the sts on waste yarn

and working toward the cast-on edge.

Shape Shoulder: Short Row 1 (WS): P5, w&t.

Short Row 2 (RS): Knit.

Short Row 3: Purl to wrapped st, pick up wrap and purl it with its st, p4, w&t.

Short Row 4: Knit.

Repeat the last 2 rows (1, 1, 1) [1, 2, 2] times more.

Next Row (WS): Purl to end, picking up wraps and purling them with their sts.

Knit 1 RS row, then purl 1 WS row.

Note: For some sizes the neck increases will continue after the body is joined at the underarms. Please read ahead before beginning this section.

Shape Neck: Inc Row (RS): Knit to the last st, M1R, k1. 1 st inc'd.

Work even in St st, repeating Inc Row every 4th row (5, 6, 7) [8, 9, 9] times more.

When armhole measures (3¾, 4, 4¼) [4½, 4¾, 5]" / (9.5, 10, 11) [11.5, 12, 12.5] cm, measuring down the side from the picked up sts (not including the shoulder saddle), end after completing a WS row. Slip Right Front sts to waste yarn and make a note of any remaining neck incs.

Left Front: With RS facing, using larger needle, pick up and knit (18, 19, 20) [21, 22, 24] sts along entire front side of left shoulder saddle, starting near the cast-on edge and working toward the sts on waste yarn.

Purl 1 WS row.

Shape Shoulder: Short Row 1 (RS): K5, w&t.

Short Row 2 (WS): Purl.

Short Row 3: Knit to wrapped st, pick up wrap and knit it with its st, k4, w&t.

Short Row 4: Purl.

Repeat the last 2 rows (1, 1, 1) [1, 2, 2] times more.

Next Row (RS): Knit to end, picking up wraps and knitting them with their sts.

Purl 1 WS row.

Note: For some sizes the neck increases will continue after the body is joined at the underarms. Please read ahead before beginning this section.

Shape Neck: Inc Row (RS): K1, M1L, knit to end. 1 st inc'd.

Work even in St st, repeating Inc Row every 4th row (5, 6, 7) [8, 9, 9] times more. When armhole measures (3¾, 4, 4¼) [4½, 4¾, 5]" / (9.5, 10, 11) [11.5, 12, 12.5] cm, measuring

down the side from the picked up sts (not including the shoulder saddle), end after completing a WS row. Make a note of any remaining neck incs.

Join for Body: Next Row (RS): Knit sts for left front, continuing to increase if necessary, pm, slip (53, 57, 61) [65, 69, 73] back sts from waste yarn to left needle and knit these sts, pm, slip right front sts from waste yarn to left needle and knit these sts, increasing at end of row if necessary.

When body is joined and all neck increases have been completed there will be (101, 109, 117) [125, 133, 141] sts.

Work even in St st until piece measures (4, 5, 6) [7, 7, 8]" / (10. 12.5, 15) [18, 18, 20.5] cm from underarms, end after completing a WS row.

Place Pockets: Next Row (RS): Knit 6 sts, slip the next (13, 15, 17) [19, 21, 23] sts to waste yarn for pocket lining, with RS facing slip one of the pocket bands to left needle and knit these sts, knit to 5 sts past second marker, slipping markers, slip the next (13, 15, 17) [19, 21, 23] sts to waste yarn for pocket lining, with RS facing slip the other pocket band to left needle and knit these sts, knit to end.

Work even until body measures (7, 9, 10) [11, 12, 13]" / (18, 23, 25.5) [28, 30.5, 33] cm from underarms, end after completing a WS row.

Change to smaller needle.

Set Up Rib: Row 1 (RS): K2, * p1, k1; rep from * to last st, k1. Row 2 (WS): P2, * k1, p1; rep from * to last st, p1.

Repeat Rows 1 and 2 until ribbing measures 2" / 5 cm, end after completing a WS row. Bind off in ribbing.

SLEEVES

With larger double-pointed needles, beginning at the underarm, pick up and knit (17, 18, 19) [20, 21, 22] sts up side of armhole to the stitches on waste yarn, slip these sts to left needle, k1, pm, work next row of cable panel (worked in rounds), pm, k1, pick up and knit (17, 18, 19) [20, 21, 22] sts down the other side of armhole to the underarm. Pm and join to work in the round. (48, 50, 52) [54, 56, 58] sts.

Work as established, working sleeve in St st and continuing the cable panel between markers until sleeve measures 2"

Dec Rnd: K1, SSK, work in pattern to last 3 sts, k2tog, k1. 2 sts dec'd.

Rep Dec Rnd every (5th, 6th, 8th) [8th, 8th, 8th] rnd (4, 5, 5) [6, 6, 7] times more. (38, 38, 40) [40, 42, 42] sts.

Work even as established until sleeve measures approximately (6½, 8½, 10) [11, 12, 13]" / (16.5, 21.5, 25.5) [28, 30.5, 33] cm, end after completing either Rnd 2 or Rnd 8 of cable chart.

Next Rnd: Knit to marker, remove marker, k4, [k2tog] twice, k4, remove marker, knit to end. (36, 36, 38) [38, 40, 40] sts.

Change to smaller double-pointed needles and work in k1, p1 ribbing for 2" / 5 cm, end after completing a WS row. Bind off in ribbing.

FINISHING

Buttonband: With RS facing, using 40" / 100 cm circular needle, begin at bottom of Right Front, pick up and knit approximately 2 sts for every 3 rows along right front edge, including Right Cable Panel, 1 st in each cast on st along back neck edge, and approximately 2 sts for every 3 rows along Left Cable Panel and left front edge down to the bottom. Exact number of sts is not crucial, but it needs to be an odd number.

Set Up Rib: Row 1 (WS): P2, * k1, p1; rep from * to last stitch, p1.

Row 2 (RS): K2, * p1, k1; rep from * to last stitch, k1.

Work 3 more rows in ribbing as established, end on WS. Mark placement of (5, 5, 5) [5, 7, 7] buttonholes on the Right Front, each placed before a purl st, as follows: one centered on the bottom ribbing, one 1" / 2.5 cm below the beginning of the neck shaping, and the rest evenly spaced between.

Buttonhole Row (RS): * Work in ribbing as established to marker, remove marker, yo, k2tog; rep from * (4, 4, 4) [4, 6, 6] times more, work in ribbing to end.

Work in ribbing for 3 more rows, then bind off in ribbing.

Pocket Linings: Slip sts on hold for pocket lining to larger needle. Join yarn and work even in St st until lining measures (3, 4, 4) [4, 5, 5]" / (7.5, 10, 10) [10, 12.5, 12.5] cm. Bind off. Sew pocket linings to WS of front using whip stitch. Sew sides of pocket bands to RS of front using mattress stitch.

Weave in all ends and block as desired. Sew on buttons opposite buttonholes.

STANDARD ABBREVIATIONS & TERMS

cn: cable needledec: decreaseinc: increase

k: knit

k2tog: knit 2 stitches together

M1L: Make 1 Left— Pick up horizontal strand between stitch just worked and next stitch from front to back, place on left hand needle, knit this stitch through the back (1 stitch increased).

M1R: Make 1 Right—Pick up horizontal strand between stitch just worked and next stitch from back to front, place on left hand needle, knit this stitch through the front (1 stitch increased).

p: purl

pm: place marker

rep: repeat
rnd(s): round(s)
RS: right side

SSK: Slip 2 stitches knitwise, insert point of left hand needle through fronts of these 2 stitches and knit 2

together.

st(s): stitch(es)


St st: Stockinette Stitch—Knit 1 row, purl 1 row alternately when working back and forth in rows. The knit side is the right side of work. Knit EVERY round when working in the round.

w&t: wrap and turn, a method of concealing a hole created in short row shaping. On RS rows: With yarn held in front, slip next stitch purlwise, then bring yarn between needles to the back. Slip that same stitch back to the left needle. Turn your work. On WS Rows: With yarn held in back, slip next stitch purlwise, then bring yarn between needles to the front. Slip that same stitch back to the left needle. Turn your work. Unless otherwise indicated, each time you come to a wrapped stitch when working subsequent rows, slip the wrap back over stitch and onto needle, then work the wrap together with its accompanying stitch.


WS: wrong side

yo: yarn over

LEFT CABLE CHART



RIGHT CABLE CHART



KEY TO CHARTS

knit on RS; purl on WS

• purl on RS; knit on WS


C4R: sl 2 to cn and hold to BACK, k2, k2 from cn

C4L: sl 2 to cn and hold to FRONT, k2, k2 from cn

CHART NOTES

When working in rows, work from right to left on RS rows and from left to right on WS rows.

When working in the round, work from right to left on every round.



LEO (CHILD VERSION) MEASUREMENTS

- **A** (Chest Circumference, not including buttonband): (22½, 24¼, 26) [27¾, 29½, 31¼]" / (57, 61.5, 66) [70.5, 75, 79.5] cm
- **B** (Back Neck Width): (3¾, 4¼, 4¾) [5, 5½, 5½]" / (9.5, 11, 12) [12.5, 14, 14] cm
- **C** (Saddle Shoulder Length): (4, 41/4, 41/2) [43/4, 5, 51/4]" / (10, 11, 11.5) [12, 12.5, 13.5] cm
- **D** (Half Saddle Shoulder Width [folded]): 1" / 2.5 cm
- E (Total Length): (13¾, 16, 17¼) [18½, 19¾, 21]" / (35, 40.5, 43.5) [47, 50, 54] cm
- **F** (Length to Underarm): (9, 11, 12) [13, 14, 15]" / (23, 28, 30.5) [33, 35.5, 38] cm
- **G** (Armhole Length *): (3¾, 4, 4¼) [4½, 4¾, 5]" / (9.5, 10, 11) [11.5, 12, 13] cm
- **H** (Upper Sleeve Circumference): (9½, 10, 10½) [10¾, 11¼, 11¾]" / (24, 25.5, 26) [27.5, 28.5, 30] cm
- I (Sleeve Cuff Circumference): (8, 8, 8½) [8½, 9, 9]" / (20.5, 20.5, 21.5) [21.5, 23, 23] cm
- J (Sleeve Length): (8½, 10½, 12) [13, 14, 15]" / (21.5, 26.5, 30.5) [33, 35.5, 38] cm
- * These measurements do not include the saddle that is sewn on at the shoulders during finishing. Half the width of the saddle will be added in to these lengths after finishing.

QUESTIONS?

Scan the QR code for the Berroco Learning Center where you will find our fit guide, how-to videos, the complete glossary and more.

