



Regulatory Fire & Safety Signage

Winnipeg, Manitoba

Fire Routes

Fire Lanes

<http://theparkingstore.winnipeg.ca/theparkingstore/care/firelane.stm>

<http://clkapps.winnipeg.ca/DMIS/ViewPdf.asp?SectionId=463127>



Fire Prevention Bylaw

<http://clkapps.winnipeg.ca/DMIS/docext/ViewDoc.asp?DocumentTypeId=1&DocId=7085>

- Owners must ensure that signs are posted which prohibit parking in a manner that obstructs access by fire department vehicles to the building or to streets, yards and roadways provided for fire department access.

Fire Prevention Office

FPS-fp-Inspections@winnipeg.ca

- Sign must say "Fire Lane WPG Bylaw #35/2017"



Safety Media

Fire & Life Safety Essentials

www.safetymedia.com

sales@safetymedia.com

1-800-420-9737


No Parking

Private Parking Bylaw

<http://clkapps.winnipeg.ca/dmis/docext/ViewDoc.asp?DocumentTypeId=1&DocId=724&DocType=C>

Signs

- Indicate the identity and telephone number of the person/firm in charge or control of the private property who can be contacted
- Use text:
 - “NO PARKING”
 - “UNAUTHORIZED PARKING PROHIBITED” during specified time periods
 - “UNAUTHORIZED PARKING PROHIBITED”
- Black letters and border on a white background
- Size is 750mm W x 600mm H



http://www.gov.mb.ca/mr/land_use_dev/pubs/zoning_plugins.pdf

Signs required for direction and convenience of the public, including signs identifying restrooms or parking entrances

- May not exceed 0.5m² in sign surface area

Residential on-site identification signs or warning signs (ex. "Private Property" sign and similar)

- May not exceed 3 square feet each in surface area



Safety Media

Fire & Life Safety Essentials

www.safetymedia.com
sales@safetymedia.com
1-800-420-9737

Zoning Bylaw - Commercial Sector, Downtown Zoning Bylaw

<http://clkapps.winnipeg.ca/dmis/docext/viewdoc.asp?documenttypeid=1&docid=1770>

Parking Instructions Type (Multiple Use Sector)

- Sign can be attached or free-standing
- Maximum size of 24 square feet per sign
- Height maximum of 10 feet
- Attached location - below 25 feet in height
- Free standing location - set back from the public road right-of-way by a minimum distance equal to one half of the height of the sign

Zoning Bylaw - All areas of the city outside of the Downtown Winnipeg Zoning Bylaw 100/2004 Boundaries

<http://clkapps.winnipeg.ca/dmis/docext/viewdoc.asp?documenttypeid=1&docid=3943&doctype=c>

Accessory off street parking and loading areas

- Illuminated or non-illuminated directional signs for control of traffic movement
 - Limited to a maximum of 6 square feet in sign surface area per sign, maximum height of 6 ½ feet above curb or grade

Illuminated or non-illuminated parking area sign, or signs identifying the parking area and setting forth the rules governing the use of a parking area

- Ex. “No Parking” “Public Parking” “private Parking” etc.
- Maximum of 6 square feet in sign surface
- Maximum height of 6 ½ feet above curb or grade
- Warning signs surface must not exceed 6 square feet

No Smoking

Smoking Bylaw, Neighborhood Livability Bylaw

<http://clkapps.winnipeg.ca/dmis/docext/ViewDoc.asp?DocumentTypeId=1&DocId=3996&DocType=O>

<http://clkapps.winnipeg.ca/DMIS/Documents/DocExt/BL/2003/2003.88.pdf>

Sign Requirements

- Carry the text “No Smoking” in capital or lowercase letters (or)
 - Consist of at least two contrasting colours
 - Text shall not be less than 28mm in height



- Consist of the following graphic symbol, on a white background with the circle and interdictory stroke in red
- Diameter of the circle is not less than 100mm in size



Towing

Refer to information under [No Parking](#)

No Dumping

Land Use

http://www.gov.mb.ca/mr/land_use_dev/pubs/zoning_plugins.pdf

Residential on-site identification signs or warning signs (ex. "Private Property" sign and similar)

- May not exceed 3 square feet each in surface area

204-986-5140, Bylaw Enforcement

- No specific requirements

Underground Parking

204-986-5140, Building and Permits Office

- No specific requirements that they know of, would be under the zoning bylaw with other Parking provisions



Zoning Bylaw

- All relevant information is found under [No Parking](#)

Fire Safety Plan Box

- The City of Winnipeg does not have any specific guidelines for a fire safety plan box
- Recommend that it be properly identified and big enough to hold the plan

Lock Box Requirements

<https://winnipeg.ca/fps/FirePrevention/pdfs/Keyed%20Lock%20Box%20Program.pdf>

- Must be a Medeco Keyed Lock Box
 - Must fill out a "REQUEST FOR KEYED LOCK BOX INSTALLATION OR CHANGE OF KEYS" form

Accessibility Guidelines

Access Design Standards

https://winnipeg.ca/ppd/Documents/Planning/UniversalDesign/Access_Design_Standards.pdf

General

- Signs that designate permanent rooms or spaces should include, where possible, tactile characters, Grade 1 Braille and numbers
- Minimum illumination level of 200 lux

Letters and Numbers

- Not be stylized or italicized
- Be sans serif fonts
- Have Arabic numbers
- Width-to-height ratio between 3:5 and 1:1
- Stroke width to height ratio between 1:5 and 1:1-
- Eggshell, matte or other glare free finish (includes backgrounds)
- Colour contrast of a minimum 70% with background
 - Contrast = $((B1 - B2)/B2) * 100$



Safety Media

Fire & Life Safety Essentials

www.safetymedia.com

sales@safetymedia.com

1-800-420-9737

| Minimum character height, mm | Maximum viewing distance, mm |
|------------------------------|------------------------------|
| 25 mm (1 in.) | 750 mm (29 1/2 in.) |
| 50 mm (2 in.) | 1.5 m (5 ft.) |
| 75 mm (3 in.) | 2.3 m (8 ft.) |
| 100 mm (4 in.) | 2.5 m (8 ft. 2 in.) |
| 150 mm (6 in.) | 4.6 m (15 ft.) |
| 200 mm (8 in.) | 6.0 m (19 ft. 8 in.) |



Tactile

- Raised at least 0.8mm, not sharply edged
- Be between 16mm and 50mm
- Sans serif font, accompanied by Grade 1 uncontracted Braille

Pictograms

- Border dimension shall be 150mm minimum in height
- Raised 0,8mm - 1.5mm from the background surface



Safety Media

Fire & Life Safety Essentials

www.safetymedia.com

sales@safetymedia.com

1-800-420-9737



Parking

<https://mutcd.fhwa.dot.gov/pdfs/2009/mutcd2009edition.pdf>

- Be at least 300mm x 450mm
- Displays a designated disabled parking space sign as specified in the Manual of Uniform Traffic Control Devices for Canada



Safety Media

Fire & Life Safety Essentials


www.safetymedia.com

sales@safetymedia.com

1-800-420-9737

Other?

Fire Safety Plan



Guidelines

<https://winnipeg.ca/fps/pdfs/Fire%20Safety%20Plan%20Guidelines.pdf>

Fire Emergency Procedures



Safety Media

Fire & Life Safety Essentials

www.safetymedia.com

sales@safetymedia.com

1-800-420-9737

Single Stage Fire Alarm System and No Elevators

IN CASE OF FIRE

UPON DISCOVERY OF FIRE

- Leave the Fire area immediately
- Close and latch all doors behind you
- Activate the fire alarm pull station to notify building occupants
- Leave the building immediately via the nearest exit
- Telephone the Winnipeg Fire Paramedic Service - DIAL 9-1-1

UPON HEARING FIRE ALARM

- LEAVE the BUILDING immediately via nearest exit
- Take your keys
- CLOSE and latch DOORS behind you – do not lock

IF YOU ENCOUNTER HEAVY SMOKE

- STAY in your suite IF you are UNABLE TO EXIT
- DIAL 9-1-1 and await further instructions

REMAIN CALM

WARNING

Tampering with any fire protection systems and equipment is a criminal offence subject to a heavy fine, imprisonment or both.

ISSUED BY THE FIRE & PARAMEDIC CHIEF.



Safety Media

Fire & Life Safety Essentials

www.safetymedia.com

sales@safetymedia.com

1-800-420-9737

Two-Stage Fire Alarm System

IN CASE OF FIRE

UPON DISCOVERY OF FIRE

- Leave the Fire area immediately
- Close and latch all doors behind you
- Activate the fire alarm pull station to notify building occupants
- Leave the building immediately via the nearest exit or stairwell exit
- Telephone the Winnipeg Fire Paramedic Service – DIAL 9-1-1

DO NOT USE ELEVATORS

UPON HEARING FIRE ALARM

INTERMITTENT SIGNAL-

- Stand by and prepare to leave the building

IF CONTINUOUS SIGNAL-

- LEAVE the BUILDING immediately via nearest exit or stairwell exit
- Take your keys
- CLOSE and latch DOORS behind you – do not lock

IF YOU ENCOUNTER HEAVY SMOKE

- Return to or stay in your suite or office if you are unable to leave by an alternate exit.
- DIAL 9-1-1 and await further instructions

REMAIN CALM

WARNING

Tampering with any fire protection systems and equipment is a criminal offence subject to a heavy fine, imprisonment or both.

ISSUED BY THE FIRE & PARAMEDIC CHIEF.



Single Stage Fire Alarm System with Elevators

IN CASE OF FIRE

UPON DISCOVERY OF FIRE

- Leave the Fire area immediately
- Close and latch all doors behind you
- Activate the fire alarm pull station to notify building occupants
- Leave the building immediately via the nearest exit or stairwell exit
- Telephone the Winnipeg Fire Paramedic Service – DIAL 9-1-1

DO NOT USE ELEVATORS

UPON HEARING FIRE ALARM

- LEAVE the BUILDING immediately via nearest exit or stairwell exit
- Take your keys
- CLOSE and latch DOORS behind you – do not lock

IF YOU ENCOUNTER HEAVY SMOKE

- Return to or stay in your suite or office if you are unable to leave by an alternate exit.
- DIAL 9-1-1 and await further instructions

REMAIN CALM

WARNING

Tampering with any fire protection systems and equipment is a criminal offence subject to a heavy fine, imprisonment or both.

ISSUED BY THE FIRE & PARAMEDIC CHIEF.

Disclaimer: The material and information contained on this document is for general information purposes only. Please contact your local authorities before making any business, legal or other decision.