## Closet Connector Housing (CCH) Panel, SC Adapters

Duplex, 6 F, 50  $\mu m$  multimode (OM3/OM4/OM4 extended 10G distance)



Corning Cable Systems Closet Connector Housing Panels (CCH-CP) are offered in a variety of fiber counts for use with LANscape® Solutions hardware products for a "one-size-fits-all" approach. Used with factory-installed or field-installable connectors, these panels provide interconnect or cross-connect capability in a housing at main cross-connects, intermediate cross-connects, telecommunication rooms or work areas. Available with a variety of industry-standard adapter types, the CCH-CP provides an efficient way to securely mate two connectors and offers multimode and single-mode applications.

#### Features and Benefits

Universal design approach

One-size-fits-all LANscape® Solutions housings

**Broadest range of fiber count and adapter types** Solutions for all needs

Colored icon labeling

Easy connector identification







# **Closet Connector Housing (CCH) Panel, SC Adapters**

Duplex, 6 F, 50  $\mu$ m multimode (OM3/OM4/OM4 extended 10G distance)



### **Specifications**

Enterprise Networks, Data Center
Panels & Modules
50 μm MM (OM3/OM4/OM4 extended 10G distance)

Design - Hardware		
Adapter Type Master Level	SC	
Connector polish	UPC	
Fiber Count	6	
Number of adapters per panel	6	

Design Adapter	
Adapter Housing Color	Aqua
Adapter Housing Material	Composite
Adapter Style	Standard
Adapter Type	SC duplex
Insert Material	Ceramic

Chemical characteristics	
RoHS	Free of hazardous substances according to RoHS 2002/95/ EG

### **Ordering Information**

Order Number	CCH-CP06-E7
Product description	Closet Connector Housing (CCH) Panel, SC adapters, duplex, 6 F, 50 $\mu m$ multimode (OM3/OM4/OM4 extended 10G distance)



### **Closet Connector Housing (CCH) Panel, SC Adapters**

Duplex, 6 F, 50  $\mu$ m multimode (OM3/OM4/OM4 extended 10G distance)



#### **Shipping Information**

Units per Delivery	1/1
Package Contents	CCH Adapter Panel with installation guide

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2010 Corning Cable Systems. All rights reserved.

