



# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name: ROYCO 560 PRF-23699F HTS

HIGH TEMPERATURE STABILITY TURBINE ENGINE OIL

Product Use Description: Lubricant

Company:

Manufacturer

Anderol Specialty Lubricants, a division of Chemtura Corporation

215 Merry Lane East Hanover, NJ

07936

United States of America

Telephone: +1 203-573-4596, Toll Free: +1 888-263-3765

Email:

Emergency telephone

number:

msdsrequest@chemtura.com

CHEMTREC: (24 hours) 800-424-9300

Chemtura Corporation Emergency Response: CHEMTURA: 800-292-5898

For additional emergency telephone numbers see section 16 of the Safety

Data Sheet.

Prepared by <u>Product Safety Department</u>

(US) +1 866-430-2775

MSDSRequest@chemtura.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

## **SECTION 2. HAZARDS IDENTIFICATION**

Form	liquid	
Colour	amber	
Odour	mild	

## **GHS Classification**

Reproductive toxicity : Category 2
Acute aquatic toxicity : Category 3
Chronic aquatic toxicity : Category 3





## **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

#### **GHS Label element**

Signal word : Warning

Hazard pictograms

Hazard statements : H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

Other hazards : None

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.
Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen





# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

by NTP.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
Fatty acids, C5-9, tetraesters with pentaerythritol	67762-53-2	>= 70 - < 90 %
Fatty acids, C5-9, hexaesters with dipentaerythritol	67762-52-1	>= 5 - < 10 %
tris(methylphenyl) phosphate	1330-78-5	>= 1 - < 5 %
NJTS-46728100000-0001		>= 1 - < 5 %

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : If inhaled

Move to fresh air.

If breathing is difficult, give oxygen.

Get medical attention if irritation develops and persists.

In case of skin contact : In case of skin contact

Wash off with soap and water.

If symptoms persist, call a physician.

In case of eye contact : In case of eye contact

Flush with plenty of water.

If eye irritation persists, consult a specialist.

If swallowed, DO NOT induce vomiting.

Consult a physician if necessary.

Most important symptoms

and effects, both acute and

delayed

Notes to physician

: None known.

: For specialist advice physicians should contact the Poisons

Information Service.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder Foam

Alcohol-resistant foam

Water mist

Unsuitable extinguishing

media

: Water





# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

Specific hazards during

firefighting

: Burning produces noxious and toxic fumes.

Specific extinguishing

methods

: In the event of fire, cool tanks with water spray.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment.

Do not contaminate water.

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

: Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

Keep container closed when not in use. Do not use pressure to empty drums.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid : Strong acids and strong bases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

**Engineering measures**: Use with adequate ventilation.

Local ventilation is needed in the presence of airborne mists. Ensure that eyewash stations and safety showers are close to

the workstation location.

#### Personal protective equipment

SAP 6.0 SDS 2012-2 NA GHS 4 / 10 SDS Number: 400000001741





# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

Respiratory protection : not required under normal use

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : Neoprene gloves

Eye protection : Safety glasses with side-shields

Tightly fitting safety goggles

Skin and body protection : impervious clothing

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

Do not breathe dust or spray mist.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : amber
Odor : mild

pH : No data available

Melting point/range :

Not applicable

Boiling point/boiling range : No data available

Flash point : > 246 °C

Method: ASTM D92

Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available

Relative density : 1.0

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : not determined

Viscosity

Viscosity, kinematic : No data available





# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability: No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Conditions to avoid : Heat.

Contamination

Incompatible materials : Strong acids and strong bases

Hazardous decomposition

products

: Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity (Product) : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity

NJTS-46728100000-0001 :

(Component)

: LD50: > 2,000 mg/kg

Species: Rat

Skin irritation

NJTS-46728100000-0001

(Component)

: Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Eve irritation

NJTS-46728100000-0001

(Component)

: Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Sensitisation

NJTS-46728100000-0001

(Component)

: Species: Guinea pig

Classification: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Aspiration toxicity (Product) : No aspiration toxicity classification

CMR effects





# **ROYCO 560 PRF-23699F HTS**

Revision Date: 01/12/2015 Version: 1.1 Print Date: 06/19/2015

Fatty acids, C5-9, tetraesters

with pentaerythritol (Component)

Mutagenicity: Animal testing did not show any mutagenic effects.

Teratogenicity: No effects on or via lactation Reproductive toxicity: No toxicity to reproduction

tris(methylphenyl) phosphate

(Component)

Carcinogenicity: Animal testing did not show any carcinogenic effects.

Mutagenicity: In vitro tests did not show mutagenic effects

Teratogenicity: Did not show teratogenic effects in animal experiments. Reproductive toxicity: Suspected of damaging fertility or the unborn

NJTS-46728100000-0001

(Component)

: Mutagenicity: Not mutagenic in Ames Test.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity effects**

Toxicity to fish

tris(methylphenyl) phosphate : LC50: 0.75 mg/l

(Component)

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

LC50: > 100 mg/l Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

LC50: 0.6 mg/l Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

NJTS-46728100000-0001

(Component)

: LC50: > 71 mg/l

Exposure time: 96 h

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

tris(methylphenyl) phosphate

(Component)

EC50: 0.146 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

EC50: 0.27 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

NJTS-46728100000-0001 EC50: 51 mg/l

7/10 SAP 6.0 SDS 2012-2 NA GHS SDS Number: 400000001741





# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

(Component) Exposure time: 48 h

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

Toxicity to algae

NJTS-46728100000-0001 : EbC50: > 100 mg/l (Component) : Exposure time: 72 h

Species: Desmodesmus subspicatus (green algae)

Method: OECD Test Guideline 201

Toxicity to bacteria

tris(methylphenyl) phosphate

(Component)

: EC50: > 100 mg/l Exposure time: 3 h

Species: activated sludge Respiration inhibition

## Elimination information (persistence and degradability)

Bioaccumulation (Product) : Remarks:

No data available

Mobility (Product) : Remarks:

No data available

Biodegradability

Fatty acids, C5-9, tetraesters

with pentaerythritol

(Component)

Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

47.1 %

Method: CO2 Evolution Test

Fatty acids, C5-9, hexaesters :

with dipentaerythritol

(Component)

Result: Readily biodegradable.

79 %

NJTS-46728100000-0001

(Component)

: Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

Method: CO2 Evolution Test

## Further information on ecology

# **Ecotoxicology Assessment**

Results of PBT assessment (Product)

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological : There is no data available for this product.

information (Product)

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

SAP 6.0 SDS 2012-2 NA GHS 8/10 SDS Number: 400000001741





# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **ADR**

Not dangerous goods

#### RID

Not dangerous goods

#### **MERCOSUR**

Not dangerous goods

#### DOT

Not dangerous goods

#### IATA

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
amitrole	61-82-5	10	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## **SARA304 Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.





# **ROYCO 560 PRF-23699F HTS**

Version: 1.1 Revision Date: 01/12/2015 Print Date: 06/19/2015

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations** 

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

amitrole 61-82-5

The components of this product are reported in the following inventories: US.TSCA On TSCA Inventory

All components of this product are on the Canadian DSL.

AICS

All components of this product are on the Canadian DSL.

On the inventory, or in compliance with the inventory

NZIOC

Not in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### Other Emergency Phone Number

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.